



# Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA  
REPUBLIEK VAN SUID-AFRIKA

*Regulation Gazette*

**No. 7236**

*Regulasiekoerant*

**Vol. 438**

**Pretoria, 21 December 2001**

**No. 22969**



**AIDS HELPLINE: 0800-0123-22 Prevention is the cure**

**CONTENTS**

| No.                                  |                                                                                          | Page<br>No. | Gazette<br>No. |
|--------------------------------------|------------------------------------------------------------------------------------------|-------------|----------------|
| <b>GOVERNMENT NOTICES</b>            |                                                                                          |             |                |
| <b>South African Revenue Service</b> |                                                                                          |             |                |
| <i>Government Notices</i>            |                                                                                          |             |                |
| R. 1401                              | Customs and Excise Act (91/1964):<br>Amendment of Schedule No. 1 (No.<br>1/1/1130) ..... | 3           | 22969          |
| R. 1402                              | do.: Amendment of Schedule No. 1 (No.<br>1/1/1131) .....                                 | 15          | 22969          |

**INHOUD**

| No.                                  |                                                                                  | Bladsy<br>No. | Koerant<br>No. |
|--------------------------------------|----------------------------------------------------------------------------------|---------------|----------------|
| <b>GOEWERMENTSKENNISGEWINGS</b>      |                                                                                  |               |                |
| <b>Suid-Afrikaanse Inkomstediens</b> |                                                                                  |               |                |
| <i>Goewermentskennisgewings</i>      |                                                                                  |               |                |
| R. 1401                              | Doeane- en Aksynswet (91/1964):<br>Wysiging van Bylae No. 1 (No. 1/1/1130) ..... | 9             | 22969          |
| R. 1402                              | do.: Wysiging van Bylae No. 1 (No.<br>1/1/1131) .....                            | 16            | 22969          |

# GOVERNMENT NOTICES

## GOEWERMENTSKENNISGEWINGS

### SOUTH AFRICAN REVENUE SERVICE

### SUID-AFRIKAANSE INKOMSTEDIENS

No. R. 1401

21 December 2001

#### CUSTOMS AND EXCISE ACT, 1964.-

#### AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1/1130)

Under section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended, with effect from 1 January 2002, to the extent set out in the Schedule hereto.

**M MPAHLWA**  
DEPUTY MINISTER OF FINANCE

#### SCHEDULE

| Head-<br>ing | Sub-<br>Heading | C D | Article Description                                                                                                                                                                                                                                                                                                 | Statistical<br>Unit | Rate of Duty |     |       |
|--------------|-----------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------|-----|-------|
|              |                 |     |                                                                                                                                                                                                                                                                                                                     |                     | General      | EU  | SADC  |
| 87.01        |                 |     | By the substitution for heading 87.01.20 of the following:                                                                                                                                                                                                                                                          |                     |              |     |       |
|              | "8701.20        |     | - Road tractors for semi-trailers:                                                                                                                                                                                                                                                                                  |                     |              |     |       |
|              | .10             | 9   | - - Of a vehicle mass not exceeding 1 600 kg                                                                                                                                                                                                                                                                        | u                   | 40%          | 40% | 40%   |
|              | .20             | 6   | - - Of a vehicle mass exceeding 1 600 kg                                                                                                                                                                                                                                                                            | u                   | 20%          | 15% | free" |
| 87.02        |                 |     | By the substitution for heading 87.02 of the following:                                                                                                                                                                                                                                                             |                     |              |     |       |
| "87.02       |                 |     | <b>Motor vehicles for the transport of ten persons or more, including the driver:</b>                                                                                                                                                                                                                               |                     |              |     |       |
|              | 8702.10         |     | - With compression-ignition internal combustion piston engines (diesel or semi-diesel):                                                                                                                                                                                                                             |                     |              |     |       |
|              | .10             | 8   | - New, right hand drive, fitted with interior parcel racks, foot-rests, magazine nets, coat hooks, reclining seats, arm rests, microphone and radio or cassette equipment, air conditioning with individual controls, pneumatic plug doors, individual reading lights, chemical toilet, wash basin and refrigerator | u                   | 20%          | 15% | free  |
|              | .80             | 9   | - - Other, of a vehicle mass not exceeding 2 000 kg                                                                                                                                                                                                                                                                 | u                   | 40%          | 35% | 22%   |
|              | .90             | 6   | - Other                                                                                                                                                                                                                                                                                                             | u                   | 20%          | 15% | 15%   |

| Head=ing | Sub=Heading | C D | Article Description                                                                                            | Statistical Unit | Rate of Duty |     |       |
|----------|-------------|-----|----------------------------------------------------------------------------------------------------------------|------------------|--------------|-----|-------|
|          |             |     |                                                                                                                |                  | General      | EU  | SADC  |
| 87.03    | 8702.90     |     | - Other:                                                                                                       |                  |              |     |       |
|          | .10         | 4   | - - Of a vehicle mass not exceeding 2000 kg                                                                    | u                | 40%          | 35% | 35%   |
|          | 20          | 1   | - - Of a vehicle mass exceeding 2000 kg                                                                        | u                | 20%          | 15% | free" |
|          |             |     | By the substitution for subheading 8703.21.25 of the following:                                                |                  |              |     |       |
|          | ".25        | 0   | - - - Hearses                                                                                                  | u                | 20%          | 20% | free" |
|          |             |     | By the substitution for subheading 8703.21.90 of the following:                                                |                  |              |     |       |
|          | ".90        | 0   | - Other                                                                                                        | u                | 40%          | 40% | 20%"  |
|          |             |     | By the substitution for subheadings 8703.22, 8703.24, 8703.31, 8703.32, 8703.33 and 8703.90 of the following:- |                  |              |     |       |
|          | 8703.22     |     | - Of a cylinder capacity exceeding 1000 cm <sup>3</sup> but not exceeding 1500 cm <sup>3</sup> :               |                  |              |     |       |
|          | .25         | 7   | - - - Hearses                                                                                                  | u                | 20%          | 20% | free  |
|          | .90         | 7   | - - - Other                                                                                                    | u                | 40%          | 40% | 20%   |
|          | 8703.23     |     | - - Of a cylinder capacity exceeding 1 500 cm <sup>3</sup> but not exceeding 3 000 cm <sup>3</sup> :           |                  |              |     |       |
|          | .25         | 3   | - - - Hearses                                                                                                  | u                | 20%          | 20% | free  |
|          | .90         | 3   | - - - Other                                                                                                    | u                | 40%          | 40% | 20%   |
|          | 8703.24     |     | - - - Of a cylinder capacity exceeding 3 000 cm <sup>3</sup> :                                                 |                  |              |     |       |
|          | .25         | 6   | - - - Hearses                                                                                                  | u                | 20%          | 20% | free  |
|          | .90         | 5   | - - - Other                                                                                                    | u                | 40%          | 40% | 40%   |

| Head=<br>ing | Sub=<br>Heading | C D | Article Description                                                                                                                                                                                                                                                   | Statistical<br>Unit | Rate of Duty |      |                   |
|--------------|-----------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------|------|-------------------|
|              |                 |     |                                                                                                                                                                                                                                                                       |                     | General      | EU   | SADC              |
| 87.04        | 8703.3          |     | - Other vehicles, with compression ignition internal combustion piston engine (diesel or semi-diesel):                                                                                                                                                                |                     |              |      |                   |
|              | 8703.31         |     | - - Of a cylinder capacity not exceeding 1 500 cm <sup>3</sup> :                                                                                                                                                                                                      |                     |              |      |                   |
|              | .25             | 5   | - - - Hearses                                                                                                                                                                                                                                                         | u                   | 20%          | 20%  | free              |
|              | .70             | 0   | - - - Of a vehicle mass (excluding hearses) not exceeding 600 kg                                                                                                                                                                                                      | u                   | free         | free | free              |
|              | .90             | 5   | - - - Other                                                                                                                                                                                                                                                           | u                   | 40%          | 40%  | 40%               |
|              | 8703.32         |     | - - Of a cylinder capacity exceeding 1 500 cm <sup>3</sup> but not exceeding 2 500 cm <sup>3</sup> :                                                                                                                                                                  |                     |              |      |                   |
|              | .25             | 1   | - - - Hearses                                                                                                                                                                                                                                                         | u                   | 20%          | 20%  | free              |
|              | .90             | 1   | - - - Other                                                                                                                                                                                                                                                           | u                   | 40%          | 40%  | 40%               |
|              | 8703.33         |     | - - Of a cylinder capacity exceeding 2 500 cm <sup>3</sup> :                                                                                                                                                                                                          |                     |              |      |                   |
|              | .25             | 8   | - - - Hearses                                                                                                                                                                                                                                                         | u                   | 20%          | 20%  | free              |
|              | .90             | 8   | - - - Other                                                                                                                                                                                                                                                           | u                   | 40%          | 40%  | 40%               |
|              | 8703.90         |     | - Other:                                                                                                                                                                                                                                                              |                     |              |      |                   |
|              | .25             | 6   | - - Hearses                                                                                                                                                                                                                                                           | u                   | 20%          | 20%  | free              |
|              | .90             | 6   | - - Other                                                                                                                                                                                                                                                             | u                   | 40%          | 40%  | 40% <sup>11</sup> |
|              | .80             | 7   | By the substitution for subheading 8704.21.80 of the following:<br><br>- - - Other, of a vehicle mass not exceeding 2 000 kg or a G.V.M. not exceeding 3 500 kg, or of a mass not exceeding 1 600 kg or a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab | u                   | 40%          | 35%  | 20%               |

| Heading | Sub-Heading | C D   | Article Description                                                                                                                                                                                                                                               | Statistical Unit | Rate of Duty |     |      |
|---------|-------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------|-----|------|
|         |             |       |                                                                                                                                                                                                                                                                   |                  | General      | EU  | SADC |
| "87.06  | .80         | 1     | By the substitution for heading 8704.31.80 of the following:<br><br>- - - Other, of a vehicle mass not exceeding 2 000 kg or a G.V.M. not exceeding 3 500 kg or of a mass not exceeding 1 600 kg or a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab | u                | 40%          | 35% | 35%" |
|         |             | 2     | By the substitution for subheading 8704.90.80 of the following:<br><br>- Other, of a vehicle mass not exceeding 2 000 kg or a G.V.M. not exceeding 3 500 kg, or of a mass not exceeding 1 600 kg or a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab | u                | 40%          | 35% | 35%  |
|         | 8706.00     |       | By the substitution for heading 87.06 of the following:<br><br><b>Chassis fitted with engines, for the motor vehicles of headings Nos. 87.01 to 87.05:</b>                                                                                                        |                  |              |     |      |
|         | .10         | 8     | - Of a vehicle mass not exceeding 1 600 kg or of a G.V.M. not exceeding 3 500 kg                                                                                                                                                                                  | u                | 40%          | 40% | 40%  |
|         | .20         | 5     | - Other                                                                                                                                                                                                                                                           | u                | 20%          | 20% | 11%" |
| 98.01   |             |       | By the substitution for heading 98.01 of the following:                                                                                                                                                                                                           |                  |              |     |      |
| "98.01  | 9801.00     |       | <b>Original equipment components:</b>                                                                                                                                                                                                                             |                  |              |     |      |
|         |             | .10 0 | - For road tractors for semi-trailers of subheading 8701.20 of a vehicle mass not exceeding 1 600 kg                                                                                                                                                              | kg               | 30%          | 30% | 30%  |



| Head-<br>ing | Sub-<br>Heading | C D | Article Description                                                                                                                                                                                                                                                                                                                                                                                                              | Statistical<br>Unit | Rate of Duty |     |      |
|--------------|-----------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------|-----|------|
|              |                 |     |                                                                                                                                                                                                                                                                                                                                                                                                                                  |                     | General      | EU  | SADC |
|              | .15             | 0   | - For road tractors for semi-trailers of subheading 8701.20 of a vehicle mass exceeding 1 600 kg                                                                                                                                                                                                                                                                                                                                 | kg                  | 30%          | 30% | 30%  |
|              | .20             | 7   | - For motor vehicles for the transport of ten or more persons including the driver, of heading 87.02 of a vehicle mass not exceeding 2000 kg                                                                                                                                                                                                                                                                                     | kg                  | 30%          | 30% | 30%  |
|              | .25             | 8   | - For motor vehicles for the transport of ten or more persons, including the driver of heading 87.02 of a vehicle mass exceeding 2 000 kg (excluding vehicles of subheading No. 8702.10.10)                                                                                                                                                                                                                                      | kg                  | 30%          | 30% | 30%  |
|              | .30             | 4   | - For motor cars (including station wagons) of heading 87.03                                                                                                                                                                                                                                                                                                                                                                     | kg                  | 30%          | 30% | 30%  |
|              | .40             | 1   | - For motor vehicles for the transport of goods of heading 87.04, of a vehicle mass not exceeding 2 000 kg or of a G.V.M. not exceeding 3 500 kg, or of a mass not exceeding 1 600 kg or of a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab (excluding dumpers designed for off-highway use, shuttle cars and low construction flame-proof vehicles, for use in underground mines and off-the-road logging trucks) | kg                  | 30%          | 30% | 30%  |
|              | .45             | 2   | - For motor vehicles for the transport of goods of heading 87.04, of a vehicle mass exceeding 2 000 kg and of a G.V.M. exceeding 3 500 kg, or of a mass exceeding 1 600 kg and of a G.V.M. exceeding 3 500 kg per chassis fitted with a cab (excluding dumpers designed for off-highway use, shuttle cars and low construction flame proof vehicles, for use in underground mines and off-the-road logging trucks)               | kg                  | 30%          | 30% | 30%  |

| Head=<br>ing | Sub=<br>Heading | C D | Article Description                                                                                                                                                                                                                                                                                          | Statistic<br>al Unit | Rate of Duty |     |      |
|--------------|-----------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------|-----|------|
|              |                 |     |                                                                                                                                                                                                                                                                                                              |                      | General      | EU  | SADC |
|              | .50             | 9   | - For chassis fitted with engines of heading 87.06, of a mass not exceeding 1 600 kg, or of a G.V.M. not exceeding 3 500 kg (excluding those for dumpers designed for off-highway use, shuttle cars and low construction flame proof vehicles, for use in underground mines and off-the-road logging trucks) | kg                   | 30%          | 30% | 30%  |
|              | .55             | 8   | - For chassis fitted with engines of heading 87.06, of a mass exceeding 1 600 kg and of a G.V.M. exceeding 3 500 kg (excluding those for dumpers designed for off highway use, shuttle cars and low construction flame proof vehicles, for use in underground mines and off-the-road logging trucks)         | kg                   | 30%          | 30% | 30%" |



No. R. 1401

21 Desember 2001

**DOEANE- EN AKSYNSWET, 1964.-  
WYSIGING VAN BYLAE NO. 1 (NO. 1/1/1130)**

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel I van Bylae No. 1 by genoemde Wet hiermee gewysig, met ingang van 1 Januarie 2002, in die mate in die Bylae hierby aangetoon.

**M MPAHLWA  
ADJUNKMINISTER VAN FINANSIES**

**BYLAE**

| Pos    | Subpos   | T<br>S | Artikel Beskrywing                                                                                                                                                                                                                                                                       | Statis=<br>tiese<br>Eenheid | Skaal van Reg |     |      |
|--------|----------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------|-----|------|
|        |          |        |                                                                                                                                                                                                                                                                                          |                             | Algemeen      | EU  | SAOG |
| "87.02 | "8701.20 |        | Deur subpos 8701.20 deur die volgende te vervang:                                                                                                                                                                                                                                        |                             |               |     |      |
|        |          |        | - Padtrekkers vir leunsleepwaens:                                                                                                                                                                                                                                                        |                             |               |     |      |
|        | .10      | 9      | - - Met 'n voertuigmassa van hoogstens 1 600 kg                                                                                                                                                                                                                                          | u                           | 40%           | 40% | 40%  |
|        | .20      | 6      | - - Met 'n voertuigmassa van meer as 1 600 kg                                                                                                                                                                                                                                            | u                           | 20%           | 15% | vry" |
|        |          |        | Deur pos 87.02 deur die volgende te vervang:                                                                                                                                                                                                                                             |                             |               |     |      |
|        |          |        | <b>Motorvoertuie vir die vervoer van minstens tien persone, met inbegrip van die bestuurder:</b>                                                                                                                                                                                         |                             |               |     |      |
|        | 8702.10  |        | - Met kompressie-ontstekingsbinnebrandsuierenjins (diesel of halfdiesel):                                                                                                                                                                                                                |                             |               |     |      |
|        | .10      | 8      | - - Nuut, regterhandstuur, met binnebagasierakke, voetrusse, tydskrifnette, klerehakke, leunsitplekke, armleunings, mikrofoon- en radio- of kassettoerusting, lugreëling met individuele kontroles, lugdrukpropdeure, individuele leesligte, chemiese toilet, wasbak en koelkas toegerus | u                           | 20%           | 15% | vry  |

| Pos | Subpos  | T<br>S | Artikel Beskrywing                                                                                          | Statistiese<br>Eenheid | Skaal van Reg |     |      |
|-----|---------|--------|-------------------------------------------------------------------------------------------------------------|------------------------|---------------|-----|------|
|     |         |        |                                                                                                             |                        | Algemeen      | EU  | SAOG |
|     | 80      | 9      | - - Ander, met 'n voertuigmassa van hoogstens 2 000 kg                                                      | u                      | 40%           | 35% | 22%  |
|     | .90     | 6      | - - Ander                                                                                                   | u                      | 20%           | 15% | 15%  |
|     | 8702.90 |        | - Ander:                                                                                                    |                        |               |     |      |
|     | .10     | 4      | - - Met 'n voertuigmassa van hoogstens 2 000 kg                                                             | u                      | 40%           | 35% | 35%  |
|     | .20     | 1      | - - Met 'n voertuigmassa van meer as 2 000 kg                                                               | u                      | 20%           | 15% | vry  |
|     | 8703.21 |        | Deur subpos 8703.21.25 deur die volgende te vervang:                                                        |                        |               |     |      |
|     |         |        | - - Met 'n silinderkapasiteit van hoogstens 1 000 cm <sup>3</sup>                                           |                        |               |     |      |
|     | "25     | 0      | - - Lykwaens                                                                                                | u                      | 20%           | 20% | vry" |
|     |         |        | Deur subpos 8703.21.90 deur die volgende te vervang:                                                        |                        |               |     |      |
|     | "90     | 0      | - - Ander                                                                                                   | u                      | 40%           | 40% | 20%" |
|     | 8703.22 |        | Deur subposte 8703.22, 8703.23, 8703.24, 8703.31, 8703.32, 8703.33 en 8703.90 deur die volgende te vervang: |                        |               |     |      |
|     |         |        | - - Met 'n silinderkapasiteit van meer as 1 000 cm <sup>3</sup> maar hoogstens 1 500 cm <sup>3</sup> :      |                        |               |     |      |
|     | .25     | 7      | - - - Lykwaens                                                                                              | u                      | 20%           | 20% | vry  |
|     | .90     | 7      | - - - Ander                                                                                                 | u                      | 40%           | 40% | 20%  |
|     | 8703.23 |        | - - Met 'n silinderkapasiteit van meer as 1 500 cm <sup>3</sup> maar hoogstens 3 000 cm <sup>3</sup> :      |                        |               |     |      |
|     | .25     | 3      | - - - Lykwaens                                                                                              | u                      | 20%           | 20% | vry  |
|     | .90     | 3      | - - - Ander                                                                                                 | u                      | 40%           | 40% | 20%  |
|     | 8703.24 |        | - - - Met 'n silinderkapasiteit van meer as 3 000 cm <sup>3</sup> :                                         |                        |               |     |      |
|     | .25     | 6      | - - - Lykwaens                                                                                              | u                      | 20%           | 20% | vry  |
|     | .90     | 5      | - - - Ander                                                                                                 | u                      | 40%           | 40% | 40%  |

| Pos | Subpos  | T.<br>S. | Artikel Beskrywing                                                                                                                                                                                                    | Statistiese<br>Eenheid | Skaal van Reg |     |      |
|-----|---------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---------------|-----|------|
|     |         |          |                                                                                                                                                                                                                       |                        | Algemeen      | EU  | SAOG |
|     | 8703.3  |          | - Ander voertuie met kompressie-ontstekingsbinnebrandsuierenjins (diesel of halfdiesel):                                                                                                                              |                        |               |     |      |
|     | 8703.31 |          | - - Met 'n silinderkapasiteit van hoogstens 1 500 cm <sup>3</sup> :                                                                                                                                                   |                        |               |     |      |
|     | .25     | 5        | - - - Lykwaens                                                                                                                                                                                                        | u                      | 20%           | 20% | vry  |
|     | .90     | 5        | - - - Ander                                                                                                                                                                                                           | u                      | 40%           | 40% | 40%  |
|     | 8703.32 |          | - - Met 'n silinderkapasiteit van meer as 1 500 cm <sup>3</sup> maar hoogstens 2 500 cm <sup>3</sup> :                                                                                                                |                        |               |     |      |
|     | .25     | 6        | - - - Lykwaens                                                                                                                                                                                                        | u                      | 20%           | 20% | vry  |
|     | .90     | 5        | - - - Ander                                                                                                                                                                                                           | u                      | 40%           | 40% | 40%  |
|     | 8703.33 |          | - - Met 'n silinderkapasiteit van meer as 2 500 cm <sup>3</sup> :                                                                                                                                                     |                        |               |     |      |
|     | .25     | 8        | - - - Lykwaens                                                                                                                                                                                                        | u                      | 20%           | 20% | vry  |
|     | .90     | 8        | - - - Ander                                                                                                                                                                                                           | u                      | 40%           | 40% | 40%  |
|     | 8703.90 |          | - Ander:                                                                                                                                                                                                              |                        |               |     |      |
|     | .25     | 6        | - - Lykwaens                                                                                                                                                                                                          | u                      | 20%           | 20% | vry  |
|     | .90     | 6        | - Ander                                                                                                                                                                                                               | u                      | 4%            | 40% | 40%  |
|     |         |          | Deur subpos 8704.21.10 deur die volgende te vervang:                                                                                                                                                                  |                        |               |     |      |
|     | "80     | 7        | - - - Ander, met 'n voertuigmassa van hoogstens 2 000 kg of met 'n B.V.M. van hoogstens 3 500 kg, of met 'n massa van hoogstens 1 600 kg of met 'n B.V.M. van hoogstens 3 500 kg per onderstel toegerus met 'n kajuit | u                      | 40%           | 35% | 20%  |

| Pos   | Subpos  | T. S. | Artikel Beskrywing                                                                                                                                                                                             | Statistiese Eenheid | Skaal van Reg |     |      |
|-------|---------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------|-----|------|
|       |         |       |                                                                                                                                                                                                                |                     | Algemeen      | EU  | SAOG |
|       |         |       | Deur subpos 8704.31.80 deur die volgende te vervang:                                                                                                                                                           |                     |               |     |      |
|       | 80      | 1     | Ander, met 'n voertuigmassa van hoogstens 2 000 kg of met 'n B.V.M. van hoogstens 3 500 kg of met 'n massa van hoogstens 1 600 kg of met 'n B.V.M. van hoogstens 3 500 kg per onderstel toegerus met 'n kajuit | u                   | 40%           | 35% | 35%" |
|       |         |       | Deur subpos 8704.90.80 deur die volgende te vervang:                                                                                                                                                           |                     |               |     |      |
|       | 80      | 2     | Ander, met 'n voertuigmassa van hoogstens 2 000 kg of met 'n B.V.M. van hoogstens 3 500 kg of met 'n massa van hoogstens 1 600 kg of met 'n B.V.M. van hoogstens 3 500 kg per onderstel toegerus met 'n kajuit | u                   | 40%           | 35% | 35%" |
|       |         |       | Deur pos 87.06 deur die volgende te vervang:                                                                                                                                                                   |                     |               |     |      |
| 87.06 | 8706.00 |       | Onderstelle met enjins toegerus, vir die motorvoertuie van poste 87.01 tot 87.05:                                                                                                                              |                     |               |     |      |
|       | 10      | 8     | Met 'n voertuigmassa van hoogstens 1 600 kg of met 'n B.V.M. van hoogstens 3 500 kg                                                                                                                            | u                   | 40%           | 40% | 40%  |
|       | 20      | 5     | Ander, met 'n voertuigmassa van hoogstens 1 600 kg en met 'n B.V.M. van hoogstens 3 500 kg                                                                                                                     | u                   | 20%           | 20% | 11%" |
| 98.01 |         |       | Deur pos 98.01 deur die volgende te vervang:                                                                                                                                                                   |                     |               |     |      |
| 98.01 | 9801.00 |       | Oorspronklike toerusting komponente:                                                                                                                                                                           |                     |               |     |      |
|       | 10      | 0     | Vir padtrekkers vir leunsleepwaens van subpos 8701.20 met 'n voertuigmassa van hoogstens 1 600 kg                                                                                                              | kg                  | 30%           | 30% | 30%  |
|       | 15      | 0     | Vir padtrekkers vir leunsleepwaens van subpos 8701.20 met 'n voertuigmassa van hoogstens 1 600 kg                                                                                                              | kg                  | 30%           | 30% | 30%  |



| Pos | Subpos | T. S. | Artikel Beskrywing                                                                                                                                                                                                                                                                                                                                                                                                                                 |    | Skema van Reg |     |      |
|-----|--------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---------------|-----|------|
|     |        |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |    | Algemeen      | EU  | SAOC |
|     | .20    | 7     | - Vir motorvoertuie vir die vervoer van tien of meer persone met inbegrip van die bestuurder van pos 87.02 met 'n voertuigmassa van hoogstens 2 000 kg                                                                                                                                                                                                                                                                                             | kg | 30%           | 30% | 30%  |
|     | .25    | 8     | - Vir motorvoertuie vir die vervoer van tien of meer persone met inbegrip van die bestuurder van pos 87.02 met 'n voertuigmassa van meer as 2 000 kg (uitgesonderd voertuie van subpos 8702.10.10)                                                                                                                                                                                                                                                 | kg | 30%           | 30% | 30%  |
|     | .30    | 4     | - Vir motorkarre (met inbegrip van stasiewaens) van pos 87.03                                                                                                                                                                                                                                                                                                                                                                                      | kg | 30%           | 30% | 30%  |
|     | .40    | 1     | - Vir motorvoertuie vir die vervoer van goedere van pos 87.04 met 'n voertuigmassa van hoogstens 2 000 kg of met 'n B.V.M. van hoogstens 3 500 kg, of met 'n massa van hoogstens 1 600 kg of met 'n B.V.M. van hoogstens 3 500 kg per onderstel toegerus met 'n kajuit (uitgesonderd storters ontwerp vir gebruik op rowwe terrein, rolbodemwaens en lae konstruksie vlamvaste voertuie vir gebruik in ondergrondse myne en veldbosblokvragmotors) | kg | 30%           | 30% | 30%  |
|     | .45    | 2     | - Vir motorvoertuie vir die vervoer van goedere van pos 87.04 met 'n voertuigmassa van meer as 2 000 kg en 'n B.V.M. van meer as 3 500 kg, of met 'n massa van meer as 1 600 kg en met 'n B.V.M. van meer as 3 500 kg per onderstel toegerus met 'n kajuit (uitgesonderd storters ontwerp vir gebruik op rowwe terrein, rolbodemwaens en lae konstruksie vlamvaste voertuie vir gebruik in ondergrondse myne en veldbosblokvragmotors)             | kg | 30%           | 30% | 30%  |
|     | .50    | 9     | Vir onderstelle met enjins toegerus van pos 87.06 of 'n massa van hoogstens 1 600 kg of met 'n B.V.M. van hoogstens 3 500 kg (uitgesonderd storters ontwerp vir gebruik op rowwe terrein, rolbodemwaens en lae konstruksie vlamvaste voertuie vir gebruik in ondergrondse myne en veldbosblokvragmotors)                                                                                                                                           | kg | 30%           | 30% | 30%  |

| Pos | Subpos | T.<br>S. | Artikel Beskrywing                                                                                                                                                                                                                                                                                   | Statis-<br>Tieke<br>Eenheid | Skaal van Reg |     |      |
|-----|--------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------|-----|------|
|     |        |          |                                                                                                                                                                                                                                                                                                      |                             | Algemeen      | EU  | SAOG |
|     | .55    | 8        | - Vir onderstelle met enjins toegerus van 87.06, met 'n massa van meer as 1 600 kg en met 'n B.V.M. van meer as 3 500 kg (uitgesonderd storters ontwerp vir gebruik op rowwe terrein, rolbodemwaens en lae konstruksie vlamvaste voertuie vir gebruik in ondergrondse myne en veldbosblok-vragmotors | kg                          | 30%           | 30% | 30%" |

No. R. 1402

21 December 2001

**CUSTOMS AND EXCISE ACT, 1964.-  
AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1/1131)**

Under section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended, with effect from 1 January 2002, to the extent set out in the Schedule hereto.

**M MPAHLWA  
DEPUTY MINISTER OF FINANCE**

**SCHEDULE**

| Head-<br>ing | Sub-<br>heading | C D | Article Description                                    | Statistical<br>Unit | Rate of Duty |     |       |
|--------------|-----------------|-----|--------------------------------------------------------|---------------------|--------------|-----|-------|
|              |                 |     |                                                        |                     | General      | EU  | SADC  |
| 96.07        |                 |     | By the substitution for heading 96.07 of the following |                     |              |     |       |
| "96.07       |                 |     | <b>Slide fasteners and parts thereof:</b>              |                     |              |     |       |
|              | 9607.1          |     | - Slide fasteners:                                     |                     |              |     |       |
|              | 9607.11         | 1   | -- Fitted with chain scoops of base metal              | kg                  | 20%          | 20% | 12%   |
|              | 9607.19         | 2   | -- Other                                               | kg                  | 20%          | 20% | 12%   |
|              | 9607.20         |     | - Parts:                                               |                     |              |     |       |
|              | .50             | 6   | -- Slide fastener chains or stringers                  | kg                  | 20%          | 20% | 12%   |
|              | .90             | 5   | -- Other                                               | kg                  | 15%          | 15% | free" |



No. R. 1402

21 Desember 2001

**DOEANE EN AKSYNSWET, 1964.-  
WYSIGING VAN BYLAE NO. 1 (NO. 1/1/1131)**

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel 1 van Bylae No. 1 by genoemde Wet hiermee gewysig, met ingang van 1 Januarie 2002, in die mate in die Bylae hierby aangetoon.

**M MPAHLWA  
ADJUNKMINISTER VAN FINANSIES**

**BYLAE**

| Pos    | Subpos  | T S | Artikel Beskrywing                             | Statis=<br>tiese<br>Eenheid | Skaal van Reg |     |      |
|--------|---------|-----|------------------------------------------------|-----------------------------|---------------|-----|------|
|        |         |     |                                                |                             | Algemeen      | EU  | SAOG |
| 96.07  |         |     | Deur pos 96.07 deur die volgende te vervang:   |                             |               |     |      |
| "96.07 |         |     | <b>Skuifsluitings en onderdele daarvan:</b>    |                             |               |     |      |
|        | 9607.1  |     | - Skuifsluitings:                              |                             |               |     |      |
|        | 9607.11 | 1   | -- Met kettinghakies van onedelmetaal toegerus | kg                          | 20%           | 20% | 12%  |
|        | 9607.19 | 2   | - - Ander                                      | kg                          | 20%           | 20% | 12%  |
|        | 9607.20 |     | - Onderdele:                                   |                             |               |     |      |
|        | .50     | 6   | -- Skuifsluitingskettings of -some             | kg                          | 20%           | 20% | 12%  |
|        | .90     | 5   | - - Ander                                      | kg                          | 15%           | 15% | vry" |

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001  
 Publications: Tel: (012) 334-4508, 334-4509, 334-4510  
 Advertisements: Tel: (012) 334-4673, 334-4674, 334-4504  
 Subscriptions: Tel: (012) 334-4735, 334-4736, 334-4737  
 Cape Town Branch: Tel: (021) 465-7531

Gedruk deur en verkrygbaar by die Staatsdrukker, Bosmanstraat, Privaatsak X85, Pretoria, 0001  
 Publikasies: Tel: (012) 334-4508, 334-4509, 334-4510  
 Advertensies: Tel: (012) 334-4673, 334-4674, 334-4504  
 Subskripsies: Tel: (012) 334-4735, 334-4736, 334-4737  
 Kaapstad-tak: Tel: (021) 465-7531