



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Regulation Gazette

No. 7526

Regulasiekoerant

Vol. 449

Pretoria, 29 November 2002

No. 24104



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

CONTENTS**INHOUD**

<i>No.</i>	<i>Page No.</i>	<i>Gazette No.</i>	<i>No.</i>	<i>Bladsy No.</i>	<i>Koerant No.</i>
GOVERNMENT NOTICE			GOEWERMENTSKENNISGEWING		
South African Revenue Service			Suid-Afrikaanse Inkomstediens		
<i>Government Notice</i>			<i>Goewermentskennisgewing</i>		
R. 1494 Customs and Excise Act (91/1964): Amendment of Schedule No. 1 (No. 1/1/1166)	3	24104	R. 1494 Doeane- en Aksynswet (91/1964): Wysiging van Bylae No. 1 (No. 1/1/1166)	7	24104

GOVERNMENT NOTICE

GOEWERMENSKENNISGEWING

SOUTH AFRICAN REVENUE SERVICE

SUID-AFRIKAANSE INKOMSTEDIENS

No. R. 1494

29 November 2002

CUSTOMS AND EXCISE ACT, 1964.-

AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1166)

Under section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended, with retrospective effect to 1 January 2002, to the extent set out in the Schedule hereto.

M MPAHLWA
DEPUTY MINISTER OF FINANCE

SCHEDULE

Heading	Subheading	C D	Article Description	Statistical Unit	Rate of duty		
					General	EU	SADC
84.08	".65	8	By the substitution for subheading 8408.90.65 of the following: -- Stationary engines, four-stroke, normally aspirated, of a cylinder capacity of 300 cm ³ or more but less than 4 000 cm ³	u	15%	15%	free"
		9	By the substitution for subheading 8408.90.90 of the following: -- Other	u	15%	15%	free"
84.18	"8418.2		By the substitution for subheading 8418.2 of the following: - Refrigerators, household type:				
		0	-- Compression type	u	25%	25%	free
		7	-- Absorption-type, electrical	u	25%	25%	free
		1	-- Other	u	25%	25%	free"
		4	By the substitution for subheading 8418.30.90 of the following: -- Other	u	25%	25%	free"

Heading	Subheading	C D	Article Description	Statistical Unit	Rate of duty		
					General	EU	SADC
84.18			By the substitution for subheading 8418.40.90 and 8418.50 of the following:				
	“.90	9	-- Other	u	25%	25%	free
	8418.50	8	- Other refrigerating or freezing chests, cabinets, display counters, show-cases and similar refrigerating or freezing furniture	u	20%	20%	free"
			By the substitution for subheading 8418.61.10 of the following:				
	“.10	6	--- Suitable for household refrigerators or freezers	u	25%	25%	free"
			By the substitution for subheading 8418.91 of the following:				
	"8418.91		-- Furniture designed to receive refrigerating or freezing equipment:				
	.10	3	--- Suitable for household refrigerators or freezers	kg	20%	20%	free
	.20	7	--- For display counters, cabinets, show-cases or the like	kg	20%	20%	free
	.90	8	--- Other	kg	free	free	free"
84.33			By the substitution for subheading 8433.11.10 of the following:				
	“.10	0	--- Having a cutting width not exceeding 470 mm	u	20%	20%	free"
84.50			By the substitution for subheading 8450.11.15 of the following:				
	“.15	6	--- Of a dry linen capacity not exceeding 7 kg (excluding coin-operated machines)	u	30%	30%	12%"
			By the substitution for subheading 8450.12.30 of the following:				
	“.30	6	--- Of a dry linen capacity not exceeding 7 kg	u	30%	30%	12%"

Heading	Subheading	C D	Article Description	Statistical Unit	Rate of duty		
					General	EU	SADC
84.51			By the substitution for subheading 8451.21.10 of the following:				
	"10	3	-- Laundry drying machines, tumbler type, of a dry linen capacity not exceeding 7,5 kg (excluding coin-operated machines)	u	20%	20%	free"
84.81			By the substitution for subheadings 8481.80.41 and 8481.80.63 of the following:				
	"41	2	-- Gate valves	kg	15%	15%	free
	.63	3	-- Plug valves (excluding those made of plastics)	kg	15%	15%	free"
			By the substitution for subheading 8481.90.65 of the following:				
	"65	4	-- Housings (excluding those commonly used with inflatable articles and aerosol valves)	kg	15%	15%	free"
84.82			By the substitution for subheadings 8482.10.10 and 8482.10.15 of the following:				
	"10	4	-- Other radial deep groove bearings, single row, with a square bore, with an aggregate of the bore across the square plus the outside diameter plus width of 140 mm or more but not exceeding 154 mm	u	20%	20%	free
	.15	5	-- Other radial deep groove bearings, single row (excluding angular contact bearings and those with a square bore), with an aggregate of the inside diameter plus outside diameter plus width of 61 mm or more but not exceeding 230 mm	u	20%	20%	free"

Heading	Subheading	C D	Article Description	Statistical Unit	Rate of duty		
					General	EU	SADC
84.82			By the substitution for subheadings 8482.20.02 and 8482.20.45 of the following:				
	“.02	8	-- Journal roller bearings of the rotating end-cover type, commonly used on the axles of railway rolling stock or locomotives, of an outside diameter of 170 mm or more but not exceeding 210 mm	u	20%	20%	free
	.45	1	-- Cone assemblies (excluding single row), of an inside diameter of 119 mm or more but not exceeding 120 mm, or 131 mm or more but not exceeding 132 mm	u	20%	20%	free"
	“8482.99		By the substitution for subheading 8482.99 of the following: -- Other:				
	.11	6	-- Outer rings of radial deep groove ball bearings with grooved ball track in bore, finished (excluding those of an outside diameter of less than 31 mm or exceeding 130 mm)	kg	20%	20%	free
	.17	5	-- Outer rings of journal roller bearings, finished, of an outside diameter of 195 mm or more but not exceeding 196 mm or of 207 mm or more but not exceeding 209 mm	kg	20%	20%	free
	.29	9	-- Inner rings of radial deep groove ball bearings with grooved ball track on outer diameter, finished (excluding those of an outside diameter of less than 20 mm or exceeding 95 mm)	kg	20%	20%	free"
84.83			By the substitution for subheading 8483.30.55 of the following:				
	“.55	7	-- Plain shaft bearings, of a kind consisting of halves, with a inside diameter not exceeding 125 mm and a wall thickness of less than 5 mm	u	20%	20%	free"

No. R. 1494

29 November 2002

**DOEANE EN AKSYNSWET, 1964-
WYSIGING VAN BYLAE NO. 1 (NO. 1/1/1166)**

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel 1 van Bylae No. 1 by genoemde Wet hiermee gewysig, met terugwerkende krag tot 1 Januarie 2002, die mate in die Bylae hierby aangetoon.

**M MPAHLWA
ADJUNKMINISTER VAN FINANSIES**

BYLAE

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
84.08	"65	8	Deur subpos 8408.90.65 deur die volgende te vervang: -- Vaste enjins, vierslag, sonder aanjaer, met 'n silinderinhoud van minstens 300 cm ³ of meer maar minder as 4 000 cm ³	u	15%	15%	vry"
	"90	9	Deur subpos 8408.90.90 deur die volgende te vervang: -- Ander	u	15%	15%	vry"
84.18	"8418.2		Deur subposte 8418.2 deur die volgende te vervang: - Yskaste, huishoudelike tipe:				
	"8418.21	0	-- Kompressietipe	u	25%	25%	vry
	8418.22	7	-- Absorpsietipe, elektries	u	25%	25%	vry
	8418.29	1	-- Ander	u	25%	25%	vry
	"90	4	Deur subpos 8418.30.90 deur die volgende te vervang: -- Ander	u	25%	25%	vry"

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
84.18			Deur subposte 8418.40.90 en 8418.50 deur die volgende te vervang:				
	“.90	9	-- Ander	u	25%	25%	vry
	8418.50	8	-- Ander verkoeling- of bevroesing-kaste, -kabinette, vertoonbanke, -vertoonkaste en dergelike verkoeling- of bevroesingameubelment	u	20%	20%	vry”
			Deur subpos 8418.61.10.deur die volgende te vervang:				
	“.10	6	--- Vir huishoudelike koelkaste of vrieskaste geskik	u	25%	25%	vry”
			Deur subpos 8418.91 deur die volgende te vervang:				
	“8418.91		-- Amenbelment ontwerp om verkoeling- of bevroesingtoerusting te ontvang:				
	.10	3	--- Vir huishoudelike koelkaste of vrieskaste	kg	20%	20%	vry
84.33	.20	7	--- Vir vertoonbanke, -kabinette, vertoonkaste of dergelike toerusting	kg	20%	20%	vry
	.90	8	--- Ander	kg	vry	vry	vry”
			Deur subpos 8433.11.10.deur die volgende te vervang:				
	“.10	0	--- Met 'n snywydte van hoogstens 470 mm	u	20%	20%	vry”
84.50			Deur subpos 8450.11.15.deur die volgende te vervang:				
	“.15	6	--- Met 'n dröelinn-inhoudsvermoë van hoogstens 7 kg (uitgesonderd muntbusmasjiene)	u	30%	30%	12%”
			Deur subpos 8450.12.30.deur die volgende te vervang:				
	“.30	6	--- Met 'n droëlinne-inhoudsvermoë van hoogstens 7 kg	u	30%	30%	12%”

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
84.51			Deur subpos 8451.21.10.deur die volgende te vervang:				
	.10	3	-- Wasgoeddroogmasjiene, tuimeltipe, met 'n droëlinne-inhoudsvermoë van hoogstens 7,5 kg (uitgesonderd muntbusmasjiene)	u	20%	20%	vry"
84.81			Deur subposte 8481.80.41 en 8481.80.63 deur die volgende te vervang:				
	.41	2	-- Sluiskleppe	kg	15%	15%	vry
	.63	3	-- Propkleppe (uitgesonderd daardie van plastieke)	kg	15%	15%	vry"
			Deur subpos 8481.90.65 deur die volgende te vervang:				
	.65	4	-- Omhulsels (uitgesonderd dié van 'n soort gewoonlik met opblaasbare artikels gebruik en aerosolkleppe)	kg	15%	15%	vry"
84.82			Deur subposte 8482.10.10 en 8482.10.15 deur die volgende te vervang:				
	.10	4	-- Ander radiale diepgroeflaers, enkelry, met 'n vierkantige boor, met die som van die boormaat oor die vierkant plus buitedeursnee plus wydte van minstens 140 mm maar hoogstens 154 mm	u	20%	20%	vry
	.15	5	-- Ander radiale diepgroeflaers, enkelry, (uitgesonderd hoekkontaklaers en dié met 'n vierkante boor), met die som van die binnedeursnee plus buitedeursnee plus wydte van minstens 61 mm maar hoogstens 230 mm	u	20%	20%	vry"

Pos	Subpos	T S	Artikel Beskrywing	Statistiese Eenheid	Skaal van Reg		
					Algemeen	EU	SAOG
84.82			Deur subposte 8482.20.02 en 8482.20.45 deur die volgende te vervang:				
	“.02	8	-- Astaprolaers van die roterende enddestuktype, gewoonlik op die asse van rollende spoorwegmateriaal of lokomotiewe gebruik, met 'n buitedeursnee van minstens 170 mm maar hoogstens 210 mm	u	20%	20%	vry
	.45	1	-- Ander keëlsamestelle, met 'n binnedeursnee van minstens 119 mm maar hoogstens 120 mm, of van minstens 131 mm maar hoogstens 132 mm	u	20%	20%	vry"
	"8482.99		Deur subposte 8482.99 deur die volgende te vervang:				
	“.11	6	-- Ander: --- Buiteringe van radiale diepgroefkoeëllaers met gegroefde koeëllloopvlak in boor, voltooi (uitgesonderd dié met 'n buitedeursnee van minder as 31 mm of meer as 130 mm)	kg	20%	20%	vry
	.17	5	--- Buiteringe van astaprolaers, voltooi, met 'n buitedeursnee van minstens 195 mm maar hoogstens 196 mm, of minstens 207 mm maar hoogstens 209 mm	kg	20%	20%	vry"
84.83	.29	9	--- Binneringe van radiale diepgroefkoeëllaers, met gegroefde koeëllloopvlak aan buitedeursnee, voltooi (uitgesonderd dié met 'n buitedeursnee van minder as 20 mm of meer as 95 mm)	kg	20%	20%	vry"
	"55	7	Deur subpos 8483.30.55 deur die volgende te vervang: -- Glylaers vir asse, van 'n soort wat uit halfes, met 'n binnedeursnee van hoogstens 125 mm en 'n wanddikte van minder as 5 mm, bestaan	u	20%	20%	vry"

Dog ate your Gazette? ... read it online



www.SA Gazettes.co.za
.....

A new information Portal keeping you up to date with news, legislation, the Parliamentary programme and which is the largest pool of SA Gazette information available on the Web.

- Easily accessible through the www!
 - Government Gazettes - from January 1994
 - Compilations of all Indexes pertaining to the past week's Government Gazettes
 - All Provincial Gazettes - from September 1995
 - Parliamentary Bills - as of January 1999
- Available in full-text, with keyword searching
- Sabinet Online scans, formats, edits and organize information for you. Diagrams and forms included as images.
- No stacks of printed gazettes - all on computer. Think of the storage space you save.
- Offers Bill Tracker - complementing the SA Gazettes products.

For easy electronic access to full-text gazette info, subscribe to the SA Gazettes from Sabinet Online. Please visit us at www.sagazettes.co.za

Sabinet
 *Online*



*Looking for back copies and out of print issues of
the Government Gazette and Provincial Gazettes?*

The National Library of SA has them!

Let us make your day with the information you need ...

National Library of SA, Pretoria Division
PO Box 397
0001 PRETORIA
Tel.:(012) 321-8931, Fax: (012) 325-5984
E-mail: infodesk@nlsa.ac.za





*Soek u ou kopieë en uit druk uitgawes van die
Staatskoerant en Provinsiale Koerante?*

Die Nasionale Biblioteek van SA het hulle!




Met ons hoef u nie te sukkel om inligting te bekom nie ...

Nasionale Biblioteek van SA, Pretoria Divisie
Posbus 397
0001 PRETORIA
Tel.:(012) 321-8931, Faks: (012) 325-5984
E-pos: infodesk@nlsa.ac.za

SA WEATHER BUREAU SA WEERBURO




**W
E
A
T
H
E
R
·
S
E
R
V
I
C
E
S
·
W
E
E
R
D
I
E
N
S
T
E**





THE WEATHER BUREAU HELPS FARMERS TO PLAN THEIR CROP



THE WEATHER BUREAU: DEPARTMENT OF ENVIRONMENTAL AFFAIRS & TOURISM
DIE WEERBURO: DEPARTEMENT VAN OMGEWINGSAKE EN TOERISME

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Publications: Tel: (012) 334-4508, 334-4509, 334-4510
Advertisements: Tel: (012) 334-4673, 334-4674, 334-4504
Subscriptions: Tel: (012) 334-4735, 334-4736, 334-4737
Cape Town Branch: Tel: (021) 465-7531

Gedruk deur en verkrygbaar by die Staatsdrukker, Bosmanstraat, Privaatsak X85, Pretoria, 0001
Publikasies: Tel: (012) 334-4508, 334-4509, 334-4510
Advertensies: Tel: (012) 334-4673, 334-4674, 334-4504
Subskripsies: Tel: (012) 334-4735, 334-4736, 334-4737
Kaapstad-tak: Tel: (021) 465-7531