

SEEN BY
R.B.H.
A.G.W.
J.B.
G.E.L.
E.A.R.
H.O.K.

UITENGEWONE



EXTRAORDINARY

Staatskoerant

VAN DIE UNIE VAN SUID-AFRIKA

THE UNION OF SOUTH AFRICA Government Gazette

[Geregistreer by die Hoofposkantoor as 'n Nuusblad.]

[Registered at the General Post Office as a Newspaper.]

VOL. CXV.]

PRYS 6d.

PRETORIA, 28 FEBRUARIE 1939
28 FEBRUARY

PRICE 6d.

[No. 2611.]

Alle Proklamasies, Goewerments- en Algemene Kennisgewings, wat vir die eerste maal gepubliseer word, is in die linker-bohoek met 'n * gemerk.

GOEWERMENTSKENNISGEWINGS

DEPARTEMENT VAN LANDBOU EN BOSBOU.

Onderstaande Goewermentskennisgewings word vir algemene informasie gepubliseer:—

* No. 262.]

[28 Februarie 1939.]

Die volgende lys van kunsmisstowwe en veevoedsels, geregistreer by die Departement van Landbou en Bosbou oor die tydperk 1 Januarie 1939 tot 31 Desember 1939, word gepubliseer soos vereis by artikel vyf-en-twintig van die „Meststoffen Veevoedsels, Zaden en Plaagmiddelen Wet, 1917” (Wet No. 21 van 1917):—

KUNSMISSTOWWE.—FERTILIZERS.

All Proclamations, Government and General Notices, published for the first time, are indicated by a * in the left-hand upper corner.

GOVERNMENT NOTICES

DEPARTMENT OF AGRICULTURE AND FORESTRY.

The following Government Notices are published for general information:—

* No. 262.]

[28 February 1939.]

The following list of fertilizers and farm foods, registered with the Department of Agriculture and Forestry for the period 1st January, 1939, to 31st December, 1939, is published as required by section twenty-five of the „Fertilizers, Farm Foods, Seeds, and Pest Remedies Act, 1917” (Act No. 21 of 1917):—

Registrasie-no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2% Citroensuuroplossing. Soluble in 2% Citric Acid Solution.	Totaal. Total.				
668/A/39	African Explosives and Industries, Ltd., Umbogintwini	Tuin—Garden.....	Kynoch.....	10	10.2	10.6	6	6	—	—
673/A/39	„	Gras No. 1—Grass No. 1....	„	9	12	15	5	5	—	—
684/A/39	„	Mielie No. 2—Maize No. 2...	„	10	10.3	10.5	1	4	—	—
671/A/39	„	Suikerriet No. 5—Cane No. 5	„	10	10.5	11	4	6	—	—
670/A/39	„	Been-super-mengsel en potas —Bone Super Mixture and Potash	„	8.5	15.5	17	1	3	—	—
658/A/39	„	Super, H.G., 17.1%.....	„	17.1	17.5	18	—	—	—	—
657/A/39	„	Super, E.H.G., 19.1%.....	„	19.1	19.4	20	—	—	—	—
656/A/39	„	Super, E.H.G., 20%.....	„	20	20.5	21	—	—	—	—
659/A/39	„	Dubbel super—Double Super	„	40	42	44	—	—	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2% Stroeksuuroplossing. Soluble in 2% Citric Acid Solution.	Totaal. Total.				
662/A/39	African Explosives and Industries, Ltd., Umbogintwini	Slakmeel, H.G., 16.1%— Basic Slag, H.G., 16.1%	Kynoch.....	—	16.1	17.5	—	—	—	—
663/A/39	"	Ru rotsfosfaat—Raw Rock Phosphate	"	—	11	33.5	—	—	50	1
664/A/39	"	Rotsfosfaat- en supermengsel Rock Phosphate and Super Mixture	"	10	17	24	—	—	—	—
669/A/39	"	Been en supermengsel—Bone and Super Mixture	"	6	14.5	18	1.3	—	—	—
666/A/39	"	Fyn beenmeel—Bone Dust (S.A.)	"	—	12	22	4	—	30	—
665/A/39	"	Beenmeel—Bone Meal.....	"	—	15	22	4	—	30	—
681/A/39	"	Walvisghwano No. 2—Whale Guano No. 2	"	—	10	15	6	—	—	—
680/A/39	"	Walvisvleis—Whale Meat....	"	—	—	1.3	10.5	—	—	—
676/A/39	"	Natriumnitraat — Nitrate of Soda	"	—	—	—	16	—	—	—
682/A/39	"	Nitro-kryt—Nitro Chalk....	"	—	—	—	15.5	—	(48%)	Ca.Co ³)
677/A/39	"	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	21.1	—	—	—
679/A/39	"	Kaliumsulfaat, L.G. — Sul- phate of Potash, L.G.	"	—	—	—	—	48.5	—	—
678/A/39	"	Kaliumchloried, H.G.—Muri- ate of Potash, H.G.	"	—	—	—	—	60	—	—
686/A/39	"	Aartappel—Potato.....	"	10	10.3	10.5	4	6	—	—
683/A/39	"	Tabak—Tobacco.....	"	10	10.3	10.5	4	6	—	—
685/A/39	"	Mielie No. 3—Maize No. 3...	"	10	10.3	10.5	4	6	—	—
675/A/39	"	Sitrus—Citrus.....	"	5	7.5	12	10	3	—	—
667/A/39	"	Mielie No. 1—Maize No. 1..	"	8	14.5	17.5	—	6	—	—
811/A/39	"	Koring No. 1—Wheat No. 1..	"	14	15	16	2.5	4.5	—	—
672/A/39	"	Oorstaan suikerriet — Ratoon Cane	"	14	15	16	2.5	4.5	—	—
660/A/39	"	Kalk- en Super—Lime and Super	"	—	18	18.6	—	—	—	—
690/A/39	"	Suikerriet No. 1—Cane No. 1	"	11.5	11.6	12.6	4.6	6.1	—	—
661/A/39	"	Kalk, super- en potas—Lime, Super and Potash	"	—	16.9	17.4	—	3	—	—
687/A/39	"	Standaardmengsel—Standard Mixture	"	9	9.3	9.5	2	5	—	—
692/A/39	"	Graan—Grain.....	"	10	10.5	11	1	1.5	—	—
812/A/39	"	Koring No. 2—Wheat No. 2..	"	10	10.3	10.5	1	4	—	—
688/A/39	"	Mielie No. 4—Maize No. 4...	"	14	15	16	2.5	4.5	—	—
689/A/39	"	Aartappel No. 2—Potato No. 2	"	9	9.3	9.5	2	5	—	—
674/A/39	"	Gras No. 3—Grass No. 3...	"	5	7.5	12	10	3	—	—
691/A/39	"	Aartappel No. 3—Potato No. 3	"	10	10.5	11	1	1.5	—	—
6/A/39	Awerbuch, Brown & Co. (Pty.), Ltd., P.O. Box 472, Kimberley	Beenmeel—Bone Meal.....	A.B.C.....	—	15	20	4	—	30	—
900/A/39	Anglo-Continental Guano Works, Ltd., Johannesburg	Ontlymde fyn beenmeel— Deg. Bone Flour	Cornucopia.....	—	20	33	1	—	43	—
925/A/39	"	Natriumnitraat—Nitrate of Soda	"	—	—	—	16	—	—	—
943/A/39	"	Spesiale volledige kunsmis No. 9—Special Complete Fertilizer No. 9	"	9	11	12	4	3	—	—
901/A/39	"	Opgeloste saamgestelde Ghwano D—Dissolved Com- pound Guano D	"	9	11	14	4	6	—	—
902/A/39	"	Opgeloste saamgestelde Ghwano A—Dissolved Com- pound Guano A	"	8	9	10	5.8	1.5	—	—
903/A/39	"	Opgeloste saamgestelde Ghwano B—Dissolved Com- pound Guano B	"	8	9	10	5.8	4	—	—
904/A/39	"	Opgeloste saamgestelde Ghwano C—Dissolved Com- pound Guano C	"	7	8	9	5.8	8	—	—
905/A/39	"	Opgeloste saamgestelde Ghwano E—Dissolved Com- pound Guano E	"	7	8	9	4.9	10	—	—
906/A/39	"	Nitro-kryt—Nitro Chalk.....	"	—	—	—	15.5	—	28	—
924/A/39	"	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	21.1	—	—	—
940/A/39	"	Natriumnitraat — Nitrate of Soda	"	—	—	—	15.5	—	—	—
907/A/39	"	Kaliumsulfaat, L.G. — Sul- phate of Potash, L.G.	"	—	—	—	—	48.5	—	—
908/A/39	"	Kaliumchloried, H.G.—Muri- ate of Potash, H.G.	"	—	—	—	—	60	—	—
922/A/39	"	Graan No. 1—Grain No. 1...	"	9	10	12	2	3	—	—
919/A/39	"	Spesiale gras—Special Lawn	"	—	4.5	5.5	11	1.2	—	—
920/A/39	"	Spesiale tuin—Special Garden	"	9	11	14	4	6	—	—
921/A/39	"	Spesiale aartappel—Special Potato	"	9	10	12	4	6	—	—
909/A/39	"	Spesiale volledige kunsmis No. 1—Special Complete Fertil- izer No. 1	"	9	11	12	4	4	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Sirkonoplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.				
910/A/39	Anglo - Continental Guano Works, Ltd., Johannesburg	Spesiale volledige kunsmis No. 2— <i>Special Complete Fertilizer No. 2</i>	Cornucopia.....	9	10	12	2	3	—	—
911/A/39	" "	Spesiale volledige kunsmis No. 3— <i>Special Complete Fertilizer No. 3</i>	"	7	12	15	5	2	—	—
912/A/39	" "	Spesiale volledige kunsmis No. 5— <i>Special Complete Fertilizer No. 5</i>	"	9	10	12	4	6	—	—
913/A/39	" "	Spesiale volledige kunsmis No. 6— <i>Special Complete Fertilizer No. 6</i>	"	10	11	13	1	6	—	—
914/A/39	" "	Spesiale volledige kunsmis No. 7— <i>Special Complete Fertilizer No. 7</i>	"	8	9	10	2.5	6	—	—
918/A/39	" "	Vrugte No. 4— <i>Fruit No. 4...</i>	"	4.5	6	8.5	7.5	9	—	—
917/A/39	" "	Vrugte No. 3— <i>Fruit No. 3...</i>	"	—	6	8	8	8	—	—
915/A/39	" "	Vrugte No. 1— <i>Fruit No. 1...</i>	"	—	7	10	10	4	—	—
916/A/39	" "	Vrugte No. 2— <i>Fruit No. 2...</i>	"	—	4	6	9	7	—	—
929/A/39	" "	Spesiale opgeloste saamgestelde Ghwano No. 5— <i>Special Dissolved (Soluble Compound) Guano No. 5</i>	"	8	9	12	7	1.5	—	—
928/A/39	" "	Spesiale opgeloste saamgestelde Ghwano No. 4— <i>Special Dissolved (Soluble Compound) Guano No. 4</i>	"	6	7	8	8.2	0.5	—	—
941/A/39	" "	Spesiale volledige kunsmis No. 8— <i>Special Complete Fertilizer No. 8</i>	"	9	10	12	2.5	6	—	—
930/A/39	" "	A.R.T. Sitruskunsmis— <i>A.R.T. Citrus Fertilizer</i>	"	—	2.5	7	14	1.5	—	—
931/A/39	" "	Peruwiaanse Tabakkunsmis No. 4— <i>Peruvian Guano Tobacco Fertilizer No. 3A</i>	"	18	19	20	6	8	—	—
932/A/39	" "	Peruwiaanse en Graankunsmis No. 1— <i>Peruvian and Grain Fertilizer No. 1</i>	"	17	18	20	4	6	—	—
933/A/39	" "	Peruwiaanse en Tabakkunsmis No. 2A— <i>Peruvian and Tobacco Fertilizer No. 2A</i>	"	18	19	20	6	12	—	—
934/A/39	" "	Spesiale volledige kunsmis No. 4— <i>Special Complete Fertilizer No. 4</i>	"	9	10	12	3	4.5	—	—
935/A/39	" "	Graankunsmis No. 2— <i>Grain Fertilizer No. 2</i>	"	9	11	12	4	3	—	—
889/A/39	" "	Ontlymde fyn beenmeel — <i>Deg. Bone Meal</i>	"	—	20	33	1	—	43	—
890/A/39	" "	Vrugte No. 5— <i>Fruit No. 5...</i>	"	7	10	12	2	4	—	—
891/A/39	" "	Vrugte No. 6— <i>Fruit No. 6...</i>	"	6	8	10	3	8	—	—
892/A/39	" "	Vrugte No. 7— <i>Fruit No. 7...</i>	"	8	10	12	2.5	9	—	—
893/A/39	" "	Super, H.G., 18%.....	"	18	18.3	18.5	—	—	—	—
894/A/39	" "	Super, H.G., 17.1%.....	"	17.1	17.5	18	—	—	—	—
895/A/39	" "	Super, H.G., 18.1%.....	"	18.1	18.5	19	—	—	—	—
896/A/39	" "	Super, H.G., 19%.....	"	19	19.3	19.5	—	—	—	—
897/A/39	" "	Super, E.H.G., 19.1%.....	"	19.1	19.5	20	—	—	—	—
898/A/39	" "	Super, E.H.G., 20%.....	"	20	20.5	21	—	—	—	—
963/A/39	" "	Been, super en potas— <i>Bone, Super and Potash</i>	"	12.8	16.1	18.1	9	3	—	—
937/A/39	" "	Been en Supermengsel 1 : 1— <i>Bone and Super Mixture 1 : 1</i>	"	8.6	16.2	20.2	2.3	—	—	—
938/A/39	" "	Been en supermengsel 1 : 2— <i>Bone and super Mixture 1 : 2</i>	"	11.3	16.7	19.7	1.5	—	—	—
939/A/39	" "	Been en supermengsel 1 : 3— <i>Bone and Super Mixture 1 : 3</i>	"	12.8	16.8	19.1	1.2	—	—	—
926/A/39	" "	Slakmeel, H.G., 16.1% — <i>Basic Slag, H.G., 16.1%</i>	Anchor.....	—	16.1	18	—	—	—	—
899/A/39	" "	Ru rotsfosfaat— <i>Raw Rock Phosphate</i>	Cornucopia.....	—	11	33.5	—	—	45	1
927/A/39	" "	Slakmeel, H.G., 18.1% — <i>Basic Slag, H.G., 18.1%</i>	Anchor.....	—	18.1	19.5	—	—	—	—
923/A/39	" "	Beenmeel— <i>Bone Meal</i>	Cornucopia.....	—	15	21	4.5	—	25	—
942/A/39	" "	Ontlymde beenmeel — <i>Deg. Bone Meal</i>	"	—	20	32	1	—	43	—
304/A/39	Burmeister & Co., Posbus— <i>P.O. Box 668, Oos Londen—East London</i>	Korrelrige algemene Koring— <i>Granular Universal Wheat</i>	Burmeo.....	10	10.3	10.5	1	1.5	—	—
305/A/39	" "	Korrelrige algemene Mielies— <i>Granulated Universal Maize</i>	"	10	10.3	10.5	1	1.5	—	—
310/A/39	" "	Korrelrige Gras — <i>Granular Pasture</i>	"	10	10.3	10.5	8	3	—	—
298/A/39	" "	Super, H.G., 19%.....	"	19	19.3	20	—	—	—	—
289/A/39	" "	Super, H.G., 17.1%.....	"	17.1	17.5	17.8	—	—	—	—
299/A/39	" "	Super, E.H.G., 20%.....	"	20.10	20.5	21	—	—	—	—
297/A/39	" "	Beenmeel— <i>Bone Meal</i>	"	—	15	22	4	—	27.5	—
296/A/39	" "	Ontlymde fyn beenmeel— <i>Deg. Bone Flour</i>	"	—	24	30	0.7	—	49	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmid. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Sitroensuuroplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.				
295/A/39	Burmeister & Co., Posbus— P.O. Box 668, Oos Londen— East London	Slakmeel, H.G., 16·1%— Basic Slag, H.G., 16·1%	Burmco.....	—	16·1	17·6	—	—	—	—
294/A/39	" "	Ru Rotsfosfaat—Raw Rock Phosphate	"	—	10	30	—	—	44·5	1·5
293/A/39	" "	Rotsfosfaat en Super No. 1— Rock Phosphate and Super No. 1	"	8·5	13·7	23·9	—	—	22·2	0·7
290/A/39	" "	Rotsfosfaat en Super No. 2— Rock Phosphate and Super No. 2	"	11·4	15	21·8	—	—	13·8	0·5
292/A/39	" "	Vars Voëlghwano—Fresh Bird Guano	"	—	7·9	8·6	10·3	1·9	—	—
311/A/39	" "	Ammoniumsulfaat—Sulphate Ammonia	"	—	—	—	21·1	—	—	—
301/A/39	" "	Korrelrige Speciale aartappel— Granular Special Potato	"	10	10·3	10·5	2	4	—	—
300/A/39	" "	Korrelrige Potashoudende aartappel—Granular Potas- sic Potato	"	10	10·3	10·5	3	6	—	—
303/A/39	" "	Korrelrige spesiale koring- en graan—Granular special Wheat and Grain	"	12	12·3	12·6	2·5	5	—	—
309/A/39	" "	Korrelrige spesiale tuin — Granular Special Garden	"	10	10·3	10·5	4	6	—	—
306/A/39	" "	Korrelrige spesiale mielie — Granular Special Maize	"	12	12·3	12·6	2·5	5	—	—
307/A/39	" "	Korrelrige spesiale wortel — Granular Special Root	"	10	10·3	10·5	2	3	—	—
308/A/39	" "	Korrelrige spesiale sitrus — Granular Special Citrus	"	10	10·3	10·6	8	3	—	—
302/A/39	" "	Algemeen aartappel—Univer- sal Potato	"	10	10·3	10·5	1	1·5	—	—
219/A/39	" "	Verfynde natriumnitraat— Refined Nitrate of Soda	"	—	—	—	16	—	—	—
27/A/39	Bathurst Farmers' Union, Ltd., Grahamstown	Super, H.G., 17·1%.....	B.F.U.....	17·1	17·6	18·6	—	—	—	—
467/A/39	Brakpan-stadsraad—Town Council	Bloedmeel—Blood Meal....	B.P.....	—	—	0·3	11·2	—	0·1	—
468/A/39	" "	Vleis- en beenmeel—Meat and Bone Meal	B.P.....	—	3·3	6·4	9·4	—	7·0	—
106/A/39	Stadsraad — Town Council, Benoni	Bloedmeel—Blood Meal....	M.O.B.....	—	—	0·2	13·1	—	0·1	—
161/A/39	" "	Been, vleis en afval—Bone, Meat and Offal	"	—	9·3	15·5	7·5	—	20·2	—
519/A/39	Bullbrand Fertilizers, Ltd., Sarnia	Super, H.G., 17·1%.....	Bullbrand.....	17·1	17·5	18	—	—	—	—
497/A/39	" "	Super, E.H.G., 19·1%.....	"	19·1	19·4	20	—	—	—	—
496/A/39	" "	Super, H.G., 18%.....	"	18	18·5	19	—	—	—	—
498/A/39	" "	Super, E.H.G., 20%.....	"	20	20·5	21	—	—	—	—
520/A/39	" "	Slakmeel, H.G., 16·1% — Basic Slag, H.G., 16·1%	"	—	16·1	18	—	—	—	—
504/A/39	" "	Been en Super-C—Bone and Super C	"	13·5	17	18·5	0·8	—	—	—
499/A/39	" "	Kalk en super—Lime and Super	"	—	18	18·6	—	—	—	—
503/A/39	" "	Been en supermengsel—Bone and Super Mixture	"	12	16	19	1·3	—	—	—
500/A/39	" "	Ru rotsfosfaat — Raw Rock Phosphate	"	—	11	33	—	—	45	1
501/A/39	" "	Been en supermengsel A— Bone and Super Mixture A	"	8·5	16	20	2	—	—	—
502/A/39	" "	Been- en supermengsel B— Bone and Super Mixture B	"	12·5	16·5	19	1	—	—	—
518/A/39	" "	Beenmeel (ingevoer) — Bone Meal (Imported)	"	—	10	20	4	—	25	—
521/A/39	" "	Fyn beenmeel—Bone Flour..	"	—	15	22	4	—	27·5	—
523/A/39	" "	Beenmeel—Bone Meal.....	"	—	15	22	4	—	27·5	—
522/A/39	" "	Fyn beenmeel—Bone dust...	"	—	15	22	4	—	27·5	—
532/A/39	" "	Ontlymde fyn beenmeel — Deg. Bone Flour	"	—	22	30	1	—	38	—
517/A/39	" "	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	21·1	—	—	—
531/A/39	" "	Sitrus A—Citrus A.....	"	9	11·5	14	3	6	—	—
505/A/39	" "	Kaliumchloried, L.G.—Muri- ate of Potash, L.G.	"	—	—	—	—	50	—	—
536/A/39	" "	Aartappel No. 1—Potato No. 1	"	10	12	14	2	3	—	—
537/A/39	" "	Aartappel No. 2—Potato No. 2	"	10	12·5	14	1	3	—	—
538/A/39	" "	Aartappel No. 3—Potato No. 3	"	10	12·5	14	2	4	—	—
539/A/39	" "	Aartappel No. 4—Potato No. 4	"	8	12·5	14	2	6	—	—
530/A/39	" "	Mielie No. 1—Maize No. 1..	"	8·5	13	17	2	3	—	—
534/A/39	" "	Mielie B—Maize B.....	"	10	12	14	1	3	—	—
514/A/39	" "	Been-, super- en potasmengsel A—Bone, Super and Potash Mixture A	"	8·5	14	18	1	3	—	—
510/A/39	" "	Tabak—Tobacco.....	"	7	11	14	1	3·5	—	—
506/A/39	" "	Koring No. 1—Wheat No. 1..	"	8	14	17	2	3	—	—
507/A/39	" "	Koring No. 2—Wheat No. 2..	"	9	13	15·5	1	2·5	—	—
511/A/39	" "	Lusern—Lucerne.....	"	12	14	16	—	6	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2% Citronsuuroplossing. Soluble in 2% Citric Acid Solution.	Totaal. Total.				
513/A/39	Bullbrand Fertilizers, Ltd., Sarnia	Tuin—Garden.....	Bullbrand.....	8.5	14.5	17.5	2.5	3	—	—
535/A/39	"	Oorstaan-suikerriet — <i>Ratoon Cane</i>	"	10	13	15	1	4.5	—	—
509/A/39	"	Suikerriet— <i>Cane</i>	"	9	13	15	2	5	—	—
508/A/39	"	Sitrus— <i>Citrus</i>	"	7	10	13	3.5	5.5	—	—
512/A/39	"	Gras— <i>Grass</i>	"	7	11	14	5	3	—	—
515/A/39	"	Spesiale suikerriet No. 1 — <i>Special Cane No. 1</i>	"	14	15	16	2.5	4.5	—	—
516/A/39	"	Spesiale suikerriet — <i>Special Cane</i>	"	10	12	13	4	6	—	—
527/A/39	"	Koring A— <i>Wheat A</i>	"	13	14	16	2	3	—	—
528/A/39	"	Koring B— <i>Wheat B</i>	"	13	13.5	14.5	1	2	—	—
529/A/39	"	Tabak A— <i>Tobacco A</i>	"	10	10.5	11	3	6	—	—
524/A/39	"	Natriumnitraat — <i>Nitrate of Soda</i>	"	—	—	—	15.5	—	—	—
535/A/39	"	Kaliumsulfaat, L.G. — <i>Sulphate of Potash, L.G.</i>	"	—	—	—	—	48.6	—	—
526/A/39	"	Kaliumchloried, H.G. — <i>Muriate of Potash, H.G.</i>	"	—	—	—	—	60	—	—
540/A/39	"	Spesiale Aartappel — <i>Potato Special</i>	"	10	10.5	11	4	6	—	—
541/A/39	"	Graskunsmis No. 3 — <i>Grass Fertilizer No. 3</i>	"	5	9	12	10	3	—	—
533/A/39	"	Spesiale Graan— <i>Special Maize</i>	"	11	16	18	2.2	3	—	—
76/A/39	The Town Clerk, Municipality of Bloemfontein, Box 288, Bloemfontein	Been- en vleisemeel— <i>Bone and Meat Meal</i>	Bloemfontein Municipality	—	—	18.0	6.4	—	23.3	—
77/A/39	"	Bloedmeel— <i>Blood Meal</i>	"	—	—	—	11.9	—	—	—
888/A/39	Cotton and Tobacco Exporting Co., Ltd., Germiston	Kastermeel— <i>Castor Meal</i>	"	—	—	1	5.3	—	—	—
771/A/39	Commercial General Agency, Ltd., Pretoria	Super, H.G., 17.1%.....	Cyclops.....	17.1	17.5	18	—	—	—	—
772/A/39	"	Slakmeel, H.G., 16.1%..... <i>Basic Slag, H.G., 16.1%</i>	"	—	16.1	19	—	—	—	—
773/A/39	"	Kalk en super— <i>Lime and Super</i>	"	—	17.1	20	—	—	—	—
774/A/39	"	Beenmeel— <i>Bone Meal</i>	"	—	15	22	4	—	—	—
775/A/39	"	Fyn beenmeel— <i>Bone Dust</i> ...	"	—	17	22	4	—	—	—
777/A/39	"	Ammoniumsulfaat — <i>Sulphate of Ammonia</i>	"	—	—	—	20.5	—	—	—
776/A/39	"	Natriumnitraat — <i>Nitrate of Soda</i>	"	—	—	—	15.5	—	—	—
778/A/39	"	Kaliumchloried, H.G. — <i>Muriate of Potash, H.G.</i>	"	—	—	—	—	60	—	—
779/A/39	"	Kaliumsulfaat, L.G. — <i>Sulphate of Potash, L.G.</i>	"	—	—	—	—	48.5	—	—
780/A/39	"	Superbeenmengsel — <i>Super Bone Mixture</i>	"	8.5	15.2	19.5	2	—	—	—
781/A/39	"	Ontlymde fyn beenmeel — <i>Deg. Bone Flour</i>	"	—	26	30	1	—	40	—
782/A/39	"	Ru rotsfosfaat — <i>Raw Rock Phosphate</i>	"	—	10	30	—	—	50	0.6
783/A/39	"	Been en super No. 1— <i>Bone and Super No. 1</i>	"	12	15	17	1	—	—	—
784/A/39	"	Been en super No. 2— <i>Bone and Super No. 2</i>	"	8	14.5	18	2	—	—	—
785/A/39	"	Tabak No. 1— <i>Tobacco No. 1</i>	"	10	11	12	3	6	—	—
786/A/39	"	Tabak No. 2— <i>Tobacco No. 2</i>	"	21	21	22	7	10	—	—
787/A/39	"	Aartappel No. 1— <i>Potato No. 1</i>	"	10	11	12	2	4	—	—
788/A/39	"	Aartappel No. 2— <i>Potato No. 2</i>	"	10	11	12	3	6	—	—
789/A/39	"	Mielie of graan No. 1 — <i>Maize or Grain No. 1</i>	"	11	12	13	1.5	2	—	—
790/A/39	"	Mielie of graan No. 2 — <i>Maize or Grain No. 2</i>	"	10	11	12	2	4	—	—
791/A/39	"	Vrugteboom No. 1 — <i>Fruit Tree No. 1</i>	"	12	15	17	1	—	—	—
792/A/39	"	Spesiale graan— <i>Special Grain</i>	"	9	11	12	1	2	—	—
793/A/39	"	Tuin en blom— <i>Garden and Flower</i>	"	10	11	12	2	4	—	—
794/A/39	"	Wortel— <i>Root</i>	"	10	11	12	2	4	—	—
795/A/39	"	Suikerriet— <i>Cane</i>	"	11	12	13	1.5	2	—	—
796/A/39	"	Katoen— <i>Cotton</i>	"	11	12	13	1.5	2	—	—
797/A/39	"	Lusern— <i>Lucerne</i>	"	12	13	14	—	4	—	—
543/A/39	Messrs. C.P.C. (Pty.) Ltd., Pretoria	Kalsiumkarbonaat— <i>Calcium Carbonate</i>	C.P.C.....	—	—	—	—	—	45	—
28/A/39	Cape Explosives Works, Ltd., Dynamite Factory	Ontlymde fyn beenmeel — <i>Deg. Bone Flour</i>	Capex.....	—	24	30	0.7	—	44	—
28/A/39	"	Beenmeel— <i>Bonemeal</i>	"	—	14	20	4	—	28	—
29/A/39	"	Super, H.G., 17.1%.....	"	17.1	17.5	17.9	—	—	—	—
30/A/39	"	Super, E.H.G., 20%.....	"	20	20.5	21.5	—	—	—	—
31/A/39	"	Slakmeel, H.G., 16.5% — <i>Basic Slag, H.G., 16.5%</i>	"	—	16.5	17.5	—	—	—	—
38/A/39	"	Slakmeel, H.G., 18%— <i>Basic Slag, H.G., 18%</i>	"	—	18	19	—	—	—	—
33/A/39	"	Basiese Super— <i>Basic Super</i> ..	"	—	14.5	15	—	—	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Alumaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Sitroensuurooplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.				
60/A/39	Cape Explosives Works, Ltd., Dynamite Factory	Ru Rotsfosfaat — Raw Rock Phosphate	Capex.....	—	12	33.5	—	—	50	1
52/A/39	"	Been-super-mengsel — Bone Super Mixture (S.A.)	"	—	14.5	18	1.3	—	—	—
61/A/39	"	Kalk- en super—Lime and Super	"	—	18	18.6	—	—	—	—
67/A/39	"	Rotsfosfaat- en supermengsel —Rock Phosphate and Super Mixture (S.A.)	"	—	15.5	26	—	—	—	—
35/A/39	"	Natriumnitraat — Nitrate of Soda	"	—	—	—	16	—	—	—
50/A/39	"	Nitro-kryt—Nitro Chalk.....	"	—	—	—	15.5	—	27	—
36/A/39	"	Ammoniumsulfaat — Sulphate of Ammonia	"	—	—	—	21.1	—	—	—
37/A/39	"	Kaliumsulfaat, L.G. — Sul- phate of Potash, L.G.	"	—	—	—	—	49	—	—
38/A/39	"	Kaliumchloried, H.G.—Muri- ate of Potash, H.G.	"	—	—	—	—	60	—	—
64/A/39	"	Vrugte- en wingerdmengsel O —Fruit and Vine Mixture O	"	—	13	14.4	4	6	—	—
68/A/39	"	Vrugte- en wingerdmengsel No. 1—Fruit and Vine Mixture No. 1 (S.A.)	"	14	15	16	3	3	—	—
38/A/39	"	Patatmengsel—Sweet Potato Mixture (S.A.)	"	11.5	12	12.5	4	10	—	—
59/A/39	"	Uiemengsel—Onion Mixture..	"	13	13.3	13.7	4	6	—	—
69/A/39	"	Potashoudende supermengsel —Potassic Super Mixture (S.A.)	"	16	16.3	16.8	—	6	—	—
51/A/39	"	Kaliumnitraat — Nitrate of Potash	"	—	—	—	13	44	—	—
44/A/39	"	Aartappel—Potato (S.A.)....	"	13	13.3	13.7	4	6	—	—
39/A/39	"	Graan No. 1—Grain No. 1 (S.A.)	"	—	14	17	4	2	—	—
63/A/39	"	Graan B—Grain B (S.A.)...	"	14	14.2	14.8	4	2	—	—
40/A/39	"	Spesiale Graan—Special Grain (S.A.)	"	15	15.2	15.8	4	—	—	—
34/A/39	"	Onttlynde fyn beenmeel — Degelatinised Bone Meal	"	24	30	0.7	—	44	—	—
46/A/39	"	Sitrus No. 1—Citrus No. 1 (S.A.)	"	—	8.5	9	9	3	—	—
47/A/39	"	Sitrus No. 3—Citrus No. 3 (S.A.)	"	6.5	6.6	6.8	12	3	—	—
71/A/39	"	Mielie—Maize (S.A.).....	"	14	15	16	3.0	3.0	—	—
41/A/39	"	Groente en tuin — Vegetable and Garden (S.A.)	"	11	11.2	11.6	6	6	—	—
42/A/39	"	Tabak No. 1—Tobacco No. 1 (S.A.)	"	13	13.3	13.7	4	6	—	—
43/A/39	"	Spesiale Tabak—Special To- bacco (S.A.)	"	11.5	12	12.5	4	10	—	—
54/A/39	"	Vrugte- en wingerdmengsel B —Fruit and Vine Mixture B (S.A.)	"	11.5	12	12.5	4	10	—	—
55/A/39	"	Vrugte- en wingerdmengsel D-E—Fruit and Vine Mixture D-E (S.A.)	"	—	14	15	—	12.5	—	—
56/A/39	"	Vrugte- en wingerdmengsel F —Fruit and Vine Mixture F (S.A.)	"	11	11.2	11.6	6	6	—	—
57/A/39	"	Vrugte- en wingerdmengsel E-B—Fruit and Vine Mixture E-B (S.A.)	"	—	12.5	13	3	10.5	—	—
65/A/39	"	Spesiale groente — Special Vegetable (S.A.)	"	—	13	14.4	4	6	—	—
66/A/39	"	Gras No. 1—Grass No. 1...	"	14	15	16	3	3	—	—
45/A/39	"	Gras No. 2—Grass No. 2...	"	6.5	6.6	6.8	12	3	—	—
53/A/39	"	Sitrus No. 2—Citrus No. 2...	"	—	12.5	13	3	10.5	—	—
62/A/39	"	Graan No. 2—Grain No. 2...	"	—	16.5	18	2	1	—	—
48/A/39	"	H.G. super, 18%.....	"	18	18.5	19	—	—	—	—
49/A/39	"	Super, H.G.....	"	19	19.3	20	—	—	—	—
70/A/39	"	Tabak No. 2—Tobacco No. 2	"	—	8	9	5	9	—	—
887/A/39	"	Vrugte- en wingerdmengsel G —Fruit and Vine Mixture G	"	13.5	13.8	14.2	2.4	8.4	—	—
103/A/39	A. & E. Dykes & Co., Durban	Tuin—Garden.....	Ichtenic.....	—	8	9.5	3.5	1.1	—	—
102/A/39	Munisipaliteit—Municipality, Durban	Bloedmeel—Blood Meal.....	D.M.A.....	—	0.1	0.3	12.3	—	0.3	—
118/A/39	Domestic and Foreign Trade (Pty.), Ltd., Johannesburg	Kalk-ammon-nitraat, 17% N —Chalk Ammon Nitrate, 17% N	Peti.....	—	—	—	17	—	25	—
119/A/39	"	Kalk-ammon-nitraat, 20.5% N—Chalk Ammon Nitrate, 20.5% N	"	—	—	—	20.5	—	22	—
798/A/39	Oos-Londen Munisipaliteit— East London Municipality	Been- en vleismeel—Bone and Meat Meal	"M.C.E.L...."	—	6.7	11.4	8.4	—	14.4	—
799/A/39	"	Bloedmeel—Blood Meal....	"	—	—	0.1	13.4	—	0.1	—
809/A/39	Elgin Co-operative Fruit Growers, Ltd., Elgin	Kalium kloried, H.G.—Muri- ate of Potash, H.G.	Elgin.....	—	—	—	—	60.3	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2% Citronsuuroplossing. Soluble in 2% Citric Acid Solution.	Totaal. Total.				
810/A/39	Elgin Co-operative Fruit Growers, Ltd., Elgin	Ammoniumsulfaat— <i>Sulphate of Amonium</i>	Elgin.....	—	—	—	20.6	—	—	—
207/A/39	Federated Farmers' Co-operative Association, Johannesburg	Super, H.G., 17.1%.....	Fedfarms.....	17.1	17.5	18	—	—	—	—
208/A/39	"	Super, H.G., 18%.....	"	18	18.5	19	—	—	—	—
209/A/39	"	Super, H.G., 19%.....	"	19	19.5	20.1	—	—	—	—
210/A/39	"	Super, E.H.G., 20%.....	"	20	20.5	21	—	—	—	—
211/A/39	"	Kalk en super— <i>Lime and Super</i>	"	—	16.5	19	—	—	—	—
212/A/39	"	Been en Super A— <i>Bone and Super A</i>	"	5	13	20	2	—	—	—
213/A/39	"	Been en Super B— <i>Bone and Super B</i>	"	4	12	19.5	1.3	—	—	—
214/A/39	"	Dubbel super— <i>Double Super</i>	"	40	44.5	45.5	—	—	—	—
215/A/39	"	Di-kalsiumfosfaat — <i>Di-calcium Phosphate</i>	"	—	38	—	—	—	—	—
216/A/39	"	Ru fosfaat No. 1— <i>Raw Phosphate No. 1</i>	"	—	10	29	—	—	46	1.2
217/A/39	"	Ru rotsfosfaat No. 2— <i>Raw Rock Phosphate No. 2</i>	"	—	9	28	—	—	45	1.5
218/A/39	"	Ru rotsfosfaat No. 3— <i>Raw Rock Phosphate No. 3</i>	"	—	8	26	—	—	44	1.7
219/A/39	"	Ru rotsfosfaat No. 4— <i>Raw Rock Phosphate No. 4</i>	"	—	8	32	—	—	45	1.6
220/A/39	"	Saamgestelde been- en super No. 1— <i>Compound Bone and Super No. 1</i>	"	—	14.5	18	1.8	—	—	—
221/A/39	"	Saamgestelde been en super No. 2— <i>Compound Bone and Super No. 2</i>	"	—	15.5	18	1	—	—	—
222/A/39	"	Saamgestelde been en super No. 3— <i>Compound Bone and Super No. 3</i>	"	12	15	20	1.3	—	—	—
223/A/39	"	Saamgestelde been en super No. 4— <i>Compound Bone and Super No. 4</i>	"	12	17	19	1.3	—	—	—
224/A/39	"	Slakmeel, M.G., 15%— <i>Basic Slag, M.G., 15%</i>	"	—	15	18	—	—	—	—
225/A/39	"	Slakmeel, H.G., 16.1%— <i>Basic Slag, H.G., 16.1%</i>	"	—	16.1	18	—	—	—	—
226/A/39	"	Slakmeel, H.G., 18%— <i>Basic Slag, H.G., 18%</i>	"	—	18	20	—	—	—	—
227/A/39	"	Beenmeel— <i>Bone Meal</i>	"	—	18	20	4	—	23	—
228/A/39	"	Ontlymde fyn beenmeel— <i>Deg. Bone Flour</i>	"	—	25	30	1	—	35	—
229/A/39	"	Fyn beenmeel— <i>Bone Dust</i> ...	"	—	17	22	4	—	26	—
230/A/39	"	Fyn beenmeel A— <i>Bone Dust A</i>	"	—	14	20	4	—	24	—
231/A/39	"	Ontlymde fyn beenmeel— <i>Deg. Bone Dust</i>	"	—	17	19.7	3.3	—	—	—
232/A/39	"	Leuna Salpeter, B.A.S.F.....	"	—	—	—	26	—	—	—
233/A/39	"	Natriumnitraat— <i>Nitrate of Soda</i>	"	—	—	—	15.5	—	—	—
234/A/39	"	Ammoniumsulfaat— <i>Sulphate of Ammonia</i>	"	—	—	—	20.6	—	—	—
235/A/39	"	Kalsiumsianamied — <i>Calcium Cyanamide</i>	"	—	—	—	20.6	—	60	1
236/A/39	"	Ammoniumsulfaat — <i>Sulphate of Ammonia</i>	"	—	—	—	21	—	—	—
237/A/39	"	Kaliumchloried, L.G. — <i>Muriate of Potash, L.G.</i>	"	—	—	—	50	—	—	—
238/A/39	"	Kaliumchloried, H.G. — <i>Muriate of Potash, H.G.</i>	"	—	—	—	—	60	—	—
239/A/39	"	Kaliumsulfaat, L.G. — <i>Sulphate of Potash, L.G.</i>	"	—	—	—	—	48	—	—
240/A/39	"	Mengsel M— <i>Mixture M</i>	"	11.5	12	12.5	2.5	8.5	—	—
241/A/39	"	Mengsel B.W.— <i>Mixture B.W.</i>	"	15	15.5	16	4.5	12.5	—	—
242/A/39	"	Potashoudende aartappel— <i>Potassic Potato</i>	"	8	9	10	2	8	—	—
243/A/39	"	Saamgestelde super-aartappel— <i>Compound Super Potato</i>	"	10	12	13	2.5	6	—	—
244/A/39	"	Samegestelde super-aartappel A— <i>Compound Super Potato A</i>	"	11.7	14.1	14.9	2.6	4.8	—	—
245/A/39	"	Spesiale Mieliesamestelling— <i>Special Maize Compound</i>	"	13.6	15.5	17	2.1	—	20	0.7
246/A/39	"	Nitro kalk— <i>Nitro Chalk</i>	"	—	—	—	15.5	—	—	7
247/A/39	"	Saamgestelde mielie — <i>Compound Maize</i>	"	10	12	14	2.5	3	—	—
248/A/39	"	Saamgestelde super-mielie— <i>Compound Super Maize</i>	"	10	14	15	2	4	—	—
249/A/39	"	Mieliemengsel A— <i>Maize Mixture A</i>	"	11.9	13.7	14.2	2.1	8.1	—	—
249/A/39	"	Spesiale mielie No. 3— <i>Special Maize No. 3</i>	"	5.6	12.3	19.6	1.5	4	—	—

Registrasie- no. Registration No	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Alunaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Citroensuuroplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.				
250/A/39	Federated Farmers' Co-operative Association, Johannesburg	Mielie No. 1—Maize No. 1..	Fedfarms.....	12	12.4	12.5	3	2	—	—
251/A/39	"	Saamgestelde vrugte- en wingerdmengsel B—Compound Fruit and Vine Mixture B	"	10	12	12.5	4	10	—	—
252/A/39	"	Saamgestelde vrugte- en wingerdmengsel C—Compound Fruit and Vine Mixture C	"	10.5	13	13.5	2.2	11	—	—
253/A/39	"	Saamgestelde vrugte- en wingerdmengsel E—Compound Fruit and Vine Mixture E	"	11	15	16	—	12.5	—	—
254/A/39	"	Saamgestelde vrugte- en wingerdmengsel F—Compound Fruit and Vine Mixture F	"	9	12	12.5	6	5	—	—
255/A/39	"	Saamgestelde vrugte- en wingerdmengsel E.B.—Compound Fruit and Vine Mixture E.B.	"	10.5	12.5	13	3	10.5	—	—
256/A/39	"	Saamgestelde vrugte- en wingerdmengsel E.C.—Compound Fruit and Vine Mixture E.C.	"	11	13.5	14	1.7	11	—	—
257/A/39	"	Saamgestelde sitrus No. 1—Compound Citrus No. 1	"	6	8	8.5	7	8	—	—
258/A/39	"	Saamgestelde sitrus No. 2—Compound Citrus No. 2	"	7	9	9.5	5.5	9	—	—
259/A/39	"	Saamgestelde sitrus No. 3—Compound Citrus No. 3	"	10.5	12.5	13	3	10.5	—	—
260/A/39	"	Saamgestelde sitrus No. 4—Compound Citrus No. 4	"	—	12.5	13	3.5	10	—	—
261/A/39	"	Saamgestelde sitrus No. 5—Compound Citrus No. 5	"	11.5	12	12.5	2.5	8	—	—
262/A/39	"	Saamgestelde sitrus No. 6—Compound Citrus No. 6	"	8.5	8.9	9.1	7.2	7.2	—	—
263/A/39	"	Saamgestelde sitrus No. 7—Compound Citrus No. 7	"	9.5	12.5	13	5.7	5	—	—
264/A/39	"	Saamgestelde suiker—Compound Sugar	"	4	10	16	2.5	7	—	—
265/A/39	"	H.O.P. saamgestelde mis 2A—H.O.P. Compound Manure 2A	"	4.1	4.1	4.6	4.1	10	—	—
266/A/39	"	H.O.P. saamgestelde mis No. 5—H.O.P. Compound Manure No. 5	"	5.5	5.5	6.4	3.8	5	—	—
267/A/39	"	Mielie—Maize.....	"	10	10.3	12	1.5	3	—	—
268/A/39	"	Algemeen—Universal.....	"	19	19.3	19.5	2	3	—	—
269/A/39	"	Fosfaat en kalsiumkarbonaat behandel met swawel A—Phosphate and Carbonate of Lime Treated with Sulphur A	"	—	5.3	18	—	—	46.3	0.8
270/A/39	"	Fosfaat en kalsiumkarbonaat, behandel met swawel B—Phosphate and Carbonate of Lime, treated with Sulphur B	"	—	5.9	20	—	—	48.5	0.8
271/A/39	"	Fosfaat en kalsiumkarbonaat behandel met swawel C—Phosphate and Carbonate of Lime, treated with Sulphur C	"	—	6.6	22	—	—	49.5	0.8
272/A/39	"	Fosfaat en kalsiumkarbonaat, behandel met swawel D—Phosphate and Carbonate of Lime, treated with Sulphur D	"	—	7.4	25	—	—	51.4	0.8
273/A/39	"	Potashoudende super—Potassic Super	"	16	16.3	18.8	—	8	—	—
274/A/39	"	Kaliumnitraat A—Nitrate of Potash A	"	—	—	—	13	44	—	—
275/A/39	"	Kaliumnitraat B—Nitrate of Potash B	"	—	—	—	12.2	41.6	—	—
276/A/39	"	Di-ammoniumfosfaat — Di-ammonium Phosphate	"	50	50	50	20	—	—	—
277/A/39	"	Mono-ammoniumfosfaat — Mono-ammonium Phosphate	"	56	56	56	11	—	—	—
278/A/39	"	Saamgestelde chloriedhoudende aartappel — Muriate Compound Potato	"	10	12	14	2.5	4	—	—
279/A/39	"	Kalk-ammon-nitraat, 20.5%, N—Chalk Ammon Nitrate, 20.5%, N	"	—	—	—	20.5	—	22	—
280/A/39	"	Kalk-ammon-nitraat, 15.5%, N—Chalk Ammon Nitrate, 15.5%, N	"	—	—	—	15.5	—	—	—

Registrasie No. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.				Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Sitraensuure oplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.					
281/A/39	Federated Farmers' Co-operative Association, Johannesburg	Kalk-ammon-nitraat, 17%, N. —Chalk Ammon Nitrate, 17%, N	Fedfarms	—	—	—	17	—	25	—	—
282/A/39	"	Saamgestelde spesiale aartappel—Compound Special Potato	"	8	8.2	8.2	4	4	—	—	—
283/A/39	"	Chili-natrium-nitraat en potas —Chilean Nitrate of Soda and Potash	"	—	—	—	14.5	14.5	—	—	—
284/A/39	"	Dubbel mielie—Double Maize	"	20	20.3	20.6	4	4	—	—	—
285/A/39	"	Saamgestelde Sitrus No. 8 — Compound Citrus No. 8	"	17.5	18	18.5	4.5	12	—	—	—
324/A/39	Farm Food Factory, Tendega	Beenmeel—Bone Meal.....	Bono.....	—	17.7	21.1	3.5	—	29.8	—	—
804/A/39	Fertilizers (Pty.), Ltd., Port Elizabeth	Super, H.G., 17.1%.....	Square.....	17.1	17.5	18	—	—	—	—	—
805/A/39	"	Ontlymde fyn beenmeel — Deg. Bone Flour	"	—	20	30	1	—	40	—	—
802/A/39	"	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	20.5	—	—	—	—
803/A/39	"	Kaliumsulfaat, L.G. — Sulphate of Potash, L.G.	"	—	—	—	—	48.5	—	—	—
800/A/39	"	Volledige kunsmis No. 6 — Complete Fertilizer No. 6	"	12	13	14	2	4.5	—	—	—
801/A/39	"	Volledige kunsmis No. 7 — Complete Fertilizer No. 7	"	13	14	15	1.5	4	—	—	—
623/A/39	Federated S.A. Meat Industries, Ltd., Durban	Gedroogde bloed—Dried blood	S.A.M.I.....	—	0.8	0.9	12.2	—	—	—	—
622/A/39	I. Friedland & Co., Mosselbaai—Mossel Bay	Super, H.G., 17.2%.....	Vreedemaker...	17.2	17.7	18.2	—	—	—	—	—
546/A/39	Fison Albatros Fertilizers, Ltd., Durban	Vismeel—Fish Meal.....	Fisons.....	—	5.5	—	8.2	—	—	—	—
547/A/39	"	Kalk-ammon-nitraat — Chalk Ammon Nitrate	F.A.F.....	—	—	—	20.5	—	—	—	—
579/A/39	"	Spesiale suikerriet No. 3 — Special Cane No. 3	Fisons.....	10	10.3	10.5	3.5	5	—	—	—
580/A/39	"	Been en supermengsel No. 1 —Bone and Super Mixture No. 1	Fison Albatros.	8	17	21	2	—	—	—	—
581/A/39	"	Been en supermengsel No. 2 —Bone and Super Mixture No. 2	"	9	16.3	19.2	1.5	—	—	—	—
582/A/39	"	Been en supermengsel No. 3 —Bone and Super Mixture No. 3	"	12	18	20	1	—	—	—	—
548/A/39	"	Dubbel super—Double Super	Fisons.....	40	42	45	—	—	—	—	—
549/A/39	"	Rotsfosfaat en supermengsel —Rock Phosphate and Super Mixture	"	6	13	24	—	—	—	—	—
583/A/39	"	Ru rotsfosfaat — Raw Rock Phosphate	"	—	10	34	—	—	49.5	5	—
544/A/39	"	L.G. kaliumsulfaat — L.G. Sulphate of Potash	Olympic Brand	—	—	—	—	48.5	—	—	—
550/A/39	"	Dubbel super—Double Super	Fison Albatros.	40	42	45	—	—	—	—	—
551/A/39	"	Kalk en Super—Lime and Super	"	—	16.1	16.6	—	—	—	—	—
552/A/39	"	Slakmeel, H.G., 16.1% — Basic Slag, H.G., 16.1%	Fisons.....	—	16.1	18	—	—	—	—	—
584/A/39	"	Ontlymde fyn beenmeel — Deg. Bone Flour	"	—	24	33	1	—	38	—	—
585/A/39	"	Fyn beenmeel—Bone Dust..	"	—	14.3	22	4.3	—	28	—	—
591/A/39	"	Korrelagtige spesiale mielie— Granular Special Maize	"	12	12.3	12.6	2.5	5	—	—	—
592/A/39	"	Korrelagtige spesiale aartappel —Granular Special Potato	"	10	10.3	10.5	2	4	—	—	—
593/A/39	"	Korrelagtige spesiale koring en graan—Granular Special Wheat and Grain	"	12	12.3	12.6	2.5	5	—	—	—
594/A/39	"	Korrelagtige spesiale wortel— Granular Special Root	"	10	10.3	10.5	2	2	—	—	—
595/A/39	"	Korrelagtige spesiale tuin— Granular Special Garden	"	10	10.3	10.5	4	6	—	—	—
596/A/39	"	Korrelagtige spesiale tabak— Granular Special Tobacco	"	10	10.3	10.5	3	6	—	—	—
597/A/39	"	Korrelagtige spesiale katoen— Granular Special Cotton	"	10	10.3	10.5	2	2	—	—	—
598/A/39	"	Korrelagtige spesiale tamatie —Granular Special Tomato	"	10	10.3	10.5	3	6	—	—	—
599/A/39	"	Korrelagtige spesiale suikerriet No. 1—Special Cane No. 1	"	10	10.3	10.5	3	6	—	—	—
567/A/39	"	Spesiale Suikerriet No. 2— Special Cane No. 2	"	10	10.3	11	2	4	—	—	—
600/A/39	"	Korrelagtige Algemeen—Granular Universal	"	10	10.3	10.5	1	1.5	—	—	—
601/A/39	"	Korrelagtige Tabak — Granular Tobacco	Albatros.....	10	10.3	10.5	5	5	—	—	—
602/A/39	"	Korrelagtige Aartappel No. 1 Granulated Potato No. 1	"	10	10.3	10.5	4	6	—	—	—

Registrasie- no. Registration No	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Alumiinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Citroensuuroplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.				
568/A/39	Fison Albatros Ltd., Durban	Fertilizers, Fertilettes	Fisons of Albatros	20	20.5	21	15	25	—	—
569/A/39	"	Ultra Super, H.G., 17.1%...	"	17.1	17.5	18	—	—	—	—
570/A/39	"	Ultra Super, H.G., 18%	"	18	18.5	19	—	—	—	—
571/A/39	"	Ultra Super, E.H.G., 19.1%	"	19.1	19.5	20	—	—	—	—
512/A/39	"	Ultra Super, E.H.G., 20%	"	20	20.5	21	—	—	—	—
545/A/39	"	Basiese Super, H.G., 16.1% — Basic Super, H.G., 16.1%	"	—	16.1	16.6	—	—	—	—
603/A/39	"	Been, super en potas—Bone, Super and Potash	"	11	16	18	1	3	—	—
604/A/39	"	Kalk, super en potas—Lime, Super and Potash	"	—	17	17.6	—	3	—	—
605/A/39	"	Korrelagtige piesang—Gran- ular Special Banana	Fisons	10	10.3	10.5	3	6	—	—
608/A/39	"	Korrelagtige Spesiale weiveld —Granular Special Pasture	"	10	10.3	10.5	8	3	—	—
606/A/39	"	Spesiale oorstaan-suikerriet— Special Ratoon Cane	"	12	12.3	12.6	2.8	4	—	—
586/A/39	"	Beenmeel—Bone Meal	"	—	14.5	22	4.3	—	28	—
553/A/39	"	Ontlymde fyn beenmeel — Deg. Bone Flour	Fisons Albatros	—	24	30	1	—	38	—
554/A/39	"	Bloedmeel—Blood Meal	Fisons	—	—	—	13.3	—	—	—
555/A/39	"	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	20.6	—	—	—
556/A/39	"	Natriumnitraat — Nitrate of Soda	Fisons Albatros	—	—	—	15.5	—	—	—
557/A/39	"	Ammoniumsulfaat — Sulphate of Ammonia	Fisons	—	—	—	21	—	—	—
558/A/39	"	Katriumnitraat — Nitrate of Soda	"	—	—	—	15.5	—	—	—
559/A/39	"	Kaliumsulfaat, L.G.—Sul- phate of Potash, L.G.	"	—	—	—	—	48.5	—	—
560/A/39	"	Kaliumsulfaat, H.G.—Sul- phate of Potash, H.G.	"	—	—	—	—	51	—	—
561/A/39	"	Kaliumchloried, L.G.—Muri- ate of Potash, L.G.	"	—	—	—	—	50	—	—
562/A/39	"	Kaliumchloried, H.G.—Muri- ate of Potash, H.G.	"	—	—	—	—	60	—	—
563/A/39	"	Kaliumchloried, H.G.—Muri- ate of Potash, H.G.	Fisons Albatros	—	—	—	—	60	—	—
564/A/39	"	Kaliumsulfaat, H.G.—Sul- phate of Potash, H.G.	"	—	—	—	—	51	—	—
587/A/39	"	Korrelagtige groente spesiale— Granular Special Vegetable	Fisons	10	10.3	10.5	5	5	—	—
588/A/39	"	Korrelagtige spesiale sitrus— Granular Special Citrus	"	10	10.3	10.6	8	3	—	—
589/A/39	"	Standaard—Standard	"	10	10.3	10.5	2	3	—	—
565/A/39	"	Mono-ammoniumfosfaat— Mono-phosphate of Ammonia	"	56	56.5	56.5	11	—	—	—
566/A/39	"	Mono-ammoniumfosfaat A— Mono-phosphate of Ammonia A	"	53.9	55	56	11	—	—	—
590/A/39	"	Potashoudende aartappel — Potassic Potato	"	10	10.3	10.5	3	6	—	—
573/A/39	"	Gekonsentreerde Spesiale tabak—Concentrated Special Tobacco	"	28	28.3	28.5	10	14	—	—
574/A/39	"	Dubbelsterkte mielie—Double Strength Maize	"	24	24.5	5	10	—	—	—
575/A/39	"	Dubbelsterkte aartappel — Double Strength Potato	"	20	20.5	21	6	12	—	—
576/A/39	"	Dubbelsterkte koring en graan — Double Strength Wheat and Grain	"	23.7	24.3	24.8	5	10	—	—
607/A/39	"	Spesiale suikerriet No. 4— Special Cane No. 4	"	12	12.3	12.6	4	4	—	—
609/A/39	"	Mielie No. 1—Maize No. 1..	"	10	10.3	10.5	2	4	—	—
577/A/39	"	Dubbelsterkte tabak—Double Strength Tobacco	"	19.8	20.4	20.8	6	12	—	—
578/A/39	"	Kaliumchloriet, H.G.—Muri- ate of Potash, H.G.	Palestine	—	—	—	—	60	—	—
610/A/39	"	Spesiale suikerriet No. 2— Special Cane No. 2	Fisons	10	10.3	10.5	2	4	—	—
611/A/39	"	Besproeiingssuikerriet — Irri- gation Cane	"	10	10.3	10.5	8	3	—	—
612/A/39	"	Kalsiumsianied — Calcium Cyanide	Fisons Albatros	—	—	—	20.5	—	—	—
944/A/39	"	Samegestelde voëlgwano super mengsel—Bird Guano Super Compound	"	6	12	13	6	1	—	—
165/A/39	Messrs. Fassett & Johnson, Ltd., Johannesburg	Ontlymde beenmeel — Deg. Bone Meal	Gryps	—	22.9	27.5	0.8	—	36.5	—
166/A/39	"	Beenmeel—Bone Meal	"	—	13.7	20.6	3.7	—	27.3	—
167/A/39	"	Opgeloste bene — Dissolved Bones	"	6.4	13.3	14.6	2.4	—	—	—
168/A/39	"	Been- en vleisemeel—Bone and Meat Meal	"	—	7.3	14.6	5.7	—	—	—

Registration No. Registrasie No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.				Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Stroopoplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.					
287/A/39	The Fresh Meat Supply Co., Ltd., Johannesburg	Fynbeen meel—Bone Flour..		—	21.9	25.7	3.7	—	—	34.1	—
288/A/39	"	Beenmeel—Bone Meal.....	"	—	22.3	25.8	3.6	—	—	35.9	—
353/A/39	Stadsraad — Town Council, Germiston	Vleismeel en beenmeel—Meat Meal and Bone Meal	G.M.....	—	8.7	9.1	6.5	—	—	—	—
181/A/39	Germiston Fertilisers, Germiston	Beenmeel—Bone Meal.....	Taura.....	—	11.2	23.8	3.7	—	—	31.9	—
160/A/39	Supt., Staatsghwano-Eilande, Kaapstad—Supt., Government Guano Islands, Capetown	Ghwano, Party A—Guano, Lot A	U.G.....	3.5	9.9	10.9	13.5	2.3	—	—	—
20/A/39	S.A. Hunt Bone Meal and Fertiliser Co. (Pty.), Ltd., Warrenton	Super, H.G., 17.1%.....	Hunt.....	17.1	17.5	17.9	—	—	—	—	—
23/A/39	"	Beenmeel—Bone Meal.....	"	—	15	23	4.5	—	—	30	—
21/A/39	"	Ontlymde fyn beenmeel—Deg. Bone Flour	"	—	25	30	1	—	—	35	—
24/A/39	"	Fyn beenmeel—Bone Dust....	"	—	15	23	4.5	—	—	30	—
22/A/39	"	Di-kalsiumfosfaat — Di-calcium Phosphate	"	—	38	41	—	—	—	35	—
710/A/39	H. L. Hall & Sons, Ltd., Mataffin	Ontlymde fyn beenmeel—Deg. Bone Flour	H.L.H.....	—	25	30	1	—	—	35	—
709/A/39	"	Beenmeel—Bone Meal.....	"	—	18	20	4	—	—	23	—
704/A/39	"	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	21	—	—	—	—
694/A/39	"	Natriumnitraat—Nitrate of Soda	"	—	—	—	15.5	—	—	—	—
693/A/39	"	Kaliumchloried, H.G.—Muriate of Potash, H.G.	"	—	—	—	—	60	—	—	—
695/A/39	"	Kaliumsulfaat, L.G.—Sulphate of Potash, L.G.	"	—	—	—	—	48.5	—	—	—
701/A/39	"	Tamatie O.—Tomato O.....	"	6	13.6	16.8	4.1	4.8	—	—	—
703/A/39	"	Super, E.H.G., 20%.....	"	20	20.5	21	—	—	—	—	—
696/A/39	"	Slakmeel, H.G., 16.1%—Basic Slag, H.G., 16.1%	"	—	16.1	18	—	—	—	—	—
705/A/39	"	Ru rotsfosfaat—Raw Rock Phosphate	"	—	—	33.5	—	—	—	52	0.8
712/A/39	"	Ghwano-fosfaat—Guano Phosphate	"	—	10.9	20.5	1.9	2.6	—	—	—
697/A/39	"	Basiese groente C—Basic Vegetable C	"	6	10.6	12.6	5.4	9.7	—	—	—
706/A/39	"	Basiese groente W—Basic Vegetable W	"	12	12.3	12.6	6.3	6	—	—	—
698/A/39	"	Basiese groente U—Basic Vegetable U	"	7.9	12.6	14.6	5.3	5.9	—	—	—
699/A/39	"	Mielie E—Maize E.....	"	12	16.8	18.9	2.2	3	—	—	—
700/A/39	"	Patat Q—Sweet Potato Q....	"	8	11.5	18.5	2.1	9.7	—	—	—
702/A/39	"	Gras H—Grass H.....	"	2	5	6.3	12.8	6	—	—	—
707/A/39	"	Natriumnitraat A—Nitrate of Soda A	"	—	—	—	16	—	—	—	—
708/A/39	"	Sitrus P—Citrus P.....	"	10	12.5	13.6	5.8	4.8	—	—	—
711/A/39	"	Nitrokalk—Nitro Chalk.....	"	—	—	—	15.6	—	—	—	—
620/A/39	P. Henwood, Son, Soutter & Co., Johannesburg	Voedingssoute—Nutrient Salts	Crop-a-day....	7.4	8.2	8.2	4.6	21.2	—	—	—
26/A/39	Herholdt's Nurseries, Johannesburg	Spesiale tuin—Special Garden	Heroldts.....	3.5	13	16.5	2.5	4	—	—	—
104/A/39	Stadsraad — City Council, Johannesburg	Bloedmeel—Blood Meal.....	J.M.....	—	—	0.5	12	—	—	0.8	—
105/A/39	"	Vleismeel en beenmeel—Meat Meal and Bone Meal	"	—	10	11.8	7	—	—	15.2	—
636/A/39	J. Kaplan & Co., Kaapstad—Capetown	Graan A—Grain A.....	Kaplans.....	12.0	12.2	12.5	3.0	2.0	—	—	—
637/A/39	"	Suikerriet—Sugar Cane.....	"	10.0	11.0	12.0	3.0	6.0	—	—	—
638/A/39	"	Tuinkunsmis—Garden Fertilizer	"	7.0	8.0	9.0	2.0	4.5	—	—	—
639/A/39	"	Vrugteboomkunsmis—Fruit Tree Fertilizer	"	7.0	8.0	9.0	2.0	4.5	—	—	—
644/A/39	"	Been en super-mengsel No. 1—Bone and Super Mixture No. 1	"	—	14	20	2	—	—	—	—
645/A/39	"	Beenmeel—Bone Meal.....	"	—	14	22	4	—	—	25	—
643/A/39	"	Spesiale wingerd—Vine Special	"	9	10	11	2.5	6	—	—	—
642/A/39	"	Wingerd No. 2—Vine No. 2..	"	7	8	9	2	4.5	—	—	—
641/A/39	"	Graan No. 1—Grain No. 1..	"	9	10	11	3	5	—	—	—
640/A/39	"	Graan No. 2—Grain No. 2..	"	8	9	10	2	3	—	—	—
459/A/39	Stadsraad Krugersdorp—Krugersdorp Town Council, Krugersdorp	Vleis- en beenmeel—Meat and Bone Meal	Excife.....	—	5.8	7.2	9.5	—	—	8.3	—
460/A/39	"	Bloedmeel—Blood Meal.....	"	—	—	0.3	11.6	—	—	0.2	—
107/A/39	J. Layton & Co., Ltd., Johannesburg	Madagascarse been — Madagascan Bone	Layco.....	—	18	21	4.7	—	—	—	—
100/A/39	A. Liberman, Kaapstad—Capetown	Super, H.G., 17.1%.....	Liberman.....	17.1	17.4	18	—	—	—	—	—
101/A/39	"	Super, H.G., 18%.....	"	18	18.4	19	—	—	—	—	—
99/A/39	"	Slakmeel, H.G., 18%—Basic Slag, H.G., 18%	"	—	18	19	—	—	—	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Sjtroensuuroplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.				
25/A/39	Lamberts Bay Canning Co., Ltd., Kaapstad— <i>Capetown</i>	Kreefmeel— <i>Crayfish Meal</i> ...	Kreef.....	—	1.6	2.5	7.2	0.8	10.6	—
654/A/39	Mnr. I. P. A. Liebenberg, Rietpan, Pk. Grootpan	Vlermuissfosfaat.....	Bobbie Vlerka..	—	0.4	8.7	0.3	2.2	17.1	—
731/A/39	Messrs. Lensvelts Agencies (Pty.), Ltd., Johannesburg	Super, H.G., 17.1%.....	Windmill.....	17.1	—	—	—	—	—	—
732/A/39	" "	Super, H.G., 20%.....	"	20	—	—	—	—	—	—
733/A/39	" "	Been- en super— <i>Bone and Super</i>	"	12.5	16.5	19	1.2	—	—	—
734/A/39	" "	Beenmeel— <i>Bone Meal</i>	"	—	12	23	4.7	—	25	—
735/A/39	" "	Ontlymde fyn beenmeel— <i>Deg. Bone Flour</i>	"	—	24	33	1	—	46.7	—
736/A/39	" "	Ammoniumsulfaat— <i>Sulphate of Ammonia</i>	"	—	—	—	20.6	—	—	—
737/A/39	" "	Natriumnitraat — <i>Nitrate of Soda</i>	"	—	—	—	15.5	—	—	—
738/A/39	" "	Kaliumsulfaat, L.G.— <i>Sulphate of Potash, L.G.</i>	"	—	—	—	48.5	—	—	—
739/A/39	" "	Kaliumchloried, H.G.— <i>Muriate of Potash, H.G.</i>	"	—	—	—	60	—	—	—
740/A/39	" "	Spesiale Tabak— <i>Special Tobacco</i>	Windmill Granumik	10	11	12	3	6	—	—
741/A/39	" "	Spesiale aartappel No. 1— <i>Special Potato No. 1</i>	" "	10	11	12	2	4	—	—
742/A/39	" "	Spesiale Mielie No. 1— <i>Special Maize No. 1</i>	" "	10	12.5	13.5	1	4	—	—
743/A/39	" "	Spesiale Tuin en Vrugte— <i>Special Garden and Vegetable</i>	" "	10	10	10.5	2	3	—	—
744/A/39	" "	Spesiale Mielie No. 2— <i>Special Maize No. 2</i>	" "	10	11	13	1.5	2	—	—
745/A/39	" "	Spesiale Sitrus en Vrugte— <i>Special Citrus and Fruit</i>	" "	9	10	12	8	6	—	—
746/A/39	" "	Spesiale Koring No. 1— <i>Special Wheat No. 1</i>	" "	12	12.5	12.5	3	2	—	—
747/A/39	" "	Spesiale Koring No. 2— <i>Special Wheat No. 2</i>	" "	9	11	12	2	1.5	—	—
748/A/39	" "	Spesiale aartappel No. 2— <i>Special Potato No. 2</i>	" "	9	10	12	4	6	—	—
749/A/39	" "	Spesiale Suikerriet No. 1— <i>Special Cane No. 1</i>	" "	9	10	12	2	3	—	—
750/A/39	" "	Spesiale Suikerriet No. 2— <i>Special Cane No. 2</i>	" "	14	15	16	3	5	—	—
751/A/39	" "	Spesiale Mielie No. 3— <i>Special Maize No. 3</i>	" "	10	11	13	1	1.5	—	—
752/A/39	" "	Spesiale Suikerriet mengsel— <i>Special Cane Mixture</i>	" "	11	12.5	14.2	2.5	3	—	—
753/A/39	" "	Spesiale suikerriet No. 3— <i>Special Cane No. 3</i>	" "	14	15	16	4	6	—	—
754/A/39	" "	Slakmeel, H.G., 16.1%— <i>Basic Slag, H.G., 16.1%</i>	" "	—	16.1	17.5	—	—	—	—
755/A/39	" "	Spesiale Lusern— <i>Special Lucerne</i>	" "	12	12.5	13	—	6	—	—
756/A/39	" "	Ru rotsfosfaat— <i>Raw Rock Phosphate</i>	" "	—	11	33.5	—	—	—	—
757/A/39	" "	Spesiale wortel— <i>Special Root</i>	" "	10	11	12	2	4	—	—
758/A/39	" "	Superfosfaat, H.G., 19.1%— <i>Super Phosphate, H.G., 19.1%</i>	" "	19.1	—	—	—	—	—	—
723/A/39	S. Machanick, Kaapstad— <i>Capetown</i>	Super, H.G., 17.1%.....	Machanick.....	17.1	17.4	18.2	—	—	—	—
724/A/39	" "	Super, H.G., 18%.....	"	18	18.3	19	—	—	—	—
725/A/39	" "	Super, H.G., 18.1%.....	"	18.1	18.8	19.3	—	—	—	—
726/A/39	" "	Super, E.H.G., 20%.....	"	20	20.6	21.1	—	—	—	—
727/A/39	" "	Slakmeel, H.G., 16.1%— <i>Basic Slag, H.G., 16.1%</i>	"	—	16.1	17.3	—	—	—	—
728/A/39	" "	Slakmeel, H.G., 18%— <i>Basic Slag, H.G., 18%</i>	"	—	18	19.2	—	—	—	—
729/A/39	" "	Ammoniumsulfaat, 21% N— <i>Ammonium Sulphate, 21% N</i>	"	—	—	—	21	—	—	—
730/A/39	" "	Ammoniumsulfaat, 21.1% N— <i>Ammonium Sulphate, 21.1% N</i>	"	—	—	—	21.1	—	—	—
19/A/39	Mangold Bros., Ltd., Port Elizabeth	Super, H.G., 17.1%.....	Mangolds.....	17.1	17.7	18.3	—	—	—	—
18/A/39	" "	Super, H.G., 19%.....	"	19	19.7	20.1	—	—	—	—
17/A/39	" "	Slakmeel, H.G., 16.1%— <i>Basic Slag, H.G., 16.1%</i>	Fisons..... Mangold Bros., Ltd.	—	16.1	17.8	—	—	—	—
16/A/39	" "	Spesiale potashoudende aartappel — <i>Special Potassic Potato</i>	"	10	10.2	11	3	6	—	—
15/A/39	" "	Spesiale aartappel— <i>Special Potato</i>	"	9.8	10.3	10.7	2	4	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand	Fosforoksied. Phosphoric Oxide.				Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Citroensuuroplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.					
425/A/39	Netherland Fertilisers, Ltd., Kaapstad—Capetown	Dubbel super—Double Super	Netherland....	40	40.5	41	—	—	—	—	—
426/A/39	" "	Spesiale uitvoerwingerdmeng- sel—Special Export Vine Mixture	"	—	12	12.5	3	10	—	—	—
427/A/39	" "	Korrelagtige vrugte en win- gerd No. 4—Granular Fruit and Vine No. 4	"	10	12	13	3	3	—	—	—
428/A/39	" "	Korrelagtige tabak No. 1— Granular Tobacco No. 1	"	10	11	12	3	6	—	—	—
429/A/39	" "	Korrelagtige groente en tuin- mengsel—Granular Vege- table and Garden Mixture	"	10	10.2	10.4	6	6	—	—	—
120/A/39	Os Kop Fertilisers, Ltd., Kaapstad—Capetown	Super, H.G., 17.1%.....	Os Kop.....	17.1	17.5	17.9	—	—	—	—	—
121/A/39	" "	Ontlymde fyn beenmeel— Deg. Bone Flour	"	—	23	29	1	—	40	—	—
158/A/39	" "	Beenmeel—Bone Meal.....	"	—	12	20	4.2	—	28	—	—
122/A/39	" "	Kaliumsulfaat, L.G.—Sul- phate of Potash, L.G.	"	—	—	—	—	49	—	—	—
123/A/39	" "	Kaliumchloried, H.G.—Mur- iate of Potash, H.G.	"	—	—	—	—	60	—	—	—
156/A/39	" "	Ertjie en boontjie—Peas and Beans	"	—	11	12	2	6.5	—	—	—
134/A/39	" "	Super, H.G., 19%.....	"	19	19.3	20	—	—	—	—	—
135/A/39	" "	Slakmeel, H.G., 16.1% — Basic Slag, H.G., 16.1%	"	—	16.1	17	—	—	—	—	—
132/A/39	" "	Slakmeel, H.G., 18.1% — Basic Slag, H.G., 18.1%	"	—	18.1	19	—	—	—	—	—
124/A/39	" "	Kalk en super — Lime and Super	"	—	18	18.6	—	—	—	—	—
159/A/39	" "	Beenmeel—Bone Meal.....	"	—	12.0	20	4	—	28	—	—
125/A/39	" "	Gepresipiteerde beenfosfaat— Precipitated Bone Phosphate	"	—	37.7	38.3	—	—	—	—	—
133/A/39	" "	Natriumnitraat — Nitrate of Soda	"	—	—	—	16	—	—	—	—
137/A/39	" "	Spesiale graan—Special Grain	"	—	10	12.5	4	2	—	—	—
136/A/39	" "	Prysgraan—Prize Grain.....	"	—	10	12.5	5	2	—	—	—
138/A/39	" "	Graan A—Grain A.....	"	—	10	12.5	3	2	—	—	—
139/A/39	" "	Graan B—Grain B.....	"	—	13.5	16	3	—	—	—	—
141/A/39	" "	Spesiale boom en wingerd— Trees and Vines Special	"	—	9	12	3	5	—	—	—
143/A/39	" "	Boom en wingerd No. 1— Trees and Vines No. 1	"	—	12	14.5	0.8	12.5	—	—	—
149/A/39	" "	Boom en wingerd No. 2— Trees and Vines No. 2	"	—	10	12	1	10.5	—	—	—
145/A/39	" "	Boom en wingerd No. 3— Trees and Vines No. 3	"	—	10	12	3	10	—	—	—
146/A/39	" "	Boom en wingerd No. 4— Trees and Vines No. 4	"	—	10.5	13	4	10	—	—	—
147/A/39	" "	Spesiale boom—Special Trees	"	—	9	12	3.5	6	—	—	—
148/A/39	" "	Jongboom en wingerd — Young Trees and Vines	"	—	9	12	5	1	—	—	—
149/A/39	" "	Spesiale Sitrus—Special Citrus	"	—	8	10.5	5	9	—	—	—
150/A/39	" "	Sitrus No. 1—Citrus No. 1..	"	—	9	12	3	10	—	—	—
151/A/39	" "	Sitrus No. 2—Citrus No. 2..	"	—	8	10	7	6	—	—	—
155/A/39	" "	Algemene tuin—General Gar- den	"	—	8	10	8	6	—	—	—
157/A/39	" "	Lusern—Lucerne.....	"	—	10	12	—	7	—	—	—
152/A/39	" "	Groente—Vegetable.....	"	—	9	10	4	5	—	—	—
154/A/39	" "	Groente en tuin—Vegetable and Garden	"	—	9	10	6	6	—	—	—
126/A/39	" "	Spesiale tabak — Special Tobacco	"	—	8	8.5	4	10	—	—	—
153/A/39	" "	Spesiale aartappel — Special Potato	"	—	9	10	4.5	6	—	—	—
127/A/39	" "	Tabak No. 1—Tobacco No. 1	"	—	8	10.5	3	6	—	—	—
128/A/39	" "	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	21.1	—	—	—	—
129/A/39	" "	Been en super No. 1—Bone and Super No. 1	"	—	14	18.5	1.5	—	—	—	—
130/A/39	" "	Walvismeelghwano — Whale Meal Guano	"	—	—	1	10.5	—	—	—	—
140/A/39	" "	Mielie—Maize.....	"	—	10	12.5	4	2	—	—	—
142/A/39	" "	Vrugte en wingerd—Fruit and Vine	"	—	10.5	12.5	3	3	—	—	—
131/A/39	" "	Nitro-kalsiumkarbonaat— Nitro Chalk	"	—	—	—	15.5	—	—	—	—
621/A/39	Oxo (S.A.), Ltd., Kaapstad— Capetown	Beenmeel—Bone Meal.....	Lebex F.M....	—	11.5	24.4	4.4	—	32.0	—	—
312/A/39	Orchard Suppliers, Ltd., Johannesburg	Kalk en super—Lime and Super	Africol.....	—	16.1	16.6	—	—	—	—	—
313/A/39	" "	Super H.G., 17.1%.....	"	17.1	17.5	18	—	—	—	—	—
950/A/39	" "	Groente No. 2—Vegetable No. 2	"	10.0	10.3	10.5	4	4	—	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Alumina. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Sitrone-surroeplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.				
314/A/39	Orchard Suppliers, Ltd., Johannesburg	Super E.H.G., 19.1%.....	Africol.....	19.1	19.5	20	—	—	—	—
315/A/39	" "	Super E.H.G., 20%.....	"	20	20.5	21	—	—	—	—
316/A/39	" "	Korrelagtige tabak—Granular Tobacco	"	10	10.3	10.5	5	5	—	—
317/A/39	" "	Korrelagtige spesiale aart- appel—Granular Special Po- tato	"	10	10.3	10.5	2	4	—	—
318/A/39	" "	Korrelagtige spesiale tabak— Granular Special Tobacco	"	10	10.3	10.5	3	6	—	—
319/A/39	" "	Korrelagtige Potashoudende aartappel—Granular Potas- sic Potato	"	10	10.3	10.5	3	6	—	—
320/A/39	" "	Korrelagtig algemeen—Granu- lar Universal	"	10	10.3	10.3	1	1.5	—	—
321/A/39	" "	Korrelagtige Standaard — Granular Standard	"	10	10.3	10.5	2	3	—	—
322/A/39	" "	Spesiale sitrus—Special Citrus	"	10	10.3	10.6	8	3	—	—
323/A/39	" "	Spesiale Groente — Special Vegetable	"	7	10	11.5	5	5	—	—
204/A/39	Prince, Vincent & Co., Mossel- baai—Mossel Bay	Super, H.G., 17.1%.....	Herald.....	17.1	17.7	18.1	—	—	—	—
205/A/39	" "	Super, H.G., 19%.....	"	19	19.3	20	—	—	—	—
206/A/39	" "	Slakmeel, H.G., 16.1%— Basic Slug, H.G., 16.1%	Vinco.....	—	16.1	18.5	—	—	—	—
96/A/39	Piel's Cold Storages, Ltd., Johannesburg	Mielie—Maize.....	Piels.....	7	9.5	10.5	1.5	2	—	—
97/A/39	" "	Aartappel—Potato.....	"	9	9.5	10	2.5	4	—	—
98/A/39	" "	Tuin en tabak—Garden and Tobacco	"	10	10.5	11.5	3	4	—	—
94/A/39	Munisipaliteit—Municipality, Port Elizabeth	Vleis- en beenmeel—Meat and Bone Meal	P.E.M.....	—	4.5	5.4	9.4	—	8.4	—
854/A/39	Premier Fertilisers, Ltd., Merebank, Natal	Super, H.G., 17.1%.....	Premier.....	17.1	17.5	18	—	—	—	—
856/A/39	" "	Slakmeel, H.G., 16.1%— Basic Slug, H.G., 16.1%	"	—	16.1	18	—	—	—	—
860/A/39	" "	Beenmeel—Bone Meal.....	"	—	13	23	4	—	30	—
859/A/39	" "	Fyn beenmeel—Bone Dust. ..	"	—	15	23	4	—	30	—
857/A/39	" "	Been-supermengsel No. 1— Bone Super Mixture No. 1	"	8.5	15	21	2	—	—	—
844/A/39	" "	Been-supermengsel No. 2— Bone Super Mixture No. 2	"	11.5	16	19.5	1.5	—	—	—
855/A/39	" "	Kalk en super—Lime and Super	"	—	18	18.6	—	—	—	—
858/A/39	" "	Ru rotsfosfaat—Raw Rock Phosphate	"	—	11	33	—	—	45	1
862/A/39	" "	Kaliumchloried, H.G.—Mu- riate of Potash, H.G.	"	—	—	—	—	60	—	—
863/A/39	" "	Kaliumsulfat, L.G.—Sul- phate of Potash, L.G.	"	—	—	—	—	48.5	—	—
867/A/39	" "	Mielie—Maize.....	"	10	13	14	1	4	—	—
869/A/39	" "	Aartappel en wortel B— Potato and Root B	"	9	11	13	1	6	—	—
870/A/39	" "	Aartappel C—Potato C.....	"	9	11	12	3	7	—	—
871/A/39	" "	Suikerriet A—Cane A.....	"	9	13	15	2	6	—	—
872/A/39	" "	Suikerriet B—Cane B.....	"	10	13	15	1	4	—	—
848/A/39	" "	Katoen No. 1—Cotton No. 1..	"	9	12	15	2	4	—	—
866/A/39	" "	Katoen No. 2—Cotton No. 2	"	9	10	12	1.5	2.5	—	—
865/A/39	" "	Tef—Teff.....	"	9	12	13	1	3	—	—
864/A/39	" "	Been- super-potasmengsel— Bone Super Potash Mixture	"	8	16	18	2	3	—	—
875/A/39	" "	Algemeen—General.....	"	8	13	18	2	4	—	—
874/A/39	" "	Tuin—Garden.....	"	8	12	14	2.5	5	—	—
849/A/39	" "	Tabak—Tobacco.....	"	9	13	15	3	6	—	—
885/A/39	" "	Suikerriet D—Cane D.....	"	18	18.5	19	—	6	—	—
886/A/39	" "	Bloedmeel—Blood Meal.....	"	—	—	—	13.2	—	—	—
873/A/39	" "	Graan—Grain.....	"	9	12	14	1.5	4	—	—
868/A/39	" "	Aartappel A—Potato A.....	"	9	13	15	2.5	5	—	—
850/A/39	" "	Manna—Millet.....	"	9	13	14	4	5	—	—
851/A/39	" "	Kikuyugras-mengsel—Kikuyu Grass Mixture	"	7.5	8	8.5	9.5	5	—	—
853/A/39	" "	Weiveld-mengsel B—Pasture Mixture B	"	10	10.5	11	6	6	—	—
852/A/39	" "	Weiveld-mengsel A—Pasture Mixture A	"	8	12	14	5	5	—	—
876/A/39	" "	Ontlymde fyn beenmeel— Deg. Bone Flour	"	—	24	30	1	—	40	—
877/A/39	" "	Potashoudende mielie—Potas- sic Maize	"	9	13	16	2	6	—	—
878/A/39	" "	Spesiale potashoudende mie- lie—Special Potassic Maize	"	9	13	15	1.5	9.5	—	—
879/A/39	" "	Lusern—Lucerne	"	11	14	16	—	6	—	—
880/A/39	" "	H.G. Super, 18%.....	"	18	18.5	19	—	—	—	—
881/A/39	" "	E.H.G. Super, 19.1%.....	"	19.1	19.5	20	—	—	—	—
882/A/39	" "	Kalk, super en potasmeng- sel—Lime, Super and Pot- ash Mixture	"	—	16.9	17.4	—	3	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.				Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ytiroksied en Aluinaarde Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2% Citroensuurooplossing. Soluble in 2% Citric Acid Solution.	Totaal. Total.					
14/A/39	Mangold Bros., Ltd., Port Elizabeth	Spesiale wortel— <i>Special Root</i>	Mangold Bros., Ltd.	10	10.5	11	2	2	—	—	—
13/A/39	"	Spesiale tuin— <i>Special Garden</i>	"	10	10.5	11	4	6	—	—	—
10/A/39	"	Spesiale groente — <i>Special Vegetable</i>	"	10	10.7	11	5	5	—	—	—
8/A/39	"	Spesiale koring en graan— <i>Special Wheat and Grain</i>	"	11.5	12.3	13	2.5	5	—	—	—
9/A/39	"	Spesiale lusern — <i>Special Lucerne</i>	"	12	12.5	13	—	6	—	—	—
12/A/39	"	Spesiale vrugte en sitrus— <i>Special Fruit and Citrus</i>	"	12	12.5	13	5	4	—	—	—
11/A/39	"	Spesiale tabak (ligte blaar)— <i>Special Tobacco (light leaf)</i>	"	9.8	10.3	10.8	3	6	—	—	—
7/A/39	"	Spesiale mielie— <i>Special Maize</i>	"	12	12.5	13	2.5	5	—	—	—
813/A/39	Mimosa Dahlia Gardens, Wynberg	Bol— <i>Tuber</i>	Dahlia.....	—	13	14.4	4	6	—	—	—
2/A/39	Marble, Lime and Associated Industries, Ltd., P.O. Box 7711, Johannesburg	Ongebluste kalk — <i>Slaked Lime</i>	Marvello.....	—	—	—	—	—	—	45.2	—
1/A/39	"	Kalsiumkarbonaat— <i>Calcium Carbonate</i>	"	—	—	—	—	—	—	51.4	—
95/A/39	A. Mosenthal & Co., P.O. Box 1, Port Elizabeth	H.G. slakmeel, 16.2%— <i>H.G. Basic Slag, 16.2%</i>	A.M.C.....	—	16.2	17.4	—	—	—	—	—
350/A/39	Malcomess, Ltd., Durban....	Super aartappel No. 1— <i>Super Potato No. 1</i>	Buffalo.....	10	11	12	2	4	—	—	—
352/A/39	"	Super aartappel No. 3— <i>Super Potato No. 3</i>	"	10	10.5	11	4	6	—	—	—
353/A/39	"	Been- en vleismeel— <i>Bone and Meat Meal</i>	"	—	8.7	9.1	6.5	—	—	—	—
328/A/39	"	Tabak— <i>Tobacco</i>	"	10	14	15	3	5	—	—	—
351/A/39	"	Super-aartappel No. 2— <i>Super Potato No. 2</i>	"	11	12	13	3	6	—	—	—
330/A/39	"	Lusern— <i>Lucerne</i>	"	11	13	15	—	6	—	—	—
329/A/39	"	Graan— <i>Grain</i>	"	12	13	15	2	2	—	—	—
327/A/39	"	Potashoudende mielie— <i>Potassic Maize</i>	"	12	13	15.5	1.5	5	—	—	—
342/A/39	"	Super-mielie— <i>Super Maize</i> ..	"	10	12	14	2	4.5	—	—	—
343/A/39	"	Spesiale mielie— <i>Special Maize</i>	"	10	12.5	15	1.3	3.6	—	—	—
331/A/39	"	Algemeen— <i>General Purposes</i> .	"	10	12	14	2	4	—	—	—
338/A/39	"	Gras— <i>Grass</i>	"	7	11	15	5	3	—	—	—
345/A/39	"	Been-super-mengsel No. 2 — <i>Bone Super Mixture No. 2</i>	"	12	15.5	17.5	1	—	—	—	—
346/A/39	"	Ontlymdé fyn beenmeel — <i>Deg. Bone Flour</i>	"	—	24	30	1	—	—	33	—
335/A/39	"	Fyn beenmeel— <i>Bone Dust</i> ...	"	—	17	22	4	—	—	28	—
337/A/39	"	Algemeen— <i>Universal</i>	"	10	11	11.5	1	1.5	—	—	—
339/A/39	"	Ammoniumsulfaat — <i>Sulphate of Ammonia</i>	"	—	—	—	20.5	—	—	—	—
340/A/39	"	Kaliumsulfaat, L.G. — <i>Sulphate of Potash, L.G.</i>	"	—	—	—	—	—	48.5	—	—
341/A/39	"	Kaliumchloride, H.G.— <i>Muriate of Potash, H.G.</i>	"	—	—	—	—	—	60	—	—
336/A/39	"	Kalk-, super en potas— <i>Lime Super and Potash</i>	"	—	16.9	17.4	—	3	—	—	—
332/A/39	"	Suikerriet No. 1— <i>Sugar Cane No. 1</i>	"	6	14	15.5	2	8.2	—	—	—
344/A/39	"	Suikerriet No. 2— <i>Sugar Cane No. 2</i>	"	10	15	16	2	4.6	—	—	—
347/A/39	"	Super, H.G., 17.1%.....	"	17.1	17.5	18	—	—	—	—	—
348/A/39	"	Super, E.H.G., 20%.....	"	20	20.5	21	—	—	—	—	—
333/A/39	"	Super, E.H.G., 19.1%.....	"	19.1	19.5	20	—	—	—	—	—
325/A/39	"	Slakmeel, H.G., 16.1% — <i>Basic Slag, H.G., 16.1%</i>	"	16.1	18	—	—	—	—	—	—
334/A/39	"	Kalk en super — <i>Lime and Super</i>	"	—	18	18.6	—	—	—	—	—
349/A/39	"	Ru rotsfosfaat— <i>Raw Rock Phosphate</i>	"	—	11	33	—	—	—	50	1
326/A/39	"	Been-super-mengsel No. 1 — <i>Bone Super Mixture No. 1</i>	"	8.5	16	19	2	—	—	—	—
464/A/39	Nelson and de Kock, Ltd., Malmesbury	Korrelagtige Graan No. 1— <i>Granular Grain No. 1</i>	Endeko.....	—	14	17	4	2	—	—	—
463/A/39	"	Ultra Super, H.G. 18%.....	Rooi Streep....	18	18.5	19	—	—	—	—	—
462/A/39	"	Gemengde graan A — <i>Mixed Grain A</i>	Endeko.....	14	14.2	14.8	4	2	—	—	—
461/A/39	"	Graan No. 1— <i>Grain No. 1</i> ..	"	—	14	17	4	2	—	—	—
431/A/39	Netherland Fertilisers, Ltd., Kaapstad— <i>Capetown</i>	Super, H.G., 17.1%.....	Netherland.....	17.1	17.4	18	—	—	—	—	—
432/A/39	"	Super, H.G., 18%.....	"	18	18.4	19	—	—	—	—	—
433/A/39	"	Super, H.G., 19%.....	"	19	19.4	20	—	—	—	—	—
434/A/39	"	Super, E.H.G., 20%.....	"	20	20.4	21	—	—	—	—	—
435/A/39	"	Slakmeel, H.G., 16.1% — <i>Basic Slag, H.G., 16.1%</i>	"	—	16.1	17	—	—	—	—	—
436/A/39	"	Slakmeel, H.G., 18% — <i>Basic Slag, H.G., 18%</i>	"	—	18	19	—	—	—	—	—
445/A/39	"	Beenmeel— <i>Bone Meal</i>	"	—	10	20	4	—	—	25	—
405/A/39	"	Beenmeel A— <i>Bone Meal A</i> ..	"	—	10	20	4.5	—	—	25	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied, Phosphoric Oxide.				Stikstof. Nitrogen.	Potas, Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Sifroosuuroplossing. Soluble in 2% Citric Acid Solution.	Totaal. Total.					
444/A/39	Netherland Fertilisers, Ltd., Kaapstad—Capetown	Ontlymde fyn beenmeel— Deg. Bone Flour	Netherland.....	—	20	30	1	—	35	—	—
446/A/39	" "	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	20.5	—	—	—	—
441/A/39	" "	Kaliumchloried, H.G.—Muri- ate of Potash, H.G.	"	—	—	—	—	60	—	—	—
410/A/39	" "	Kaliumsulfaat, L.G.—Sul- phate of Potash, L.G.	"	—	—	—	—	48.5	—	—	—
437/A/39	" "	Kalk en super A—Lime and Super A	"	—	16.1	17	—	—	—	—	—
838/A/39	" "	Kalk en super B—Lime and Super B	"	—	18	19	—	—	—	—	—
439/A/39	" "	Ru rotsfosfaat — Raw Rock Phosphate	"	—	10	29	—	—	45	1	—
440/A/39	" "	Been en super No. 1—Bone and Super No. 1	"	12	16	18	1	—	—	—	—
444/A/39	" "	Been en super No. 2—Bone and Super No. 2	"	8	16	19	2	—	—	—	—
442/A/39	" "	Ru rots en super No. 1—Raw Rock and Super No. 1	"	11.6	16.8	24.6	—	—	—	—	—
443/A/39	" "	Behandelde rotsfosfaat en super—Treated Rock Phos- phate and Super	"	6	15	25	—	—	—	—	—
408/A/39	" "	Korrelagtige spesiale graan— Granular Special Grain	"	12	12.2	12.5	5	2	—	—	—
406/A/39	" "	Korrelagtige graan No. A— Granular Grain No. A	"	12	12.2	12.5	3	2	—	—	—
447/A/39	" "	Been, super en potas No. 1— Bone, Super and Potash No. 1	"	11	15.5	17	1	3	—	—	—
448/A/39	" "	Been, super en potas No. 2— Bone, Super and Potash No. 2	"	6.5	15.5	18	2	6	—	—	—
449/A/39	" "	Tabak No. 1—Tobacco No. 1	"	10	11	12	3	6	—	—	—
450/A/39	" "	Aartappel No. 2—Potato No. 2	"	10	14.5	15.5	3	6	—	—	—
451/A/39	" "	Aartappelsamestelling— Potato Compound	"	10	11	12	3	6	—	—	—
452/A/39	" "	Mielie No. 2—Maize No. 2..	"	—	14.5	18	—	9	—	—	—
453/A/39	" "	Mieliesamestelling — Maize Compound	"	10	12.5	13.5	1	4	—	—	—
454/A/39	" "	Standaardmengsel—Standard Mixture	"	9	12	13	2	4	—	—	—
455/A/39	" "	Spesiale Suikerriet No. 6 — Special Cane No. 6	"	4	10	16	2.5	7	—	—	—
456/A/39	" "	Suikerriet No. 6—Cane No. 6	"	—	9	20	8	5.3	—	—	—
457/A/39	" "	Potashoudende super—Potash sic Super	"	16	16.3	16.5	—	8	—	—	—
412/A/39	" "	Spesiale aartappel — Special Potato	"	10	10.2	10.4	3	6	—	—	—
407/A/39	" "	Korrelagtige Graan No. 1 — Granular Grain No. 1	"	12.0	12.2	12.5	4	2	—	—	—
409/A/39	" "	Sitrus No. 2—Citrus No. 2..	"	—	8	10	7	6	—	—	—
430/A/39	" "	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	21.1	—	—	—	—
413/A/39	" "	Spesiale tabak — Special Tobacco	"	8	8.1	8.2	4	10	—	—	—
458/A/39	" "	Vrugte- en wingerdmengsel No. 1—Fruit and Vine Mixture No. 1	"	10.5	12.5	13	3	10.5	—	—	—
415/A/39	" "	Vrugte- en wingerdmengsel No. 2 — Fruit and Vine Mixture No. 2	"	10	10.2	10.4	6	6	—	—	—
417/A/39	" "	Vrugte- en wingerdmengsel No. 4 — Fruit and Vine Mixture No. 4	"	10	12	13	3	3	—	—	—
419/A/39	" "	Vrugte- en wingerdmengsel No. 6 — Fruit and Vine Mixture No. 6	"	9.5	9.8	10	5.5	10	—	—	—
416/A/39	" "	Vrugte- en wingerdmengsel No. 3 — Fruit and Vine Mixture No. 3	"	10.5	12.5	13.5	2.2	11	—	—	—
418/A/39	" "	Vrugte- en wingerdmengsel No. 5 — Fruit and Vine Mixture No. 5	"	10	12	12.5	4	10	—	—	—
419/A/39	" "	Spesiale gekorrelde uitvoer- wingerdmengsel — Special Granulated Export Vine Mixture	"	—	12	12.5	3	10	—	—	—
420/A/39	" "	Basiese super, H.G., 16.5%— Basic Super, H.G., 16.5%	"	—	16.5	19	—	—	—	—	—
421/A/39	" "	Voëlghwano A—Bird Guano A	"	—	10	10.7	16	1.8	—	—	—
422/A/39	" "	Voëlghwano B—Bird Guano B	"	—	10	10.7	15	1.8	—	—	—
423/A/39	" "	Voëlghwano C—Bird Guano C	"	—	10	10.7	14	1.8	—	—	—
424/A/39	" "	Korrelagtige aartappelsame- stelling—Granular Potato Compound	"	10	11	12	3	6	—	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.				Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2% Sitroensuuroplossing. Soluble in 2% Citric Acid Solution.	Totaal. Total.					
883/A/39	Premier Fertilisers, Ltd., Merebank, Natal	H.G., Super, 20%.....	Premier.....	20	20.5	21	—	—	—	—	—
884/A/39	"	Suikerriet C—Cane C.....	"	12	13	15	4	6	—	—	—
845/A/39	"	Been-supermengsel No. 3— Bone Super Mixture No. 3	"	13	16.5	19	1	—	—	—	—
846/A/39	"	Walvisghwano—Whale Guano	"	—	—	14.7	6.2	—	—	—	—
847/A/39	"	Walvisvleis—Whale Meat....	"	—	—	1.5	10.5	—	—	—	—
861/A/39	"	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	21	—	—	—	—
170/A/39	Municipal Abattoir and Live- stock Market, Pretoria	Been- en Vleismeel—Bone and Meat Meal	Crowning tree and Rising Sun with words Pretoria Municipal Abattoir	—	6.8	14.2	7.4	—	—	—	—
171/A/39	"	Karkasmeel—Carcase Meal..	"	—	3.8	6.9	8.6	—	—	—	—
172/A/39	"	Beenmeel No. 2—Bone Meal No. 2	"	—	21.8	23.3	4.4	—	28.4	—	—
173/A/39	"	Beenmeel No. 1—Bone Meal No. 1	"	—	18.5	25.2	4.2	—	31.8	—	—
174/A/39	"	Bloedmeel—Blood Meal.....	"	—	—	—	13.4	—	—	—	—
948/A/39A	Pietersburg Municipality, Pietersburg	Bloedmeel—Blood Meal.....	P.M.A.....	—	—	—	13.4	—	0.1	—	—
949/A/39	"	Karkasmeel—Carcase Meal..	"	—	3.9	4.2	10	—	7.5	—	—
4/A/39	Robertson Trading Associa- tion, Ltd., Robertson	Super, H.G., 17.1%.....	Barry.....	17.1	17.6	18.1	—	—	—	—	—
5/A/39	"	Super, E.H.G., 19.1%.....	"	19.1	19.5	20	—	—	—	—	—
186/A/39	Rosetta Mills, Rosetta.....	Been en super No. 1—Bone and Super No. 1	Atlas.....	8.5	16	20	2	—	—	—	—
187/A/39	"	Been en super No. 2—Bone and Super No. 2	"	12.5	16	19	1	—	—	—	—
183/A/39	"	Beenmeel—Bone Meal.....	"	—	15	22	4	—	—	—	—
197/A/39	"	Gras en weiveld—Lawn and Pasture	"	7	11	14	5	3	—	—	—
193/A/39	"	Mielie No. 1—Maize No. 1..	"	8.5	14	18	2	3	—	—	—
194/A/39	"	Mielie No. 2—Maize No. 2..	"	8.5	12	15	1	3	—	—	—
196/A/39	"	Vrugteboom—Fruit Trees....	"	5	12	18	2	2	—	—	—
203/A/39	"	Landboukalk, 2de kwaliteit— Agricultural Lime, 2nd Quality	"	—	—	—	—	—	43.0	—	—
188/A/39	"	Been, super en potas—Bone, Super and Potash	"	8.5	15	18	2	3	—	—	—
192/A/39	"	Aartappel No. 4—Potato No. 4	"	10	14	16	1	3	—	—	—
184/A/39	"	Been en kalk No. 1—Bone and Lime No. 1	"	—	3.8	5.5	1	—	60	CaCO ₃	—
182/A/39	"	Kalk en super—Lime and Super	"	—	8.8	9	—	—	46.3	CaCO ₃	—
185/A/39	"	Been en kalk No. 2—Bone and Lime No. 2	"	—	3.0	4.4	0.8	—	64	CaCO ₃	—
189/A/39	"	Aartappel No. 1—Potato No. 1	"	10	14	16	2	2.7	—	—	—
190/A/39	"	Aartappel No. 2—Potato No. 2	"	8	12	14	2	6	—	—	—
191/A/39	"	Aartappel No. 3—Potato No. 3	"	8	12	14	2	4	—	—	—
198/A/39	"	Tuin—Garden.....	"	8	12	14	2	6	—	—	—
199/A/39	"	Lucerne—Lucerne.....	"	12	14	16	—	6	—	—	—
200/A/39	"	Gebrande kalk—Burnt Lime	"	—	—	—	—	—	83	—	—
201/A/39	"	Landboukalk—Agricultural Lime	"	—	—	—	—	—	49.6	0.6	—
202/A/39	"	Ru-rotsfosfaat en kalk—Raw Rock Phosphate and Lime	"	—	5.5	16.2	—	—	36.3	0.8	—
466/A/39	Rood, Pemberthy & Co., Ltd., Malmesbury	Spesiale graan- en hooi— Special Corn and Hay	R. P. & Co. (Fisons)	10.5	11.5	13.5	4	3	—	—	—
465/A/39	"	Ultra Super, H.G., 18%....	R. P. & Co. (Koorngerf)	18	18.5	19	—	—	—	—	—
806/A/39	Smuts and Koch (1923), Ltd., Malmesbury	Spesiale fosfaat en kalsium— karbonaat mengsel—Special Phosphate and Calcium Car- bonate Mixture	De Pass Limp- hos	8	13	18.5	—	—	—	—	—
807/A/39	"	Jaarlikse mis.—Cereal Manure	"	10.5	11.5	13	3.3	2	—	—	—
808/A/39	"	Spesiale graan—Special Grain	"	10	11.5	13	5	2	—	—	—
713/A/39	Southern Union Manufactur- ing Co., Ltd., Kaapstad— Capetown	Kalk super—Lime Super....	National.....	—	18	18.5	—	—	—	—	—
714/A/39	"	Super, H.G., 17.1%.....	"	17.1	17.6	18.2	—	—	—	—	—
715/A/39	"	Been en super No. 1—Bone and Super No. 1	"	—	14	20	2	—	—	—	—
716/A/39	"	Been en super No. 2—Bone and Super No. 2	"	—	15	20	1.5	—	—	—	—
717/A/39	"	Beenmeel—Bone Meal.....	"	—	14	22	4	—	25	—	—
718/A/39	"	Kaliumsulfaat, L.G.—Sul- phate of Potash, L.G.	"	—	—	—	—	48.5	—	—	—
719/A/39	"	Kaliumchloried, H.G.—Muri- ate of Potash, H.G.	"	—	—	—	—	60	—	—	—
720/A/39	"	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	20.5	—	—	—	—
721/A/39	"	Graan No. 1—Grain No. 1...	"	9	10	11	3	5	—	—	—
722/A/39	"	Graan No. 2—Grain No. 2...	"	8	9	10	2	3	—	—	—
759/A/39	"	Wingerd No. 2—Vine No. 2..	"	7	8	9	2	4.5	—	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.			Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Citronsuuroplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.				
761/A/39	Southern Union Manufactur- ing Co., Ltd., Kaapstad— Capetown	Spesiale wingerd — <i>Special Vine</i>	National	9	10	11	2.5	6	—	—
761/A/39	"	Vrugteboom— <i>Fruit Tree</i>	"	7	8	9	2	4.5	—	—
762/A/39	"	Mielie— <i>Maize</i>	"	8	9	10	2	4	—	—
763/A/39	"	Tuin— <i>Garden</i>	"	7	8	9	2	4.5	—	—
764/A/39	"	Lusern— <i>Lucerne</i>	"	9	10	11	2.5	5	—	—
765/A/39	"	Aartappel No. 1— <i>Potato No. 1</i>	"	9	10	11	3	8	—	—
766/A/39	"	Aartappel No. 2— <i>Potato No. 2</i>	"	8	9	10	2.5	5	—	—
767/A/39	"	Tabak No. 1— <i>Tobacco No. 1</i>	"	9	10	11	2.5	6	—	—
768/A/39	"	Tabak No. 2— <i>Tobacco No. 2</i>	"	8	9	10	2	4	—	—
769/A/39	"	Slakmeel, H.G., 18%— <i>Basic Slag, H.G., 18%</i>	"	—	18	19.2	—	—	—	—
770/A/39	"	Superfosfaat, H.G., 19%— <i>Super Phosphate, H.G., 19%</i>	"	19	19.3	20	—	—	—	—
81/A/39	S.W.A. Cold Storage and Stock Farmers, Ltd., Kaap- stad—Capetown	Been- en vleisemeel— <i>Bone and Meat Meal</i>	Zero.....	—	14.4	15.1	5.8	—	20.5	—
82/A/39	"	Ged. ontylmdede beenmeel— <i>Par. Deg. Bone Meal</i>	"	—	24.8	27.7	3.1	—	38.1	—
83/A/39	"	Vleisemeel— <i>Meat Meal</i>	"	—	1.6	2	9.4	—	1.7	—
169/A/39	T. Schloss & Co., Durban...	Super, H.G., 17.1%.....	Conquest.....	17.1	17.5	18	—	—	—	—
634/A/39	H. Spiro, Durbanville.....	Spesiale vrugte- en wingerd- mengsel A— <i>Special Fruit and Vine Mixture A</i>	Spiros.....	—	12	14.5	4	6	—	—
635/A/39	"	Spesiale graanmengsel — <i>Special Grain Mixture</i>	De Koebeg....	12	12.2	12.8	5	2	—	—
629/A/39	"	Graanmengsel — <i>Grain Mix- ture</i>	"	10	10.2	10.5	3	2	—	—
624/A/39	"	Beenmeel— <i>Bone Meal</i>	Spiros.....	—	10	20	4	—	25	—
625/A/39	"	Ammoniumsulfaat — <i>Sulphate of Ammonia</i>	"	—	—	—	20.5	—	—	—
948/A/39	"	Graanmengsel B— <i>Grain Mix- ture B</i>	De Koebeg....	—	12	14.5	4	2	—	—
626/A/39	"	Ultra super, H.G., 18%.....	Spiros.....	18	18.5	19	—	—	—	—
632/A/39	"	Ultra super, E.H.G., 19.1%.....	"	19.1	19.5	20	—	—	—	—
633/A/39	"	Slakmeel, H.G., 18%— <i>Basic Slag, H.G., 18%</i>	"	—	18	19	—	—	—	—
672/A/39	"	Spesiale groente en tuin — <i>Special Vegetable and Garden</i>	"	10	10.5	11	6	6	—	—
628/A/39	"	Wingerd en vrugte— <i>Vine and Fruit</i>	"	13	13.5	14	3	3	—	—
946/A/39	"	Graanmengsel A— <i>Grain Mix- ture A</i>	De Koebeg....	12	12.2	12.8	4	2	—	—
947/A/39	"	Spesiale vrugte- en wingerd- mengsel C— <i>Special Fruit and Vine Mixture C</i>	Spiros.....	—	12	14.5	2	6	—	—
630/A/39	"	Spesiale aartappel — <i>Special Potato</i>	"	10	10.2	11	3	6	—	—
631/A/39	"	Spesiale tabak— <i>Special To- bacco</i>	"	10	10.2	11	3	6	—	—
87/A/39	C. Starke & Co., Ltd., Mow- bray	Ontlymdede fyn beenmeel — <i>Deg. Bone Flour</i>	Kudu.....	—	25	30	1	—	35	—
85/A/39	"	Beenmeel— <i>Bone Meal</i>	"	—	10	22	4	—	30	—
86/A/39	"	Gepresipiteerde fosfaat— <i>Pre- cipitated Phosphate</i>	"	—	37.5	38	—	—	45	—
89/A/39	"	Algemene tuin— <i>General Gar- den</i>	"	—	10	12	4	4	—	—
88/A/39	"	Graan— <i>Grain</i>	"	10	12	13	4	2	—	—
92/A/39	"	Gras— <i>Grass</i>	"	—	11.3	14.5	3.5	4	—	—
91/A/39	"	Mielie— <i>Maize</i>	"	11	11.5	12	4	2	—	—
90/A/39	"	Aartappel— <i>Potato</i>	"	—	10	12	4	6	—	—
93/A/39	"	Clay se kunsmis— <i>Clay's Fer- tilizer</i>	"	—	8.7	10.8	6.2	3	—	—
84/A/39	"	Ammoniumsulfaat — <i>Sulphate of Ammonia</i>	"	—	—	—	21.0	—	—	—
368/A/39	Safco, Ltd., Umbilo.....	Super, H.G., 17.1%.....	Safco.....	17.1	17.5	18	—	—	—	—
369/A/39	"	Super, E.H.G., 19.1%.....	"	19.1	19.5	20	—	—	—	—
370/A/39	"	Super, E.H.G., 20%.....	"	20	20.5	21	—	—	—	—
404/A/39	"	Ontlymdede fyn beenmeel— <i>Deg. Bone Flour</i>	"	—	23	30	1	—	—	—
399/A/39	"	Spesiale mielie— <i>Special Maize</i>	"	9	12	13	1.5	3	—	—
400/A/39	"	Piesang B— <i>Banana B</i>	"	12	12.2	12.5	2	7.5	—	—
401/A/39	"	Piesang A— <i>Banana A</i>	"	10	13	14.5	3	7.5	—	—
402/A/39	"	Fyn beenmeel— <i>Fine Bone Meal</i>	"	—	16.5	24.5	4	—	—	—
403/A/39	"	Aartappel A— <i>Potato A</i>	"	10.0	10.3	10.5	4.0	6.0	—	—
366/A/39	"	Dubbel super— <i>Double Super</i>	"	40	42	45	—	—	—	—
371/A/39	"	Slakmeel, H.G., 16.1% — <i>Basic Slag, H.G., 16.1%</i>	"	—	16.1	18	—	—	—	—
361/A/39	"	Ru rotsfosfaat — <i>Raw Rock Phosphate</i>	"	—	11	33	—	—	50	1
365/A/39	"	Ghwanofosfaat— <i>Guano Phos- phate</i>	"	—	12	30	—	—	—	—
373/A/39	"	Been en supermengsel— <i>Bone and Super Mixture</i>	"	12	15	20	1.3	—	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosfo, oksied. Phosphoric Oxide.				Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Stroevensuurooplossing Soluble in 2 % Citric Acid Solution.	Total.					
372/A/39	Safco, Ltd., Umbilo.....	Opgeloste beensamestelling— Dissolved Bone Compound	Safco.....	12	13	15	1.5	—	—	—	—
355/A/39	" "	Beste fyn beenmeel—Finest Bone Dust	"	—	14	23	4.7	—	30	—	—
375/A/39	" "	Medium beenmeel—Medium Bone Meal	"	—	12	23	4.7	—	30	—	—
376/A/39	" "	Beenmeel C—Bone Meal C..	"	—	10	23	4.7	—	30	—	—
374/A/39	" "	Fyn beenmeel—Bone Flour..	"	—	19	23	4.7	—	30	—	—
377/A/39	" "	Walvisghwano—Whale Guano	"	—	5	7	9.5	—	—	—	—
378/A/39	" "	Kalsiumsianamied—Calcium Cyanamide	"	—	—	—	19	—	—	—	—
379/A/39	" "	Natriumnitraat — Nitrate of Soda	"	—	—	—	15.5	—	—	—	—
380/A/39	" "	Kaliumchloried, H.G.—Mur- iate of Potash, H.G.	"	—	—	—	—	60	—	—	—
381/A/39	" "	Kaliumsulfaat, L.G.—Sul- phate of Potash, L.G.	"	—	—	—	—	48.5	—	—	—
382/A/39	" "	Sagte suikerriet—Soft Cane..	"	11	12	13	4	6	—	—	—
356/A/39	" "	Mielie—Maize.....	"	10	14	16	2.5	—	—	—	—
398/A/39	" "	Potashoudende mielie—Potas- sic Maize	"	12	14	15	2	4	—	—	—
383/A/39	" "	Graan—Grain.....	"	9	12	14	2.5	—	—	—	—
357/A/39	" "	Wortel—Root.....	"	11	14	16	1.5	3	—	—	—
397/A/39	" "	Aartappel—Potato.....	"	10	12	13	2.5	4	—	—	—
384/A/39	" "	Aartappel No. 3—Potato No. 3	"	10	12	13	3	6	—	—	—
385/A/39	" "	Aartappel No. 4—Potato No. 4	"	10	11	12	4	6	—	—	—
386/A/39	" "	Gras—Grass.....	"	7	12	15	6	3	—	—	—
387/A/39	" "	Lusern—Lucerne.....	"	12	14	16	—	6	—	—	—
388/A/39	" "	Tuin—Garden.....	"	6	11	14	3	6	—	—	—
389/A/39	" "	Potashoudende suikerriet — Potassic Sugar Cane	"	11	12	13	2.5	4	—	—	—
354/A/39	" "	Oorstaan-suikerriet—Ratoon Cane	"	12	12.5	14	4	4	—	—	—
390/A/39	" "	Katoen—Cotton.....	"	10	11	13	2	4	—	—	—
391/A/39	" "	Tabak—Tobacco.....	"	10	12	13	3	6	—	—	—
364/A/39	" "	Lente-sitrus—Spring Citrus..	"	6	12	14	4	6	—	—	—
363/A/39	" "	Herfs-sitrus—Autumn Citrus..	"	10	12	16	—	10	—	—	—
392/A/39	" "	Suikerriet—Sugar Cane.....	"	10	12	14	3	—	—	—	—
362/A/39	" "	Huistuin—Home Garden.....	"	7	22	24	5	6	—	—	—
394/A/39	" "	Kaliumnitraat—Nitrate of Potash	"	—	—	—	13	44	—	—	—
393/A/39	" "	Ammoniumsulfaat—Sulphate of Ammonia	"	—	—	—	21	—	—	—	—
396/A/39	" "	Koring—Wheat.....	"	12	14	15	2.5	3	—	—	—
358/A/39	" "	Groente—Vegetable.....	"	9.5	13	14	4.5	5	—	—	—
359/A/39	" "	Walvisghwano No. 2—Whale Guano No. 2	"	—	10	15	6	—	—	—	—
360/A/39	" "	Been, super en potas — Bone, Super and Potash	"	11	15	18	1.5	3	—	—	—
395/A/39	" "	Koring A—Wheat A.....	"	11	14	15	1.5	2	—	—	—
367/A/39	" "	Algemene kunsmis—General Fertilizer	"	11	13	14.5	3	5	—	—	—
164/A/39	S.A. Phosphates, Ltd., Jo- hannesburg	Ru rotsfosfaat — Raw Rock Phosphate		—	4.6	36	—	—	42.5	1	—
163/A/39	" "	Ru rotsfosfaat A—Raw Phos- phate Rock A	"	—	4.6	30	—	—	36.2	1	—
646/A/39	W. Spilhaus & Co., Ltd., Kaapstad—Capetown	Ultra Super, 17.1%.....	W.S. & Co....	17.1	17.5	18	—	—	—	—	—
653/A/39	" "	Gekonsentreerde Graan—Con- centrated Grain	"	3.6	36.5	37	9	12	—	—	—
647/A/39	" "	Ultra Super, H.G., 18%....	"	18	18.5	19	—	—	—	—	—
648/A/39	" "	Ultra Super, E.H.G., 19.1%..	"	19.1	19.5	20	—	—	—	—	—
649/A/39	" "	Ultra Super, E.H.G., 20%..	"	20	20.5	21	—	—	—	—	—
650/A/39	" "	Slakmeel, H.G., 18%—Basic Slag, H.G., 18%	"	—	18	19	—	—	—	—	—
651/A/39	" "	Kaliumsulfaat, L.G.—Sul- phate of Potash, L.G.	"	—	—	—	—	48.5	—	—	—
652/A/39	" "	Kaliumchloried, H.G.—Mu- riate of Potash, H.G.	"	—	—	—	—	60	—	—	—
817/A/39	S.A. Bye-Products Corpora- tion (Pty.), Ltd., Johanne- sburg	Ultra Super, H.G., 17.1%..	S.A.B.C.....	17.1	17.5	18	—	—	—	—	—
818/A/39	" "	Ultra Super, E.H.G., 19.1%	"	19.1	19.5	20	—	—	—	—	—
819/A/39	" "	Ultra Super, E.H.G., 20%..	"	20	20.5	21	—	—	—	—	—
814/A/39	" "	Super, H.G., 17.1%.....	"	17.1	17.4	18	—	—	—	—	—
162/A/39	" "	Gras—Grass.....	"	5	7.5	12	10	3	—	—	—
842/A/39	" "	Beenmeel B—Bone Meal B	"	—	19.7	23.5	4	—	29.9	—	—
815/A/39	" "	Super, E.H.G., 19.1%.....	"	19.1	19.5	20	—	—	—	—	—
816/A/39	" "	Super, E.H.G., 20%.....	"	20	20.5	21	—	—	—	—	—
725/A/39	" "	Slakmeel, H.G., 16.1%— Basic Slag, H.G., 16.1%	"	—	16.1	17	—	—	—	—	—
835/A/39	" "	Been en super No. 1—Bone and Super No. 1	"	8.5	14.1	22.1	2	—	—	—	—
836/A/39	" "	Been en super No. 2—Bone and Super No. 2	"	11.3	15.8	20.7	1.3	—	—	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merk. Brand.	Fosforoksied. Phosphoric Oxide.				Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluminaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Sifroensuurnoplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.					
837/A/39	S.A. Bye-Products Corpora- tion (Pty.), Ltd., Johannes- burg	Been en super No. 3— <i>Bone and Super No. 3</i>	S.A.B.C.....	12.7	17.1	18.7	1	—	—	—	—
814/A/39	" "	Beenmeel— <i>Bone Meal</i>	"	—	12.8	26.2	4	—	33.1	—	—
826/A/39	" "	Natriumnitraat — <i>Nitrate of Soda</i>	"	—	—	—	16	—	—	—	—
820/A/39	" "	Ammoniumsulfaat— <i>Sulphate of Ammonia</i>	"	—	—	—	20.5	—	—	—	—
822/A/39	" "	Ammoniumsulfaat— <i>Sulphate of Ammonia</i>	"	—	—	—	21	—	—	—	—
821/A/39	" "	Ammoniumsulfaat— <i>Sulphate of Ammonia</i>	"	—	—	—	20.6	—	—	—	—
823/A/39	" "	Kaliumsulfaat L.G.— <i>Sulphate of Potash, L.G.</i>	"	—	—	—	—	48.5	—	—	—
824/A/39	" "	Kaliumchloried, H.G. — <i>Mu- riate of Potash, H.G.</i>	"	—	—	—	—	60	—	—	—
840/A/39	" "	Mielie No. 2— <i>Maize No. 2</i> ..	"	10	10.3	10.5	1	4	—	—	—
831/A/39	" "	Mielie No. 3— <i>Maize No. 3</i> ..	"	10	13	15	3	6	—	—	—
839/A/39	" "	Aartappel No. 1— <i>Potato No. 1</i>	"	10	10.3	10.5	4	6	—	—	—
828/A/39	" "	Aartappel No. 2— <i>Potato No. 2</i>	"	10	13	15	3	6	—	—	—
829/A/39	" "	Spesiale aartappel — <i>Special Potato</i>	"	9	11	13	2	5	—	—	—
830/A/39	" "	Spesiale mielie— <i>Special Maize</i>	"	9	11	13	2	5	—	—	—
833/A/39	" "	Spesiale groente — <i>Special Vegetable</i>	"	10	10.7	11	5	5	—	—	—
827/A/39	" "	Koring— <i>Wheat</i>	"	13	13.3	13.8	3	3	—	—	—
832/A/39	" "	Algemene mengsel— <i>Universal Mixture</i>	"	—	12	12.2	12.5	1	2	—	—
838/A/39	" "	Kastersaadoorblyfsel— <i>Castor Seed Residue</i>	"	—	—	—	5.5	—	—	—	—
834/A/39	" "	Tamatie— <i>Tomato</i>	"	9.5	10.2	10.7	3	6	—	—	—
72/A/39	S.A. Potash Co. (Pty.), Ltd., Durban	Kaliumchloride, L.G.— <i>Muri- ate of Potash, L.G.</i>	S.A. Potash Co. (Pty.), Ltd.	—	—	—	—	50	—	—	—
73/A/39	" "	Kaliumchloride H.G.— <i>Muri- ate of Potash, H.G.</i>	"	—	—	—	—	60	—	—	—
74/A/39	" "	Kaliumsulfaat, L.G. — <i>Sul- phate of Potash, L.G.</i>	"	—	—	—	—	48.5	—	—	—
75/A/39	" "	Kaliumsulfaat, H.G. — <i>Sul- phate of Potash, H.G.</i>	"	—	—	—	—	51	—	—	—
108/A/39	Union Lime Co. Ltd., Posbus/ P.O. Box 1030, Johannes- burg	Uitgesoekte Ongebluste Kalk — <i>Selected Lump Unslaked Lime</i>	Ulcolim.....	—	—	—	—	—	95	—	—
109/A/39	" "	Super Landboukalk— <i>Super Agricultural Quick Lime</i>	"	—	—	—	—	—	85	—	—
110/A/39	" "	Standaard Landboukalk — <i>Standard Agricultural Lime</i>	"	—	—	—	—	—	70	—	—
111/A/39	" "	Lug Gebluste-kalk — <i>Air Slaked Lime</i>	"	—	—	—	—	—	50	—	—
112/A/39	" "	Super Kalkhidraat — <i>Super Hydrate of Lime</i>	"	—	—	—	—	—	70	—	—
113/A/39	" "	1ste kwaliteit kalkhidraat— <i>1st Quality Hydrate of Lime</i>	"	—	—	—	—	—	65	—	—
114/A/39	" "	2de kwaliteit kalkhidraat — <i>2nd Quality Hydrate of Lime</i>	"	—	—	—	—	—	60	—	—
115/A/39	" "	Landbou kalkhidraat— <i>Agri- cultural Hydrate of Lime</i>	"	—	—	—	—	—	55	—	—
116/A/39	" "	Super gronderige kalkklip — <i>Lime Ground Limestone</i>	"	—	—	—	—	—	53	—	—
117/A/39	" "	Landbou kalkklip— <i>Agricul- tural Limestone</i>	"	—	—	—	—	—	50	—	—
843/A/39	Van Niekerk & Krupp, Eende- kuil, C.P.	Koring mengsel A— <i>Wheat Mixture A</i>	Pikkewyn.....	12	12.2	12.5	3	2	—	—	—
469/A/39	Unie Kunsmis Maatskappy (Eid.), Bpk., Pretoria	Kalsiumkarbonaat— <i>Calcium Carbonate</i>	Unie.....	—	—	—	—	—	36	—	—
616/A/39	Verseput Bros., Johannesburg	Ontlymde fynbeenmeel— <i>Deg. Bone Flour</i>	Vebros.....	0.5	25.7	31	1.2	—	43	—	—
617/A/39	" "	Kreefmeel— <i>Crayfish Meal</i> ...	"	0.6	1.6	2.2	7	0.8	12.2	—	—
618/A/39	" "	Bloedmeel— <i>Blood Meal</i>	"	—	—	0.5	12	0.1	0.8	—	—
615/A/39	" "	Beenmeel— <i>Bone Meal</i>	"	—	12.8	26.2	4	—	33.1	—	—
619/A/39	" "	Been- en vleismeel— <i>Bone and and Meat Meal</i>	"	—	10.6	13.2	8	—	15.8	—	—
945/A/39	" "	Vleis- en beenmeel— <i>Meat and Bone Meal</i>	"	—	6.7	9.5	8.8	—	12.5	—	—
485/A/39	G. J. H. Webster & Son, Pietermaritzburg	Super, H.G., 17.1%.....	Bisley.....	17.1	17.5	18	—	—	—	—	—
486/A/39	" "	Super, E.H.G., 19.1%.....	"	19.1	19.4	20	—	—	—	—	—
487/A/39	" "	Super, E.H.G., 20%.....	"	20	20.5	21	—	—	—	—	—
489/A/39	" "	Been en supermengsel — <i>Bone and Super Mixture</i>	"	10	14	18	1.3	—	—	—	—
488/A/39	" "	Kalk en super— <i>Lime and Super</i>	"	—	18	18.6	—	—	—	—	—
490/A/39	" "	Beenmeel— <i>Bone Meal</i>	"	—	17	22	4	—	28.2	—	—
491/A/39	" "	Beenmeel A— <i>Bone Meal A</i> ..	"	—	17	21	4	—	28.2	—	—
492/A/39	" "	Bloedmeel— <i>Blood Meal</i>	"	—	—	—	—	10	—	—	—
493/A/39	" "	Ammoniumsulfaat— <i>Sulphate of Ammonia</i>	"	—	—	—	20.5	—	—	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Kunsmis. Name of Fertilizer.	Merg. Brand.	Fosforoksied. Phosphoric Oxide.				Stikstof. Nitrogen.	Potas. Potash.	Kalk. Lime.	Ysteroksied en Aluinaarde. Iron Oxide and Alumina.
				Oplosbaar in Water. Soluble in Water.	Oplosbaar in 2 % Stroensuurooplossing. Soluble in 2 % Citric Acid Solution.	Totaal. Total.					
494/A/39	G. J. H. Webster & Son, Pietermaritzburg	Kaliumchloried, H.G.— <i>Muriate of Potash, H.G.</i>	Bisley.....	—	—	—	—	—	60	—	—
495/A/39	" "	Kaliumsulfaat, L.G. — <i>Sulphate of Potash, L.G.</i>	"	—	—	—	—	—	48	—	—
475/A/39	" "	Mielie No. 5— <i>Maize No. 5.</i>	"	7	10	12	2	2	—	—	—
481/A/39	" "	Spesiale aartappel — <i>Special Potato</i>	"	8	10	12	3	6	—	—	—
478/A/39	" "	Algemeen— <i>General</i>	"	9	10	12	2	2.5	—	—	—
479/A/39	" "	Aartappel A— <i>Potato A.</i>	"	8	10	12	2.5	—	—	—	—
480/A/39	" "	Aartappel B— <i>Potato B.</i>	"	8	10	12	2	2	—	—	—
470/A/39	" "	Spesiale mielie— <i>Special Maize</i>	"	8	11	13	2	5	—	—	—
471/A/39	" "	Mielie No. 1— <i>Maize No. 1.</i> ...	"	8	11	12.5	1.5	2.5	—	—	—
472/A/39	" "	Mielie No. 2— <i>Maize No. 2.</i> ...	"	7	10	12	1	2	—	—	—
473/A/39	" "	Mielie No. 3— <i>Maize No. 3.</i> ...	"	5	10	12	1.5	1.5	—	—	—
482/A/39	" "	Wortel— <i>Root</i>	"	8	11	14	2	4	—	—	—
483/A/39	" "	Tuin— <i>Garden</i>	"	6	11	12	2	4	—	—	—
484/A/39	" "	Suikerriet— <i>Cane</i>	"	3	10	12	2	3	—	—	—
474/A/39	" "	Mielie No. 4— <i>Maize No. 4.</i> ...	"	8	11	12.5	2	—	—	—	—
476/A/39	" "	Mielie No. 6— <i>Maize No. 6.</i> ...	"	10	13	14	3	6	—	—	—
477/A/39	" "	Mielie No. 7— <i>Maize No. 7.</i> ...	"	8	14	17	1	6	—	—	—
175/A/39	W.P. Fruitgrowers' Co-operative Association, Ltd., Kaapstad— <i>Capetown</i>	Super, H.G., 17.1%.....	F.R.U.....	17.1	17.6	18.1	—	—	—	—	—
655/A/39	" "	Beenmeel— <i>Bone Meal</i>	"	—	16	20	4	—	—	—	—
176/A/39	" "	Slakmeel, H.G., 16.1% — <i>Basic Slag, H.G., 16.1%</i>	"	—	16.1	17.1	—	—	—	—	—
177/A/39	" "	Slakmeel, H.G., 18%— <i>Basic Slag, H.G., 18%</i>	"	—	18	20	—	—	—	—	—
178/A/39	" "	Ammoniumsulfaat— <i>Sulphate of Ammonia</i>	"	—	—	—	20.5	—	—	—	—
179/A/39	" "	Natriumnitraat — <i>Nitrate of Soda</i>	"	—	—	—	16	—	—	—	—
180/A/39	" "	Ontlymde fyn beenmeel — <i>Deg. Bone Flour</i>	"	—	23	29	1	—	44	—	—
3/A/39	J. W. Whitehead & Co., Port Elizabeth	Super, H.G., 19%.....	White Head...	19	19.3	20	—	—	—	—	—
77/A/39A	James W. Weir & Co., Ltd., Posbus—P.O. Box 241, East London	Beenmeel— <i>Bone Meal</i>	Weirs.....	—	15.8	19.2	4.2	—	26.9	—	—
78/A/39	" "	Ultra Super, H.G., 17.1%..	"	17.1	17.5	18	—	—	—	—	—
79/A/39	" "	Ontlymde fyn beenmeel — <i>Deg. Bone Meal</i>	"	—	25.3	32.9	1	—	43	—	—
80/A/39	" "	Ultra Super, E.H.G., 19.1%	"	19.1	19.5	20	—	—	—	—	—
542/A/39	Wright Bros., P.O. Highlands, Cape Province	Beenmeel— <i>Bone Meal</i>	"	—	9	24.1	4.1	0.5	30	—	—

VEEVOEDSELS—FARM FOODS.

Registrasie-no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Veevoedsel. Name of Farm Food.	Merk. Brand.	Proteïne. Protein.	Vet. Fat.	Vesel. Fibra.	Vog. Moisture.	As. Ash.	Kalk. Lime.	Fosforoksied, Phosphoric Oxide.
7/B/39	Awerbuck, Brown & Co. (Pty.), Ltd., Posbus—P.O. Box 472, Kimberley	Di-kalsiumfosfaat — <i>Di-calcium phosphate</i>	A.B.C.....	—	—	—	12.1	75	32	39
8/B/39	" "	Ontlymde fynbeenmeel— <i>Deg. Bone Flour</i>	"	6.5	0.2	—	3.3	82	40	30.5
62/B/39	Messrs. Associated Products (Pty.), Ltd., Posbus—P.O. Box 1101, Durban	Voorbehoedende skaaplek— <i>Prophylactic Sheep Lick</i>	A.P.L.....	—	—	—	—	—	5.9	4.5
63/B/39	" "	Gekonsentreerde fosfaathoudende skaaplek— <i>Concentrated Phosphatic Stock Lick</i>	"	—	—	—	—	—	41.4	31.5
93/B/39	African Products Manufacturing Co., Ltd., Germiston	Gluten Feed.....	African Maid..	18	3.5	7.7	13.5	1	—	—
94/B/39	" "	Oliekoekmeel— <i>Oil Cake Meal</i>	" ..	17	8	11.5	8	2.3	—	—
199/B/39	African Explosives and Industries, Ltd., Umbogintwini	Beenmeel (beeslik)— <i>Bone Meal (Cattle Lick)</i>	Kynoch.....	25	1.5	—	5	60	30	22
196/B/39	" "	Walvismeel-pluimveevoer— <i>Whale Meal Poultry Food</i>	"	59.2	11.2	—	10.5	13.8	5	4
197/B/39	" "	Gepresipiteerde beenfosfaat— <i>Precipitated Bone Phosphate</i>	"	—	—	—	5	74.2	33.6	40.6
195/B/39	" "	Ontlymde beenmeel-besleek— <i>Deg. Bone Meal Cattle Lick</i>	"	3.5	1	—	4	85	45	32
198/B/39	" "	Gekonsentreerde „Phosphood”— <i>beeslik—Concentrated Phosphood Cattle Lick</i>	"	(Swawel— <i>Sulphur</i>) 2.5%	—	—	5	72	32.7	39

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Veevoedsel. Name of Farm Food.	Merk. Brand.	Proteïne. Protein.	Vet. Fat.	Vesel. Fibre.	Vog. Moisture.	As. Ash.	Kalk. Lime.	Fosforoksied. Phosphoric Oxide.
99/B/39	Alderton, Ltd., Johannesburg	Graan en grondboontjie-vee- meel—Cereal and Peanut Stock Meal	Black Cat.....	41	6.6	6.9	4.1	6.5	0.1	1.6
100/B/39	" "	Grondboontjie-oliekoekmeel— Peanut Oil Cake Meal	"	50.5	9.4	6.4	5.9	4.2	0.3	1.2
98/B/39	Associated Trade Supplies (Pty.), Ltd., Johannesburg	Kalfmeel—Calf Meal.....	Thorley's Lactifer	20	5	6.5	11	4.3	—	—
128/B/39	Burmeister & Co., Oos-Londen —East London	Beenmeel—Bone Meal.....	Burmco.....	26	2	—	5	60	28	22
129/B/39	" "	Ontlymde fyn beenmeel— Deg. Bone Flour	"	5.2	0.6	—	6.6	81.5	4.2	32.5
127/B/39	" "	Gepresipiteerde beenfosfaat— Precipitated Bone Phosphate	"	—	—	—	—	—	—	40.8
194/B/39	" "	Vleis- en beenmeel—Meat and Bone Meal	"	60	8	—	5	11	5.5	3.5
159/B/39	Bullbrand Fertilisers, Ltd., Sarnia	Beenmeel—Bone Meal.....	Bullbrand.....	26	2	—	5	60	27.5	22
161/B/39	" "	Fyn beenmeel (beeslek)— Bone Flour (Cattle Lick)	"	26	2	—	5	60	27.5	22
160/B/39	" "	Fyn beenmeel—Bone Dust..	"	26	2	—	5	60	27.5	22
119/B/39	Brown, Raynor & Co., Ltd., Vryburg	Beenmeel—Bone Meal.....	Kraal.....	26	2	—	5	60	27	22
121/B/39	" "	Ontlymde fyn beenmeel—Deg. Bone Flour	"	6	1	—	10	82	43	32
120/B/39	" "	Ontlymde beenmeel — Deg. Bone Meal	"	6.8	1	—	10	82	43	32
51/B/39	Die Stadsklerk, Munisipaliteit van Bloemfontein — The Town Clerk, Municipality of Bloemfontein	Bloedmeel—Blood Meal.....	Bloemfontein Municipality	74.4	3.8	—	13.5	4.2	—	—
50/B/39	" "	Been- en vleisemeel—Bone and Meat Meal	"	40.0	8.2	—	7.5	44.0	23.3	18.0
151/B/39	Die Abattoir-superintendent, Stadsraad van Brakpan— The Abattoir Superintendent, Town Council of Brakpan	Vleis- en beenmeel—Meat and Bone Meal	B.P.....	58.5	16.1	—	8.8	15.8	7.0	6.4
150/B/39	" "	Bloedmeel—Blood Meal.....	"	69.8	3.2	—	21.7	3.4	0.1	0.3
76/B/39	Die Mediese Gesondheidsbe- ampte, Munisipaliteit van Benoni—The Medical Officer of Health, Municipality of Benoni, Posbus—P.O. Box 522, Benoni	Bloedmeel-veevoedsel—Blood Meal Farm Food	M.O.B.....	81.8	0.2	—	15.0	2.9	0.1	0.2
90/B/39	" "	Gemengde been-, vleis- en afval-veevoedsel — Mixed Bone, Meat and Offal Farm Food	"	47.6	7.7	—	6.0	38.8	20.2	15.5
226/B/39	Mnr.—Mr. W. Bonda, Posbus —P.O. Box 851, Pretoria	Standaard-voedselkern No. 1— Standard Food Nucleus No. 1	Provimi.....	42.3	10.7	2.2	10	—	9.9	4.5
227/B/39	" "	Standaard-voedselkern No. 2— Standard Food Nucleus No. 2	"	48.5	7.5	1	10	—	10.9	4.5
228/B/39	" "	Standaard-voedselkern No. 5— Standard Food Nucleus No. 5	"	32.5	14.4	1.7	10	—	11.3	4.3
229/B/39	" "	Standaard-voedselkern No. 6— Standard Food Nucleus No. 6	"	31.1	14.9	—	10	—	11.7	4.4
230/B/39	" "	Standaard-voedselkern No. 7— Standard Food Nucleus No. 7	"	37.4	11.7	1.7	10	—	14.3	5.3
231/B/39	" "	Standaard-voedselkern No. 10 —Standard Food Nucleus No. 10	"	31.8	13	5.6	10	—	9	4
232/B/39	" "	Standaard-voedselkern No. 11 —Standard Food Nucleus No. 11	"	37.8	8.1	6.4	10	—	11.2	4.7
26/B/39	Cape Explosive Works, Ltd., Dynamite Factory	Beenmeel (beesvoer), S.A. — Bone Meal (Cattle Feed) S.A.	Capex.....	25	3	—	8	60	26	22
25/B/39	" "	Gepresipiteerde fosfaat—Pre- cipitated Phosphate	"	—	—	—	20	80	35	41
24/B/39	" "	Gekonsentreerde „Phosphood” Concentrated Phosphood	"	(Swaw el—Su 2.5% lphur)	—	—	5	72	32.7	39
23/B/39	" "	Ontlymde fyn beenmeel — Deg. Bone Flour	"	4	2	—	5	83	44	30
21/B/39	" "	Ontlymde beenmeel — Deg. Bone Meal	"	4.2	2	—	3.5	87.5	45	33
22/B/39	" "	„Di-Calcio”-fosfaat—Di-cal- cic Phosphate	"	—	—	—	—	—	32	41
245/B/39	Cotton & Tobacco Exporting Co., Ltd., Germiston	Sonneblom-oliekoekmeel— Sunflower Oil Cake Meal	Cotona.....	19.1	8.5	28.5	7.1	7.4	—	—
246/B/39	" "	Klapper-oliekoekmeel—Cocou- nut Oil Cake Meal	"	18.1	19.2	7.1	6.8	5	—	—
247/B/39	" "	Palmpit-oliekoekmeel—Palm Kernel Oil Cake Meal	"	15.6	10.2	20.8	10.7	3.9	—	—
243/B/39	" "	Grondboontjie-oliekoekmeel— Peanut Oil Cake Meal	"	50.5	8.1	5.4	6	4.1	0.3	1.5
241/B/39	" "	Uitgedopte katoenoliekoek- meel — Decorticated Cotton Oil Cake Meal	"	40.5	10.2	8.6	6.2	6.7	0.4	1.6

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Veevoedsel. Name of Farm Food.	Merk. Brand.	Proteïne, Protein.	Vet. Fat.	Vesel. Fibre.	Vog. Moisture.	As. Ash.	Kalk. Lime.	Posforoksied. Phosphoric Oxide.
242/B/39	Cotton & Tobacco Exporting Co., Ltd., Germiston	Katoensaaddoppe — Cotton Seed Halls	Catona.....	4.1	2.2	45.3	11.3	2.7	0.2	0.3
251/B/39	" "	Vetmaakblokkies—Fattening Cubes	"	20.5	5.8	6.3	9.6	3.3	0.4	1
253/B/39	" "	Suiwelblokkies—Dairy Cubes	"	20.4	6.9	5.2	10.0	6.4	1	1.8
252/B/39	" "	Grootmaakblokkies—Rearing Cubes	"	19.2	4.9	5.6	10.8	6.5	1.5	0.6
248/N/39	" "	Lynoliekoekmeel—Linseed Oil Cake Meal	"	29.7	9.9	8	8.9	6.8	0.1	1.4
244/B/39	" "	" Sesame"-oliekoekmeel—Sesame Oil Cake Meal	"	36.1	15.3	5.5	7.6	10.7	1.4	2.0
249/B/39	" "	Tentoonstelling-vetmaakblokkies—Show Fattening Cubes	"	17.2	5.1	7.7	9.9	4.8	0.8	1.5
250/B/39	" "	Skaapblokkies—Sheep Cubes	"	20.0	6.4	7.5	8.7	6.2	1.1	0.6
132/B/39	Clarke Bros. & Brown (1913), Ltd., Johannesburg	Kalfmeel—Calf Meal.....	Blatchfords....	24	5	6.7	10	8	1.7	2.5
122/B/39	Mnre.—Messrs. Concentra (Pty.) Ltd., Nuwe Visserijhawe, Dokke, Kaapstad—New Fishing Harbour, Docks, Capetown	Suiwer wit vismeel — Pure White Fish Meal	Concentra.....	65.5	3	—	8	19.5	8	7.5
123/B/39	" "	Kreefmeel—Crayfish Meal...	"	45.4	2	—	9.5	30.7	13.7	2.8
71/B/39	Stadsraad, Durban — Town Council, Durban	Bloedmeel—Blood Meal.....	D.M.A.....	76.9	0.8	—	14.4	2.5	0.3	0.3
72/B/39	" "	Been- en vleismeel—Bone and Meat Meal	"	46.2	24.4	—	6.4	16.2	6.1	5.2
85/B/39	Mnre. — Messrs. Donegan's Mills, Posbus — P.O. Box 100, Kroonstad	Beesvoer—Cattle Feed.....	Thrivo.....	9.7	4.5	4.6	9.8	1.9	—	0.4
139/B/39	Mnre.—Messrs. Epic Oil Mills (Pty.) Ltd., Posbus—P.O. Box 89, Johannesburg	Lynsaadkoekmeel — Linseed Cake Meal	E.O.M.....	35.1	4.9	22.1	4.5	5.1	—	—
144/B/39	" "	Mieliekem-koekmeel—Maize Germ Cake Meal	"	12.8	0.7	5.8	6.8	2.9	—	—
140/B/39	" "	Kastersaadoorblyfsel—Castor Seed Residue	"	30.5	3.0	35.2	12.0	8.8	—	1.5
141/B/39	" "	Palmkernkoekmeel — Palm-kernel Cake Meal	"	13.3	2.5	27.0	6.3	2.9	—	—
142/B/39	" "	Grondboontjiekoekeel—Groundnut Cake Meal	"	50.4	3.4	10.8	10.2	5.2	—	—
143/B/39	" "	Sonneblomkoekmeel — Sun-flower Cake Meal	"	19.9	8.3	45.9	4.5	2.8	—	—
9/B/39	Mnre. — Messrs. Emery's Agencies (Pty.) Ltd., Posbus—P.O. Box 6257, Johannesburg	Lynoliekoekmeel — Linseed Oil Cake Meal	Meggits.....	31.5	5.9	9.1	12.6	5.8	—	—
10/B/39	" "	Dierevoedsel—Animal Feed..	Kraftone.....	14	0.5	—	4.0	Mineraal sout Mineral Salts	2.8	9
210/B/39	Die Sekretaris—The Secretary, Ermelo Mills (Pty.) Ltd., Posbus — P.O. Box 19, Ermelo	Koeimeel—Cow Meal.....	C.M.....	10.3	6.9	5.5	8.6	—	—	—
211/B/39	The Medical Officer of Health, East London Municipality, City Hall, East London	Been- en vleismeel — Bone and Meat Meal	M.C.E.L.....	52.5	8.1	—	10.0	28.3	14.4	11.4
212/B/39	Die Mediese Gesondheidsbeampste, Stadsraad, Oos-Londen	Bloedmeel—Blood Meal.....	"	83.7	0.4	—	9.6	4.1	0.1	0.1
95/B/39	Mnre. — Messrs. Fasset & Johnson, Ltd., Posbus—P.O. Box 2006, Johannesburg	Vleis- en beenmeel—Meat and Bone Meal	Churn.....	63.6	3.0	—	8.3	21.9	14.6	6.7
96/B/39	" "	Ontlymde fyn beenmeelvoer—Deg. Feeding Bone Flour	"	5	—	—	12	80	42	30
97/B/39	" "	Minerale lek—Mineral Lick	"	1.9	So dium 80.5%	—	Chloride	—	3.2	2.6
219/A/39	A. T. Fincham, Postmasburg	Beenmeel—Bone Meal.....	Wonderwerk...	29.3	4.8	—	5.5	58	29.6	22.4
184/B/39	Federated S.A. Meat Industries, Ltd., Durban	Beenmeel, ged. ontylm. — Bone Meal, Par. Deg.	S.A.M.I.....	13.8	4.4	—	5.7	72.4	51.5	29.8
186/B/39	" "	Bloedmeel—Blood Meal.....	"	76.5	2	—	13.8	1.9	0.9	0.9
185/B/39	" "	Been, vleis- en bloedmeel — Bone, Meat and Blood Meal	"	31.7	16	—	4.9	42.6	21.9	16.3
187/B/39	" "	Been- en vleismeel—Bone and Meat Meal	"	44.4	16.6	—	8.8	24.4	12.6	9.2
216/B/39	Fertilizers (Pty.) Ltd., Port Elizabeth	Beenmeel—Bone Meal.....	Square.....	25	1	—	5.5	6.1	30	24
163/B/39	Fison Albatros Fertilizers, Ltd., Durban	Beenmeelbeeslek—Bone Meal Cattle Lick	Fisons.....	25	2	—	5	60	28	22
124/B/39	The Fresh Meat Supply Co., Ltd., Posbus — P.O. Box 3218, Johannesburg	Been- en vleis meel—Bone and Meat Meal	F.M.....	38.2	12.0	—	10.9	38.4	18.6	14.5
125/B/39	" "	Fyn beenmeel—Bone Flour..	"	23.1	—	—	2.5	65.2	34.1	25.7
126/B/39	" "	Beenmeel—Bone Meal.....	"	22.6	—	—	3.0	66.5	35.9	22.3
255/B/39	Farmers Co-op. Bacon Factory, Estcourt	Been- bloed- en vleismeel—Bone, Blood and Meat Meal	Eskort.....	51.9	9.3	2.3	8.1	28.4	12.3	10.0
131/B/39	Farm Food Factory, Tendega	Beenmeel—Bone Meal.....	Bono.....	22	4.8	—	5.8	60.0	29.8	21.1
107/B/39	Germiston Fertilizers, Germiston	Beenmeel—Bone Meal.....	Taura.....	22.9	4.7	—	3.8	61.3	31.9	23.8
217/B/39	V. M. Jooma, 115 Prince Edward Str., Durban	Grondboontjiekoekeel—Groundnut Cake Meal	Standard.....	50.1	7.9	3.4	8.4	4.1	—	—
218/B/39	" "	Grondboontjiekoekeel—Groundnut Cake	"	50.1	7.9	3.4	8.4	4.1	—	—

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Veevoedsel. Name of Farm Food.	Merk. Brand.	Proteïne. Protein.	Vet. Fat.	Vesël. Fibre.	Vog. Moisture.	As. Ash.	Kalk. Lime.	Posforiseerde. Phosphoric Oxide.
75/B/39	Stadsraad — City Council, Johannesburg	Bloedmeel—Blood Meal....	J.M.....	71.2	0.6	—	20.3	3.4	0.8	0.5
74/B/39	" "	Been- en vleismeel—Bone and Meat Meal	"	43.7	15.3	—	6.1	29.4	15.2	11.8
66/B/39	Kaffrarian Steam Mill Co., Ltd., Durban	Hominy-voer—Hominy Feed	K.S.M.....	9	8.1	4.5	12	2.5	—	—
64/B/39	" "	Kiemmeel—Germ Meal.....	"	11.5	11.6	2.6	12.0	2.5	—	—
65/B/39	" "	Hominy Chop.....	"	9.2	6.5	7.8	10.1	2.1	—	—
194/B/39	J. Kaplan & Co., Kaapstad— Capetown	Kreef-afval—Crayfish Offal..	Kaplans.....	35	2.5	—	10	30	10	3
192/B/39	" "	Been- en vleismeel—Bone and Meat Meal	"	40	6	—	—	37.4	16.3	13.7
193/B/39	" "	Vismee—Fish Meal.....	"	53	2.5	—	10.8	25.5	8.2	7
191/B/39	" "	Vismee B—Fish Meal B...	"	46	9	—	12	26.5	6.9	7
148/B/39	Stadsraad — Town Council, Krugersdorp	Bloedmeel—Blood Meal....	Excife.....	72.8	0.6	—	21.4	4	0.2	0.3
149/B/39	" "	Vleis- en beenmeel—Meat and Bone Meal	"	59.2	6.6	—	7.7	21.5	8.3	7.2
77/B/39	J. Layton & Co., Ltd., Johan- nesburg	Beenmeel—Bone Meal.....	Layco.....	33.3	6	—	5.3	53.3	28.4	21.9
188/B/39	R. Lurie & Co. (Pty.), Ltd., Bloemfontein	Geel koeimeel — Yellow Cow Meal	Lureco.....	10.3	5.7	7.4	8.6	2	—	0.7
189/B/39	" "	Wit koeimeel — White Cow Meal	"	11.1	8	9	8.6	2.1	—	0.7
1/B/39	H. Lewis & Co. (Pty.) Ltd., Posbus—P.O. Box 837, Jo- hannesburg	Melkproduksiemeel — Milk Production Meal	Lewisco.....	16.8	4.8	7.5	10.7	4.5	0.6	1.1
2/B/39	" "	Droëmeelkos—Dry Mash....	"	26.3	5.9	6.6	9	8.7	2.2	0.5
3/B/39	" "	Kalfmeel—Calf Meal.....	"	21.9	4.7	3.8	8.9	2.7	0.6	0.9
19/B/39	Lamberts Bay Canning Co., Ltd., Kaapstad—Capetown	Vismee—Fish Meal.....	Reef.....	58.9	8.7	—	8.3	22.1	7.8	7.4
20/B/39	" "	Kreefmeel—Crayfish Meal...	"	44.5	3.4	—	5.8	29.3	18.7	2.1
133/B/39	Malcomess, Bpk. — Ltd., Durban	Fyn beenmeel vir beeslek— Bone Dust for Cattle Lick	Buffalo.....	25	2	—	5	60	28	22
152/B/39	A. Miller, Posbus—P.O. Box 673, Bloemfontein	Beenmeel—Bone Meal.....	Miller.....	24.1	6.5	4.3	62.3	33.5	25.3	—
203/B/39	Mnre./Messrs. McDonald & Co., Posbus—P.O. Box 238, Pietermaritzburg	Lêmeel—Laying Meal.....	McDonald.....	16.6	4.2	6.8	10.3	6.4	1.9	2.2
204/B/39	" "	Maize Chop.....	"	8.1	5.9	11.2	2.5	—	—	—
205/B/39	" "	Gemengde varkmeel—Blended Pig Meal	"	13.9	6.6	11.4	10.0	2.8	—	—
206/B/39	" "	Melkkoeimeel—Dairy Meal..	"	17.1	5.4	2.1	10.8	9.4	3.8	3.5
91/B/39	Mnre./Messrs. Naruns Roller Mills, Pk.—P.O. Heuning- spruit	Koeimeel No. 2—Cow Meal No. 2	Nabro.....	8.1	5.8	4.5	10.4	1.3	—	—
92/B/39	" "	Koeimeel No. 1—Cow Meal No. 1	"	8.8	5.8	6.0	7.2	1.8	—	—
190/B/39	Natal Oil Products (Prop.), Ltd., Jacobs	Grondboontjie-olie koeckmeel— Groundnut Oil Cake Meal	N.O.E.....	48.2	8.9	4.0	8.6	4.6	—	—
145/V/39	Mnre.—Messrs. Netherlands Fertiliser (Pty.), Ltd., Pos- bus—P.O. Box 3151, Kaap- stad—Capetown	Ontlymde fyn beenmeel — Deg. Bone Flour	Netherlands...	6.0	0.5	—	3.3	80.0	40.0	30.0
146/B/39	" "	Vismee—Fish Meal.....	"	63.1	4.7	—	13.6	19.3	8.2	6.2
147/B/39	" "	Beenmeel—Bone Meal.....	"	25.0	3.0	—	10.0	50.0	25.0	20.0
220/B/39	Os Kop Fertilizers (Pty.), Ltd., Kaapstad—Capetown	Beenmeel No. 1—Bone Meal No. 1	Os Kop.....	25.5	2.0	—	7.0	58.0	27.5	22.0
88/B/39	" "	Ontlymde beenmeel—Degela- tinised Bone Flour	"	6.2	0.7	—	10.0	75.0	40.0	30.0
87/B/39	" "	Beenmeel—Bone Meal.....	"	30	3	—	7	50	26	21
221/B/39	" "	Been- en vleismeel—Bone and Meat Meal	"	39.0	15.8	—	5.7	32.6	13.5	10.6
89/B/39	" "	Fyn beenmeel—Bone Flour...	"	25.0	3	—	7	50	26	20
86/B/39	" "	Gepresipiteerde beenfosfaat— Prec. Bone Phosphate	"	—	—	—	—	—	45	38
182/B/39	Oxo (S.A.), Ltd., Kaapstad— Capetown	Vleismeel—Meat Meal.....	Liebigs.....	76.3	12.3	—	8.2	3.1	—	—
183/B/39	" "	Beenmeel—Bone Meal.....	"	27.5	5.3	—	3.7	59.7	32.0	24.4
70/B/39	A. C. Olivier, Pk.—P.O. Cox, oor—via Postmasburg	Beenmeel—Bone Meal.....	Cox.....	24.8	5.4	—	5.9	61.2	31.4	22.0
67/B/39	Piel's Cold Storages, Ltd., Johannesburg	Bloedmeel—Blood Meal....	Piel's.....	85	1	—	4	4	—	—
68/B/39	" "	Beenmeel (beeslek) — Bone Meal (Cattle Lick)	"	21.6	6	—	6	63.7	29	22
69/B/39	" "	Vleis- en vetmeel—Meat and Fat Meal	"	35	28.8	—	4.6	16.5	2	2
61/B/39	Munisipaliteit—Municipality, Port Elizabeth	Vleis- en beenmeel—Meat and Bone Meal	P.E.M.....	58.7	12.8	—	6.2	16.5	8.4	6.3
213/B/39	Parry & Co., Durban.....	Kalfvoer—Calf Feed.....	Kaf-o-vite....	14.5	3.7	3.3	10.4	9.5	2.5	2.7
214/B/39	" "	Mineraal-varkkos — Mineral Food for Pigs	Por-co-vite....	—	—	—	3	65.9	17.5	12.7
215/B/39	" "	Vitamin-mineraalmengsel — Vitamin-mineral Mixture	V.M.M.....	8.5	8.9	8.8	8.7	38.4	16.3	13.3
54/B/39	Planters Edible Products Co., Ltd., Durban	Grondboontjie-oliekoekmeel— Groundnut Oil Cake Meal	Lobel.....	50	8	4	8	6	0.2	1.2
55/B/39	" "	Grondboontjie-oliekoek— Groundnut Oil Cake	"	50	8	4	8	6	0.2	1.2
236/B/39	Premier Fertilizers, Ltd., Merchbank, Natal	Beenbeeslek—Bone Cattle Lick	Premier.....	26.6	2.8	—	6.7	60.2	30.8	21.4
237/B/39	" "	Gepresipiteerde beenfosfaat— Precipitated Bone Phosphate	"	0.1	—	—	12.1	0.5	35	39

Registrasie- no. Registra- tion No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Veevoedsel. Name of Farm Food.	Merk. Brand.	Proteïne. Protein.	Vet. Fat.	Vesel. Fibre.	Vog. Moisture.	As. Ash.	Kalk. Lime.	Posforiseerd. Phosphoric Oxide.
238/B/39	Premier Fertilizers, Ltd., Merebank, Natal	Gejodiseerde beenmeel — <i>Iodised Bone Meal</i>	Premier.....	26.6	2.8	—	6.7	60.2	30.8	21.4
239/B/39	" "	Mineraal-lik— <i>Mineral Lick</i> ..	"	13.6	1.9	Swawel Sulphur 5.0	3.7	68.8	38	11.8
106/B/39	Pheenie Sand & Co., Johan- nesburg	Walvis- en vismeel— <i>Whale and Fish Meal</i>	Pheensand.....	45	15	—	6.5	34	18	12
101/B/39	Die Bestuurder, Munisipale Abattoir en Veemark— <i>The Manager, Municipal Abattoir and Livestock Market, Pre- toria</i>	Bloedmeel— <i>Blood Meal</i>	Groeiende boom en opkomende son met die woorde: Munisipale Abattoir— <i>Growing Tree and Rising Sun with the words Municipal Abattoir</i>	83.5	—	—	—	—	—	—
102/B/39	" "	Been- en vleisemeel— <i>Bone and Meat Meal</i>	"	46	8.5	—	4.9	35.1	19.1	14.2
103/B/39	" "	Karkasmeel— <i>Carcass Meal</i> ..	"	53.6	16.2	—	4.8	17.3	7.8	6.9
104/B/39	" "	Beenmeel No. 2— <i>Bone Meal No. 2</i>	"	27.5	7.8	—	5.9	53.7	28.4	23.3
105/B/39	" "	Beenmeel No. 1— <i>Bone Meal No. 1</i>	"	26.2	3.2	—	4.9	59	31.8	25.2
108/B/39	Rosetta Mills, Pk.— <i>P.O.</i>	Kalfmeel No. 2— <i>Calf Meal No. 2</i>	Atlas.....	21.0	8.1	11.2	10.2	4.3	—	—
109/B/39	" "	Kalfmeel No. 1— <i>Calf Meal No. 1</i>	"	20.1	8.1	3.5	11.1	4.3	—	—
110/B/39	" "	Beenmeelvoer— <i>Feeding Bone Meal</i>	"	23.0	2.0	—	6.5	60.0	27.5	22.0
111/B/39	" "	Varkmeel No. 1— <i>Pig Meal No. 1</i>	"	17.6	4.3	2.7	11.6	2.4	—	—
112/B/39	" "	Soet Koeimeel— <i>Sweet Cow Meal</i>	"	8.9	4.4	7.1	14.1	2.5	—	—
113/B/39	" "	Hominy Chop.....	"	9.6	6.0	7.2	10.1	2.7	—	—
114/B/39	" "	Gejodiseerde beenmeel— <i>Iodised Bone Meal</i>	"	23.0	2	—	6.5	60	27.5	22
115/B/39	" "	Gejodiseerde beeslek— <i>Iodised Cattle Lick</i>	"	10.1	1	—	4	83.1	18.1	7.1
116/B/39	" "	Beeslek— <i>Cattle Lick</i>	"	10.1	1	—	4	83.1	18.1	7.1
117/B/39	" "	Lusernmeel— <i>Lucerne Meal</i> ..	"	15.4	1.5	—	26.9	10.8	7	—
153/B/39	Reliance Stock Lick Co., Pos- bus— <i>P.O. Box 61, George</i>	Kalkkos— <i>Calf Food</i>	Golden-Calf....	25	6	8	10	9	2	1
154/B/39	" "	Koeikos— <i>Cow Food</i>	Milk-More.....	21	5	6	10	10	3	1
49/B/39	" "	Lammerkos— <i>Lamb Food</i>	Fat Lamb.....	18	5	10	10	8	2	1
130/B/39	Mnre.— <i>Messrs. S.A. Milling Co., Ltd., Posbus — P.O. Box 711, Kaapstad—Cape- town</i>	Witmieliebeesmeel — <i>White Mealie Cattle Meal</i>	Samco.....	9.6	8.5	4.8	11.8	2.1	—	—
4/B/39	S.A. Fisheries & Cold Storage Co., Ltd., Mosselbaai — <i>Mossel Bay</i>	Vismeel— <i>Fish Meal</i>	Empro.....	62.9	9.2	—	14.2	12.6	5	4
209/B/39	Southern Union Manufactur- ing Co., Ltd., Kaapstad— <i>Capetown</i>	Vismeel— <i>Fish Meal</i>	National.....	59.3	4.5	—	10.8	25.5	8.2	7
240/B/39	" "	Ontlymde fyn beenmeel— <i>Deg. Bone Meal</i>	"	6	0.5	—	3.3	80	40	30
208/B/39	" "	Been- en vleisemeel— <i>Bone and Meat Meal</i>	"	36.7	11.8	—	5.6	38.3	20.5	15.1
207/B/39	" "	Kreefmeel— <i>Crayfish Meal</i> ...	"	45	2.1	—	12.7	22.1	10.6	2.5
56/B/39	C. Starke & Co., Ltd., Mow- bray	Kalfmeel— <i>Calf Meal</i>	Kudu.....	14	5.5	3.8	9	4.2	1.2	1
57/A/39	" "	Melkkoeimeel— <i>Dairy Meal</i> ..	"	15	5	10	9	6	1	1.4
59/B/39	" "	Ontlymde fyn beenmeel— <i>Deg. Bone Flour</i>	"	5	0.4	—	5	80	44	30
60/B/39	" "	Beenmeel— <i>Bone Meal</i>	"	25	3	—	9	50	25	21
58/B/39	" "	Vleisemeel— <i>Meat Meal</i>	"	60	8	—	5	11	5.5	3.5
134/B/39	Safco Ltd., Durban.....	Proteïne-vleisemeel — <i>Protein Meat Meal</i>	Safco.....	80	3	—	5.6	4.3	1.1	1.4
135/B/39	" "	Beenmeelvoer— <i>Feeding Bone Meal</i>	"	30	0.5	—	6	60	32	24
136/B/39	" "	Vleis- en beenmeel— <i>Meat and Bone Meal</i>	"	55	4	—	7	32	16	12
137/B/39	" "	Fynbeenmeelvoer — <i>Feeding Bone Flour</i>	"	29.5	0.5	—	6.5	60	31	23
138/B/39	" "	Mineraal-aanvulling vir skape — <i>Mineral Supplement for Sheep</i>	Safflick.....	22.5	—	—	6	58	24	20.3
223/B/39	S.A. Bye-Products Corp., Ltd., Johannesburg	Been- en vleisemeel— <i>Bone and Meat Meal</i>	S.A.B.C.....	38.4	10.1	—	6.8	33.8	14.3	12
222/B/39	" "	Been-beeslek — <i>Bone Cattle Lick</i>	"	24.8	4.5	—	4.7	66.5	33.4	26.2
225/B/39	" "	Ontlymde beesbeenmeellek — <i>Deg. Cattle Lick Bone Meal</i>	"	6.1	0.4	—	3.5	86.9	44.2	34.8
224/B/39	" "	Vleisemeel— <i>Meat Meal</i>	"	60.4	9.3	—	8.8	5.9	1.9	2
5/B/39	Schweizer Reneke Mills.....	Geel koeimeel — <i>Yellow Cow Meal</i>	"	9.5	4.4	4.6	8.9	1.5	—	—

S. R. M.

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Veevoedsel. Name of Farm Food.	Merk. Brand.	Proteïne. Protein.	Vet. Fat.	Vesel. Fibre.	Vog. Moisture.	As. Ash.	Kalk. Lime.	Posforokstiel. Phosphoric Oxide.
6/B/39	Schweizer Reneke Mills.....	Mieliesemels en afval— <i>Maize Bran and Offal</i>	S. R. M.	7.5	3.2	10.3	8.4	1.6	—	—
200/B/39	Schady & Co. (Pty.), Ltd., Posbus—P.O. Box 83, Port Elizabeth	Rou beenmeel— <i>Raw Bone Meal</i>	Schadys.....	27	—	—	7	57	30	22
201/B/39	" "	Gepresipiteerde beenfosfaat— <i>Precip Bone Phosphate</i>	"	—	—	—	5	—	31	40
202/B/39	" "	Screened Skul and Jaw Bone Meal	"	31	5	—	3	—	31	23
118/B/39	B. Sacks & Co., 14 Pim Str., Johannesburg	Geel koeimeel — <i>Yellow Cow Meal</i>	Maselow.....	8.9	5.9	4	11.5	1.6	—	68
51/B/39	S.W. Africa Cold Storage & Stock Farmers, Ltd., Kaap- stad— <i>Capetown</i>	Been- en vleisemeel— <i>Bone and Meat Meal</i>	Zero.....	36.7	11.8	—	5.6	38.3	20.5	15.1
52/B/39	" "	Gedeeltelik ontylmdede vleis- meel— <i>Part. Deg. Bone Meal</i>	"	19.8	1.3	—	4.5	68.5	38.1	27.7
53/B/39	" "	Vleisemeel— <i>Meat Meal</i>	"	59.1	19.4	—	8.3	7.1	1.7	2
12/B/39	S.A. Hunt Bonemeal and Fertilizer Co., Ltd., Warren-	Korrelrige beenmeel— <i>Granu- lated Bone Meal</i>	Hunt.....	30	1	—	5.5	61	30.5	23
11/B/39	" "	Beenmeel— <i>Bone Meal</i>	"	30	1	—	5.5	61	30.5	23
14/B/39	" "	Di-kalsiumfosfaat — <i>Di-cal- cium Phosphate</i>	"	—	—	—	8	80	35	41
15/B/39	" "	Ontlymdede fyn beenmeel— <i>Deg. Bone Flour</i>	"	8	—	—	4	79	40	30
16/B/39	" "	Gejodiseerde beenmeel— <i>Iod- ised Bone Meal</i>	"	30	1	—	5.5	61	30.5	23
18/B/39	" "	Beenmeel— <i>Bone Meal</i>	Huntco.....	33.3	6	—	5.3	53.3	28.4	21.9
17/B/39	" "	Korrelrige vleis- en beenmeel— <i>Granulated Meat and Bone Meal</i>	"	62	1.7	—	8.9	27.5	12	9.3
13/B/39	" "	Fyn beenmeel— <i>Bone Flour</i>	"	30	1	—	5.5	61	30	23
46/B/39	Tiger Oats Co., Ltd., Maitland	Pluimvee-lèmeel — <i>Poultry Laying Meal</i>	Tiger.....	17.7	4.6	7.5	10.2	9.4	1.6	1.4
30/B/39	" "	Varkvetmaakmeel— <i>Pig Fat- tening Meal</i>	"	14.7	4.1	7.7	9.7	8.2	0.8	0.8
39/B/39	" "	Veevoer— <i>Stock Feed</i>	Khumos.....	5.3	2.9	21.5	8.1	8.2	0.3	0.3
44/B/39	" "	Pluimvee-groeimeel— <i>Poultry Growing Meal</i>	Tiger.....	15.4	4.7	8.0	10.5	9.2	1.6	1.4
48/B/39	" "	Pluimvee - vetmaakmeel — <i>Poultry Fattening Meal</i>	"	15.4	4.7	8.0	9.7	9.2	1.6	1.4
29/B/39	" "	Melkproduksie-, comproids — <i>Milk Production Comproids</i>	"	20	5.3	8.0	9.3	8.6	2.1	1.7
28/B/39	" "	Melkproduksiemeel — <i>Milk Production Meal</i>	"	20	5.3	8.0	9.3	8.6	2.1	1.7
36/B/39	" "	Kalfmeel— <i>Calf Meal</i>	"	20.7	5.3	7.1	9.1	6	1.2	1.2
43/B/39	" "	" Comproids " vir groeiende hoenders — <i>Comproids for Growing Poultry</i>	"	15.4	4.7	8	10.5	9.2	1.6	1.4
47/B/39	" "	" Comproids " vir vetmaak van hoenders— <i>Comproids for Poultry Fattening</i>	"	15.4	4.7	8	9.7	9.2	1.6	1.4
45/B/39	" "	" Comproids " vir lê-henne— <i>Comproids for Laying Hens</i>	"	17.7	4.6	7.5	10.2	9.4	1.6	1.4
31/B/39	" "	" Comproids " vir vetmaak van varke— <i>Pig Fattening Comproids</i>	"	14.7	4.1	7.7	9.7	8.2	0.8	0.8
40/B/39	" "	Kuikenmeel— <i>Chick Meal</i>	"	16.8	4.8	7.9	9.2	9.5	1.5	1.2
32/B/39	" "	Dragmeel— <i>Farrowing Meal</i> ..	"	15.5	3.6	6.8	9.6	7.5	0.9	0.9
33/B/39	" "	Drag-, Comproids — <i>Farrowing Comproids</i>	"	15.5	3.6	6.8	9.6	7.5	0.9	0.9
35/B/39	" "	Suiwelrantsoen— <i>Dairy Ration</i>	"	15.6	4.4	9	10.5	6	1.7	1.5
34/B/39	" "	" Comproids " vir ramme en lammerooie — <i>Comproids for rams and nursing ewes</i>	"	18.1	5.9	6.5	9.8	6.9	2	1.8
41/B/39	" "	" Comproids " No. 1, vir kuikens— <i>Comproids No. 1, for Chickens</i>	"	16.8	4.8	7.9	9.2	9.5	1.5	1.2
42/B/39	" "	" Comproids " No. 2, vir kuikens— <i>Comproids No. 2, for Chicks</i>	"	16.8	4.8	7.9	9.2	9.5	1.5	1.2
38/B/39	" "	Aanvullende voedsel vir sui- welkoeie— <i>Dairy Supplement</i>	"	27	6	3.6	5.4	16.8	6.2	5
37/B/39	" "	Meel vir bulle— <i>Bull Meal</i> ...	"	18.8	4.1	9.2	8.4	6.4	1.8	1.2
79/B/39	Union Lime Co., Ltd., Johan- nesburg	Kalkhidraat, eerste kwaliteit — <i>First Quality Hydrate of Lime</i>	Ulcolim.....	—	—	—	—	—	65	—
80/B/39	" "	Kalkhidraat tweede kwaliteit — <i>Second Quality Hydrate of Lime</i>	"	—	—	—	—	—	60	—
81/B/39	" "	Kalkhidraat— <i>Hydrate of Lime</i>	"	—	—	—	—	—	55	—
82/B/39	" "	Super kalkklip (gemaalde)— <i>Super Ground Limestone</i>	"	—	—	—	—	—	53	—
83/B/39	" "	Kalkklip— <i>Limestone</i>	"	—	—	—	—	—	50	—
84/B/39	" "	Kalkklipgruis— <i>Limestone Grit</i>	"	—	—	—	—	—	50	—
43/B/39	Union Smokeries (Pty.), Ltd., Kaapstad— <i>Capetown</i>	Vismee— <i>Fish Meal</i>	Ocean.....	60.3	2.5	—	10.8	25.5	8.2	7
164/B/39	Verseput Bros., Johannesburg	Kalfmeel— <i>Calf Meal</i>	Vebros.....	21.8	13	4	10	6	1.7	2.2
165/B/39	" "	Lusernmeel— <i>Lucerne Meal</i> ..	"	19.7	3.4	19.4	7.8	7.8	—	0.5
176/B/39	" "	Beenmeel— <i>Bone Meal</i>	"	24.8	4.5	—	4.7	66.5	33.4	26.2

Registrasie- no. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Naam van Veevoedsel. Name of Farm Food.	Merk. Brand.	Proteïne. Protein.	Vet. Fat.	Vesel. Fibre.	Vog. Moisture.	As. Ash.	Kalk. Lime.	Posforokst. Phosphoric Oxide.
166/B/39	Verseput Bros., Johannesburg	Bloedmeel—Blood Meal.....	Vebros.....	71.2	0.6	—	20.3	3.4	0.8	0.5
175/B/39	" "	Walvis- en vismeel „A” — Whale and Fish Meal „A”	"	60	8.5	—	8.5	11	5	4
167/B/39	" "	Walvis- en vismeel „B” — Whale and Fish Meal „B”	"	60	10	—	10	19	7.5	6
168/B/39	" "	Ontlymde fyn beenmeel — Deg. Bone Flour	"	6	1	—	10	82	43	31
169/B/39	" "	Koeimeel—Cow Meal.....	"	11.8	6.1	15.1	7.8	2.9	0.2	1.2
170/B/39	" "	Varkmeel—Pig Meal.....	"	12.1	5.6	10.7	8.5	5.6	0.5	1
171/B/39	" "	Kreefmeel—Crayfish Meal...	"	43.9	3.3	—	10.1	26	12.2	2.2
172/B/39	" "	Lynoliekoekmeel—Linseed Oil Cake Meal	"	26	9.8	10.9	11.6	5.5	—	—
173/B/39	" "	Gejodiseerde proteïne-kos — Iodised Protein Food	"	50.2	12	5.2	5.4	23.6	11.5	7.8
254/B/39	" "	Vleis- en beenmeel—Meat and Bone Meal	"	55	9.5	—	7.6	24	12.5	9.5
174/B/39	" "	Vleis- en beenmeel—Meat and Bone Meal	"	50	10	—	4.9	33.9	15.8	13.2
177/B/39	" "	Grondboontjie-oliekoekmeel— Monkeynut Oil Cake Meal	"	51	8	4	8	5.5	0.2	1.2
178/B/39	" "	Grondboontjie - oliekoekmeel „B” —Monkeynut Oil Cake Meal „B”	"	50.8	2	7.5	8.8	7.3	0.2	1.1
179/B/39	" "	Melk- en beesvleisemeel—Milk and Beef Meal	"	19.1	6.4	8.8	6.6	7.6	2.1	1
180/B/39	" "	Vetmaakrantsoen—Fattening Ration	"	14	7.2	8.8	8.1	6	1.8	1
181/B/39	" "	Speenvarkrantsoen—Baconer Ration	"	15	5	6.4	7.3	7.5	2.1	1
27/B/39	Die Bestuurder, Voorspoed Roller Mills Bpk., Posbus— P.O. Box 78, Carolina	Hominy Chop.....	"	11.3	13.5	3.8	9.4	1.9	—	0.8
158/B/39	G. J. H. Webster & Son, Pietermaritzburg	Bloedmeel vir pluimvee — Blood Meal for Poultry	Bisley.....	70	—	—	11.6	6.1	1	0.5
155/B/39	" "	Beenmeel vir beeste — Bone Meal for Cattle	"	22	5	—	5	61	32	25
157/B/39	" "	Been- en vleisemeel vir pluim- vee—Bone and Meat Meal for Poultry	"	40	14	—	7.4	29.6	13.5	10
156/B/39	" "	Ged. ontlymde beenmeel vir pluimvee—Par. Deg. Bone Meal for Poultry	"	20.6	5	—	5	61	32	25
162/B/39	Wright Bros., Highlands....	Beenmeel—Bone Meal.....	Wright.....	25	1	—	5	—	30	24

★ No. 263.]

[28 Februarie 1939.]

Onderstaande lys van veedipstowwe, geregistreer by die Departement van Landbou en Bosbou vir die tydperk 1 Januarie 1939 tot 31 Desember 1939, word vir algemene informasie gepubliseer:—

★ No. 263.]

[28 February 1939.]

The following list of stock dips registered with the Department of Agriculture and Forestry for the period 1st January, 1939, to 31st December, 1939, is published for general information:—

Registrasie- nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
20/C/39	Associated Products (Pty.), Ltd., Durban	Brommersol.....	Olies, 55%; teerprodukte, 11%; handelspiritus, 32% Oils, 55%; tar products, 11%; industrial spirits, 32%.
38/C/39	" "	S.D.C.-skaapdippoeier—S.D.C. Sheep Dipping Powder	Totale arseen (droë gewig), 23% As_2O_3 —Total arsenic (dry weight), 23% As_2O_3 .
39/C/39	" "	Azenicol-beesdip—Azenicol Cattle Dip	Totale arseen uitgedruk as As_2O_3 , 64%—Total arsenic expressed as As_2O_3 , 64% wt.
40/C/39	" "	Dip- en veeartseny-vloeistof, Zondo- merk—Zondo Dip and Veterinary Fluid	Fanolioïedes (B.P.), 200°-300° C., 36%; teerolies en; basisse, 45%—Phenoloids (B.P.), 200°-300° C., 36% Tars and Bases, 45%.
41/C/39	" "	„Krusol”-karbolskaapdip (vloeistof) —Krusol Fluid Carbolic Sheep Dip	Teersure, 180°-300° C., 18%; Teerolies, 56%—Tar Acids, 180°-300° C., 18%; Tar Oils, 56%.
101/C/39	" "	„S.D.C.”-luispoeier—S.D.C. Anti- lice Powder	Vetterige sure teenwoordig as natriumseep, 44%; toksied, 5.2%—Fatty acids present as Sodium Soaps, 44%; Oxide, 5.2%.
160/C/39	African Explosives and Industries, Ltd., Umbogintwini	„Champion”-beesdip—Champion Cattle Dip	Totale arseen, 64%; alwyn-ekstrak (bevattende ongeveer 10% aloien), 10%—Total arsenic, 64%; extract of aloes (containing approximately 10% aloin), 10%.
159/C/39	" "	„Kytik”-beesdip—Kytik Cattle Dip	Totale arseen, 64 gram As_2O_3 ; natrium en/of kalium, 23 gram Na_2O ; teersure, 5.2 gram (per 100 k.s.)— Total arsenic, 64 grams As_2O_3 ; sodium and/or potassium, 23 grams Na_2O ; tar acid, 5.2 grams (per 100 c.c.)
157/C/39	" "	„Kynoch” se verbeterde bosluis- olie—Kynoch Improved Tick Oil	Vrye nikotien, 0.4% (volgens gewig)—Free nicotine, 0.4% (by weight).
155/C/39	" "	„Kynoch” se natriumarseniet (poeier)—Kynoch Arsenite of Soda (powdered)	Totale arseen, 80% As_2O_3 ; natrium, 15.5% Na_2O — Total arsenic, 80%, As_2O_3 ; sodium, 15.5%, Na_2O
158/C/39	" "	K.-beesdip—K. Cattle Dip.....	Totale arseen, 64 gram As_2O_3 , natrium en/of kalium; 24 gram Na_2O ; vet- en harpuissure, 1.4 gram, kresielsure, 4.5 gram (per 100 k.s.)—Total arsenic, 64 grams As_2O_3 ; sodium and/or potassium, 24 grams Na_2O ; fatty and resin acids, 1.4 grams, cresylic acids, 4.5 grams (per 100 c.c.).

Registrasie-nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
154/C/39	African Explosives and Industries, Ltd., Umbogintwini	„Capex"-veedip— <i>Capex Cattle Dip</i>	Totale arseen 64 gram As_2O_3 ; arseentrioksied, 64 gram; natrium en/of kalium, 24 gram Na_2O — <i>Total arsenic, 64 grams As_2O_3; arsenic trioxide, 64 grams, sodium and/or potassium, 24 grams Na_2O.</i>
156/C/39	„	„Kynoch"-arseenbeesdip (vloei-stof)— <i>Kynoch Liquid Arsenical Cattle Dip</i>	Totale arseen uitgedruk as As_2O_3 , 64% gewig-vol— <i>Total Arsenic expressed as As_2O_3.</i>
190/C/39	Atlantic Refining Co. of Africa, Ltd., Kaapstad— <i>Capetown</i>	„Atlantic"-brommerolie— <i>Atlantic Blowfly Oil</i>	Fenol, 3%, denne-olie, 1.7%— <i>Phenol, 3%, Pine Oil, 1.7%.</i>
45/C/39	Burmeister & Co., Oos-Londen— <i>East London</i>	„Acme"-natriumarseniet— <i>Acme Arsenite of Soda</i>	Arsenigtrioksied, 80%— <i>Arsenious oxide, 80%.</i>
46/C/39	„	„Blythes"-natriumarseniet— <i>Blythes Arsenite of Soda</i>	Arsenigtrioksied, 80%— <i>Arsenious oxide, 80%.</i>
3/C/39	Baker, King & Co., Oos-Londen— <i>East London</i>	Magatex.....	Gliserien-boorsuur, 71%— <i>Glycerol-Boric acid, 71%.</i>
88/C/39	Brits Pharmacy, Brits.....	Gordon se bosluisvernier en Brommermiddel— <i>Gordon's Tick Killer and Blowfly Remedy</i>	Mineraal-olie, 94.18%; Pynolie, 4.16%— <i>Mineral Oil, 94.18%; Pine Oil, 4.16%.</i>
18/C/39	S. Butcher & Sons, Ltd., Durban	Natriumarseniet, merk 333—333 <i>Brand Arsenite of Soda</i>	Arseen (As_2O_3), 80%; Soda (Na_2O), 15%— <i>Arsenic (As_2O_3), 80%; Soda (Na_2O), 15%.</i>
120/C/39	S. F. Basson, Eikenhof, Johannesburg	Basson se Mammarine-salf vir Koeie— <i>Basson's Mammarine Salve for Cows</i>	Turpenty, 14.3%— <i>Turpentine, 14.3%.</i>
43/C/39	Cape Chemical Co., Ltd., Kaapstad— <i>Capetown</i>	„Tarzan"-kalkswaweldip— <i>Tarzan Limesulphur Dip</i>	Polisulfiedswawel, 39%; kalsium, 11%— <i>Polysulphide sulphur, 39%; Calcium, 11%.</i>
44/C/39	„	„Tarzan"-brommerolie— <i>Tarzan Blowfly Oil</i>	Petrol, 40%; denneteerolie, 10%; karsbolsuur, 5%— <i>Petrol, 40%; pine tar oil, 10%; carbolic acid, 5%.</i>
42/C/39	„	„Tarzan"-bosluisolie— <i>Tarzan Tick Oil</i>	Vry nikotien, 0.4%— <i>Free nicotine, 0.4%.</i>
125/C/39	Cooper & Nephews, Ltd., Johannesburg	McDougall's Kurmange.....	Rotenone en verwante stowwe, 3%; natriumseep, 20%; swawel, 20%— <i>Rotenone and allied substances, 3%; sodium soap, 20%; sulphur, 20%.</i>
126/C/39	„	Cooper se skaapdippoeier (snelwerkend)— <i>Cooper's Sheep Dipping Powder (quick acting)</i>	Totale arseen (droë gewig), 22.5% As_2O_3 ; arseen, aanwesig as pentoksied, 6% As_2O_3 ; arseen aanwesig as sulfiede en swawel-arseensamestellings, 4% As_2O_3 ; natrium in verbinding met arseen, 4.9% Na_2O ; totale swawel, 65.3%— <i>Total arsenic (dry weight), 22.5% As_2O_3; Arsenic present as As_2O_3 12.5%; arsenic present as pentoxide, 6% As_2O_3; arsenic present as sulphides and sulphur arsenic complexes, 4% As_2O_3; sodium in combination with arsenic, 4.9% Na_2O; total sulphur, 65.3%.</i>
127/C/39	„	Cooper se douwurmsalf— <i>Cooper's Ringworm Ointment</i>	20% jodium in chemiese verbinding met olies, vette en wasse—20% <i>iodine chemically combined with oils, fats and waxes.</i>
128/C/39	„	Cooper se skaapdippoeier (solied)— <i>Cooper's Sheep Dipping Powder (solid)</i>	Totale arseen (droë gewig), 22.5% As_2O_3 ; arseen, aanwesig as trioksied, 12.5% As_2O_3 ; arseen aanwesig as pentoksied, 6% As_2O_3 ; arseen, aanwesig as sulfiede en swawel-arseensamestellings, 4% As_2O_3 ; natrium in verbinding met arseen, 4.9% Na_2O ; totale swawel, 68%— <i>Total arsenic (dry weight), 22.5% As_2O_3; arsenic present as trioxide, 12.5% As_2O_3; arsenic present as pentoxide, 6% As_2O_3; arsenic present as sulphides and sulphur arsenic complexes, 4% As_2O_3; sodium in combination with arsenic, 4.9% Na_2O; total sulphur, 68%.</i>
129/C/39	„	Cooper se dubbele dippoeier— <i>Cooper's Double Dipping Powder</i>	Totale arseen, 9.4% As_2O_3 ; vrye swawel, 57.5%; swawel in verbinding, 6.1%— <i>Total arsenic, 9.4% As_2O_3; free sulphur, 57.5%; combined sulphur, 6.1%.</i>
130/C/39	„	Cooper se „Tixol"-beesdip— <i>Cooper's Tizol Cattle Dip</i>	Totale arseen, 64% gew. vol.; natrium of kalium, 23.7% gew. vol. Na_2O ; kresieelsure, 5.4% gew. vol.; vet en harpui-sure, 2.2% gew. vol.— <i>Total arsenic, 64% wt./vol.; sodium or potassium, 23.7% wt./vol.; Na_2O; cresylic acids, 5.4% wt./vol.; fatty and resin acids, 2.2% wt./vol.</i>
131/C/39	„	Cooper se verbeterde beesdip— <i>Cooper's Improved Cattle Dip</i>	Totale arseen, 25% gew./vol.; As_2O_3 ; kalium in verbinding met arsenikum, 7.6% K_2O — <i>Total arsenic, 25% wt./vol.; As_2O_3; potassium combined with arsenic, 7.6% K_2O.</i>
132/C/39	„	Cooper se beesluispreparaat (vloei-baar)— <i>Cooper's Cattle Lice Preparation (liquid)</i>	Tuba-gifstof, 7%— <i>Tuba toxin, 7%.</i>
133/C/39	„	Cooper se verbeterde Lavene— <i>Cooper's Improved Lavene</i>	Vloeibare seep (bevattende 30% vetsure), 97%; tuba-gifstof en verwante stowwe, 0.5%; industriële alkohol, 2.5%— <i>Liquid soap (containing 30% fatty acids), 97%; tuba toxin and allied substances, 0.5%; industrial alcohol, 2.5%.</i>
134/C/39	„	Cooper se bosluisghries— <i>Cooper's Tick Grease</i>	Harpui, 25%; stockholmtaar, 5%; lanolien, 65%— <i>Resin, 25%; stockholm tar, 5%; lanoline, 65%.</i>
135/C/39	„	Cooper se oorbosluis- en maaier-middel— <i>Cooper's Ear Tick and Magot Fly Remedy</i>	Nikotien, 2%; totale arseen, 0.6% As_2O_3 ; natrium in verbinding met arseen, 0.13% Na_2O — <i>Nicotine, 2% total arsenic, 0.6% As_2O_3; sodium combined with arsenic, 0.13% Na_2O.</i>
136/C/39	„	Cooper se ooggeneesmiddel— <i>Cooper's Ophthalmia Cure</i>	Totale arseen, As_2O_3 , 1.1%; kopersulfaat, 5.6%; sinksulfaat, 2.1%; laudanum, 0.8%— <i>Total arsenic, As_2O_3, 1.1%; copper sulphate, 5.6%; zinc sulphate, 2.1%; laudanum, 0.8%.</i>
137/C/39	„	Cooper se oorkanker-oplossing vir honde— <i>Cooper's Ear Canker Lotion for Dogs</i>	Plantolie, 76.38%; betanaftol, 7.64%— <i>Vegetable oil, 76.38%; betanaphthol, 7.64%.</i>
138/C/39	„	Little se vloei-stofskaadip— <i>Little's Fluid Sheep Dip</i>	Teersure (K.P. 180°-250° C.), 16%; teerolies (K.P. 185°-300° C.), 64% (per 100 k.s.)— <i>Tar acids (B.P. 180°-250° C.), 16%; tar oils (B.P. 185°-300° C.), 64% (per 100 c.c.).</i>

Registrasie- nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
139/C/39	Cooper & Nephews, Ltd., Johan- nesburg	McDougall se skaapdip en beesmeer- sel (vloeibaar)— <i>McDougall's Sheep Dip and Cattle Dressing (liquid)</i>	Koolteerfenols (K.P. 200-300° C.), 18%; Koolteer- koolwaterstowwe en basisse, 56%— <i>Coal tar phenols (B.P. 200-300° C.), 18%; coal tar hydrocarbon and bases, 56%.</i>
140/C/39	" "	McDougall se tabakekstrak, „Lion”- merk— <i>McDougall's Lion Brand Tobacco Extract</i>	7% suiwer nikotien, minimum—7% pure nicotine, minimum.
141/C/39	" "	McDougall se skaapdip en beesmeer- sel (pap)— <i>McDougall's Sheep Dip and Cattle Dressing (paste)</i>	Fenols, 18.15%; teerolies (K.P. 200-300° C.), 31.34%; harpuls, 24.74%— <i>Phenols, 18.15%; tar oils (B.P. 200-300° C.), 31.34%; resin, 24.74%.</i>
142/C/39	" "	McDougall se dipekstrak „Tiger” merk— <i>McDougall's Tiger Brand Dipping Extract</i>	Derris-ekstrak, 5 gram vloeibare potasseep, 95 gram (per 100 k.s.)— <i>Liquid potash soap, 95%; derris extract, 5 grains (per 100 c.c.).</i>
143/C/39	" "	McDougall se gekonsentreerde tabak- ekstrak, „Lion”-merk— <i>McDou- gall's Lion Brand Concentrated Tobacco Extract</i>	40% suiwer nikotien, minimum—40% pure nicotine, minimum.
144/C/39	" "	„Pulvex”-bestuivingspoer vir diere — <i>Pulvex Animal Dusting Powder</i>	Tubagifstof en verwante stowwe, 2.5%— <i>Tuba toxin and allied substances, 2.5%.</i>
145/C/39	" "	Sopex.....	Tubagifstof en verwante stowwe, 4%; boraks, 48%— <i>Tuba toxin and allied substances, 4%; borax, 48%.</i>
146/C/39	" "	Little se Skaapdippoeier — <i>Little's Powder Sheep Dip</i>	Totale arseen, 21% As_2O_3 ; arseen in verbinding, 18.8% As_2O_3 ; arseen nie in verbinding, 1% As_2O_3 ; arseen as sulfied of sulfarseniet, 1.2% As_2O_3 ; soda, Na_2O , in verbinding met arseen, 5.4%; swawel, 60%. <i>Total arsenic, 21% As_2O_3; arsenic in combination, 18.8% As_2O_3; arsenic uncombined, 1% As_2O_3; arsenic as sulphide of sulpharsenite, 1.2% As_2O_3; soda, Na_2O, combined with arsenic, 5.4%; sulphur, 60%.</i>
147/C/39	" "	McDougall se niegiftige dippoeier— <i>McDougall's Non-poisonous Pow- der Dip</i>	Natriumseep, 10%; natriumkarbonaat, 10%; tuba- gifstof en verwante stowwe, 2.4%— <i>Sodium soap, 10%; sodium carbonate, 10%; tuba toxin and allied substances, 2.4%.</i>
148/C/39	" "	McDougall en Robertson se Matatik- beesdip— <i>McDougall's & Robert- son's Matatik Cattle Dip</i>	Totale arseen, 48 gram As_2O_3 ; natrium in verbinding met arseen, 19 gram Na_2O_3 ; teersure, 15 gram (per 100 k.s.)— <i>Total arsenic, 48 grams As_2O_3; sodium in combination with arsenic, 19 grams Na_2O_3; tar acids, 15 grams (per 100 c.c.).</i>
149/C/39	" "	Cooper se beesmaaiermiddel — <i>Cooper's Screw-worm Remedy</i>	Houtteer, 8%; tubagifstof en verwante stowwe, 1%; nikotien, 1%— <i>Wood tar, 8%; tuba toxin, allied sub- stances, 1%; nicotine, 1%.</i>
150/C/39	" "	„Kymog”-vark- en skaapdip (vloeis- tof)— <i>Kymog Pig and Sheep Dip (liquid)</i>	Kresielsuur, 50%— <i>Cresylic Acid 50%.</i>
151/C/39	" "	Cooper se Genesende Olie— <i>Cooper's Healing Oil</i>	Harpuisolie, 61.5%; Fenols, 2.75%— <i>Oleoresins, 61.5%; Phenols, 2.75%.</i>
152/C/39	" "	Little se spesiale skaapluidip — <i>Little's Special Ked Dip</i>	Totale arseen, 21%, totale swawel, 62.5%— <i>Tota arsenic, 21%; total sulphur, 62.5%.</i>
153/C/39	" "	Kerol.....	Fenoloides (K.P. 200-300° C.), 44%; Koolteer-kool- waterstowwe en basisse, 29.5%— <i>Phenoloids (B.P. 200-300° C.), 44%; coal tar hydrocarbons and bases, 29.5%.</i>
15/C/39	" "	„Capex” - natriumarseniet— <i>Capex arsenite of Soda</i>	Totale arseen, 80% As_2O_3 ; natrium, 15% Na_2O (mini- mum); 80% gaan deur 'n 1-mm. sif— <i>Total arsenic, 80% As_2O_3; sodium 15% Na_2O (minimum; 80% passes through a 1-mm. sieve.</i>
16/C/39	Cape Explosives Works, Ltd., Dynamite Factory	„Capex”-kalkswawelskaapdip— <i>Capex Lime Sulphur Sheep Dip</i>	Polisulfied-swawel, 39 gram; kalsium, 11 gram (per 100 k.s.)— <i>Polysulphide sulphur, 39 grams; calcium, 11 grams (per 100 c.c.).</i>
17/C/39	" "	„Capex”-skaapdipswawel— <i>Capex Sheep Dip Sulphur</i>	99% swawel; 40° fynheid (Chancel)—99% sulphur; 40° fineness (Chancel).
36/C/39	W. F. Clark, Middelburg, Kaap- provinsie— <i>Cape Province</i>	Bedwell se Bloekomlammermerk- en Brommerolie— <i>Bedwell's Eucalypt- tus Lamb Marking and Blowfly Oil</i>	„Eucalyptus dives” olie, 20%; arseen, 5%— <i>Eucalypt- tus dives oil, 20%; and arsenic, 5%.</i>
58/C/39	Double Crown Yeast Co., Vryburg	Dodenbossie.....	Mineraalolie, 94%; nitrobenzol, 1%; metielsalisilas, 0.3%— <i>Mineral oil, 94%; nitro benzol, 1%; methyl salicylas, 0.3%.</i>
19/C/39	W. Dunn & Co., Durban.....	„Dunnco” - natriumarseniet — <i>Dunnco Arsenite of Soda</i>	Totale arseen, 80%— <i>Total arsenic, 80%.</i>
21/C/39	P. R. Dodds & Co., Port Elizabeth	Young se Beesdip— <i>Young's Cattle Dip</i>	Arseen as As_2O_3 , 64%— <i>Arsenic as As_2O_3, 64%.</i>
22/C/39	" "	Young se Verbeterde Beesdip— <i>Young's Improved Cattle Dip</i>	Totale arseen, 64%, As_2O_3 ; natrium en/of kalium, 25%, Na_2O_3 , Kresielsuur, 5%— <i>Total arsenic 64%, As_2O_3; sodium and/or potassium, 25%, Na_2O; Cresylic Acid 5%.</i>
23/C/39	" "	Young se spesiale poeier-skaapdip— <i>Young's special Powder Sheep Dip</i>	Totale arseen, 20%; swawel, 55%— <i>Total arsenic, 20% Sulphur, 55%.</i>
24/C/39	" "	Young se „Septol”-veeartsen- vloeistof— <i>Young's Septol Veterinary Fluid</i>	Fenols, 38%; koolteer-koolwaterstowwe, 42%— <i>Phenols 38%; Coal tar hydro-carbons, 42%.</i>
25/C/39	" "	Young se rooi etiket-pasta— <i>Young's Red Label Paste</i>	Arseen, 15%, As_2O_3 ; teersure, 25%— <i>Arsenic, 15%, As_2O_3; tar acids, 25%.</i>
26/C/39	" "	Young se bosluis pasta-dipstof — <i>Young's Anti-Tick Paste Dip</i>	Arseen, 9.2%; fenols, 13%— <i>Arsenic, 9.2%; Phenols, 13%.</i>
27/C/39	" "	Young se geel pasta-dipstof— <i>Young's Yellow Paste Dip</i>	Arseen, 10.7%, As_2O_3 ; fenols, 8%, swawel, 27% — <i>Arsenic, 10.7%, As_2O_3; Phenols, 8%; sulphur 27%.</i>
28/C/39	" "	Young se vloeistof-skaapdip— <i>Young's Fluid Sheep Dip</i>	Fenols, 16%; koolteer-koolwaterstowwe, 64%— <i>Phenols, 16%; coal tar hydrocarbons, 64%.</i>
29/C/39	" "	Young se kalkswawelskaapdip — <i>Young's Lime Sulphur Sheep Dip</i>	Totale swawel, 36%; kalsium, 11%— <i>Total sulphur, 36%; calcium, 11%.</i>
123/C/39	" "	Young se skaapdippoeier, spesiale kwaliteit— <i>Young's Special Quality Sheepdip Powder</i>	Totale arseen, 20%, swawel, 55%— <i>Total arsenic, 20%; sulphur, 55%.</i>

Registrasie-nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
124/C/39	P. R. Dodds & Co., Port Elizabeth	Young se brakwater-dipstof— <i>Young's Brackish water Dip</i>	Fenols, 37%; koolteer-koolwaterstowwe, 8%— <i>Phenols, 37%; coal tar hydrocarbons, 8%.</i>
70/C/39	Euzol Manufacturing Co., Jacobs	Euzol.....	Kresols (K.P. 200–250° C.), 30%; Koolteer-koolwaterstowwe en basisse, 52%— <i>Cresols (B.P. 200–250° C.), 30%; coal tar hydrocarbons and bases, 52%.</i>
85/C/39	L. Figdor & Co., Capetown.....	„ Antifect ”-vloeiostofskaaip— <i>Antifect Liquid Sheep Dip</i>	Kresiel, 3%; Emulserende middel, 42%— <i>Cresol, 3%; Emulsificant, 42%.</i>
86/C/39	„ „	Soliede ontsmettingsmiddel „ Antifect ”-merk— <i>Antifect Solid Disinfectant</i>	Kresols, 30%; neutrale teerolies, 55%— <i>Cresols, 30% neutral tar oils, 55%.</i>
57/C/39	Galtik Chemical Co., Vryburg....	„ Galtik ” - bosluisvernietiger— <i>Galtik Tick Killer</i>	Nitrobenzol, 2%; trichloreteleen, 2%; olie, 50%— <i>Nitro benzol, 2%; trichlorethylene, 2%; oil, 50%.</i>
99/C/39	J. R. Gawne, New Hanover.....	Excelsior-beesbosluishgries — <i>Excelsior Cattle Tick Grease</i>	Mineraalolies, 50%; harpuisseep, 20%; stockholmteer, 30%— <i>Mineral oil, 50%; resin soap, 20%; stockholm tar, 30%.</i>
100/C/39	„ „	Excelsior-beesdip — <i>Excelsior Cattle Dip</i>	Totale arseen as arseentrioksied, 64%; natriumoksied in verbinding met arseen, 12.2%— <i>Total arsenic as arsenic trioxide, 64%; sodium oxide in combination with arsenic, 12.2%.</i>
37/C/39	Hunt, Leuchars & Hepburn, Ltd., Pretoria	Natriumarseniet, „ Protea ”-merk— <i>Protea Arsenite of Soda</i>	Totale arseen, 80% As_2O_3 ; natrium, 15% Na_2O — <i>Total arsenic, 80% As_2O_3; sodium, 15% Na_2O.</i>
61/C/39	R. Hilliam, Cathcart.....	Pestol.....	Kwiksilwerchloried, 0.002%; fenol, 2.5%; skoonteer olie, 10%— <i>Hydrag. Perchlor., 0.002%; phenol, 2.5%; Ol. picid, rect. 10%.</i>
96/C/39	„ „	Tabak-ekstrak— <i>Extract of Tobacco.</i>	Nikotien-sulfaat, 40%— <i>Nicotine sulphate, 40%.</i>
97/C/39	„ „	Parakol.....	Koolstof-tetrachloried, 1.25%; olie, 4.75%— <i>Carbon tetrachloride, 1.25%; oil, 4.75%.</i>
90/C/39	Holmes & Co. (Pty.), Ltd., Durban	Arsenoda-Beesdip— <i>Arsenoda Cattle Dip</i>	Arseen, 64%; natrium, as Na_2O , 12.5%— <i>Arsenic, 64%; sodium as Na_2O, 12.5%.</i>
89/C/39	„ „	„ Swaboline ”-bosluishgries— <i>Swaboline Tick Grease</i>	Dik paraffien, 80%; lanolien 20%— <i>Heavy paraffin, 80%; lanoline, 20%.</i>
91/C/39	„ „	Verbeterde arsenoda-beesdip— <i>Improved Arsenoda Cattle Dip</i>	Arseen, 64%; natrium, 25% Na_2O ; kresielsuur, 5.5%— <i>Arsenic, 64%; sodium, 25% Na_2O; cresylic acid, 5.5%.</i>
92/C/39	„ „	Young se skaapdippoeier— <i>Young's Sheep Dip Powder</i>	Totale arseen, 25% As_2O_3 ; arseen as natriumarseniet, 15% As_2O_3 ; arsensulfiede, 2.5% As_2O_3 ; natrium, 6.5% Na_2O ; swawel, 65%— <i>Total arsenic, 25% As_2O_3; arsenic as arsenite of soda, 15% As_2O_3; arsenic sulphides, 2.5% As_2O_3; sodium, 6.5% Na_2O; sulphur, 65%.</i>
102/C/39	Hill and Murray, Johannesburg..	Bob Martin 92 se self vir honde en katte— <i>Bob Martin's 92 Ointment for Dogs and Cats</i>	Paraf. Molle. Flav., 46%; Ol Sambucci, 23%.
103/C/39	„ „	Bob Martin se Antiseptiese Vloeistof— <i>Bob Martin's Antiseptic Fluid</i>	Kreosoot, 5%— <i>Creosote, 5%.</i>
104/C/39	„ „	Bob Martin se Wurmteekapsules— <i>Bob Martin's Worm Capsules</i>	Oleum chenopodii 3 min; Extr. filicis 2 min.
105/C/39	„ „	Bob Martin se Insektepoeier— <i>Bob Martin's Insect Powder</i>	Paradiachloorbensien, 1.2%; natrium-biboraat, 15.4%— <i>Paradiachlorbenzine, 1.2%; sodium biborate 15.4%.</i>
3/C/39	Jéyes S.A. (Pty.), Ltd., Durban..	„ Jéyes ” se arseenvrye skaapdip— <i>Jéyes non-arsenical Sheep Dip</i>	Kresols, 36–38%— <i>Cresols, 36–38%.</i>
12/C/39	Jager Rand (Pty.) Ltd., Johannesburg	Befredma-Natriumarseniet— <i>Befredma Arsenite of Soda</i>	80–82% As_2O_3 .
73/C/39	E. Leighton & E. Flint, The Dog Basket, Durban	„ Die hondemaandjie ”-oogsalf— <i>The Dog Basket Eye Ointment</i>	1 lb sinksalf—1 lb. zinc ointment.
83/C/39	Milborrow & Co., Pietermaritzburg	Milborrow se Bosluissmeersel— <i>Milborrow's Tick Dressing</i>	Teerderivate, 3%; Stockholmteer, 1%; mineraalolie, 96%— <i>Tar derivatives, 3%; Stockholm tar, 1%; mineral oil, 96%.</i>
82/C/39	„ „	Milborrow se skurftmiddel— <i>Milborrow's Mange Cure</i>	Teerderivate, 20%— <i>Tar derivatives, 20%.</i>
84/C/39	„ „	Hyreco - Hondeseep — <i>Hyreco Dog Soap</i>	Quillae inf., 63%; Teerderivate, 4%— <i>Quassia inf., 63%; Tar derivatives, 4%.</i>
35/C/39	Morrison's Mail Order House, Ltd., Escombe	Morrison se Skaapdip — <i>Morrison's Sheep Dip</i>	Teersure, 29–32%; teerolies, 48–51%; seep, 20%— <i>Tar acids, 29–32%; tar oils, 48–51%; soap, 20%.</i>
87/C/39	C. F. Marshall & Co., Johannesburg	Neet- en luismiddel— <i>Nit and Lice Killer</i>	Olyfolie, 4%; lampolie, 1.5%— <i>Ol. olivae, 4%; Ol. kerosene, 1.5%.</i>
93/C/39	J. F. Marshall, Ltd., Johannesburg	Marshall se Pluimveewasmiddel en purgasiepoeier— <i>Marshall's Poultry Wash and Alterative Powder..</i>	Was; kaliumchloraat, 4.14 gram (per 100 k.s.); Magnesiumsulfaat (poeier), 48.51% — <i>Wash; Pot. chlorate, 4.14 grams (per 100 c.c.); Powder Magnesium sulphate, 48.51%.</i>
94/C/39	„ „	Marshall se Neet- en Luismiddel— <i>Marshall's Nit and Lice Killer</i>	Mineraalolie, 4 gram; vaste olies, 2 gram; seep, 0.85 gram (per 100 k.s.); vetsure, 72.15%— <i>Mineral Oil, 4 grams; fixed oils, 2 grams; soap, 0.85 grams (per 100 c.c.); fatty acids, 72.15%.</i>
95/C/39	„ „	Black Leaf 40.....	Nikotien, 40%— <i>Nicotine, 40%.</i>
74/C/39	Mosenthal Bros., Ltd., Johannesburg	„ Lumeno ”-natriumarseniet— <i>Lumeno Arsenite of Soda</i>	80% As_2O_3 .
68/C/39	A. D. S. Miller, Johannesburg...	Spratt se ekseemmiddel — <i>Spratt's Eczema Lotion</i>	Loodasynsuur, 5%; koolteerwateroplossing, 10%— <i>Liq. plumbi, 5%; liq. picis carb., 10%.</i>
62/C/39	„ „	Skurftmiddel— <i>Mange Lotion.....</i>	Kalkwater en swawel (P.B.), 100%— <i>Lot. Calc. Sulp. (P.B.) 100%.</i>
69/C/39	„ „	Lysex.....	Kreosoot, 4%; ponderosi-olie, 6%; antraseen, 3%; karbolsuur, 1%— <i>Creosote, 4%; ol. ponderosi, 6%; anthrazene, 3%; acid carbol, 1%.</i>
63/C/39	„ „	Horrelvoet- of skurftpootmiddel— <i>Bumblefoot and Scaly Leg Remedy</i>	Oplosbare kalsiumsulfied, B.P., 100% — <i>Sol. calc. sulphide, B.P., 100%.</i>
64/C/39	„ „	Skurwepootsalf— <i>Scurvy Leg Ointment</i>	Glis. karbolsuur, 14.28%; swawel, 28.56%— <i>Glyc. acid carbol, 14.28%; sulphur, 28.56%.</i>
65/C/39	„ „	Honde-insekteseep No. 2 — <i>No. 2 Insecticide Dog Soap</i>	Tephrosii, 3%; boraks, 0.4% — <i>Tephrosii, 3%; boracic, 0.4%.</i>
66/C/39	„ „	Velsalf— <i>Skin Dressing.....</i>	Swart swawel, 8.84%; petroleum, 11.05%; teerolie, 2.76%— <i>Sulphur nig., 8.84%; ol. petri, 11.05%; sol. picis carb., 2.76%.</i>

Registrasie-nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
67/C/39	A. D. S. Miller, Johannesburg...	Mangex.....	Quillaia-bas, 66%; swawel, 18%—Quillaia-bark, 66%; sulphur 18%; As_2O_3 25%.
59/C/39	Mosenthal & Co., Oos-Londen— East London	Hoboken-natriumarseniet—Hoboken Arsenite of Soda	Natriumarseniet, 80%—Soda arsenite, 80%.
60/C/39	" "	"Sabre" Natriumarseniet—"Sabre" Arsenite of Soda	Arseen, 80%, As_2O_3 —Arsenic 80%, As_2O_3 .
161/C/39	Netherland Fertilisers (Pty.), Ltd., Capetown	"Netherland"-skaapdiptoeier— Netherland Sheep Dipping Powder	Swawel, 96%—Sulphur, 96%.
98/C/39	Orchards Suppliers, Ltd., Johan- nesburg	Natriumarseniet—Arsenite of Soda.	Totale arseen as As_2O_3 minimum, 80%—Total arsenic as As_2O_3 minimum, 80%.
106/C/39	Osmond & Sons (Pty.), Ltd., Oos-Londen—East London	Perfekte beesdip „Vitix"—Vitix Perfect Cattle Dip	As_2O_3 25%.
107/C/39	" "	"Viper"-standaardpoeierdip— Viper Standard Powder Dip	Totale arseen, 9.4%—Total arsenic, 9.4%.
108/C/39	" "	"Viper"-dubbelpoeierdip—Viper Double Dipping Powder	As_2O_3 64%.
109/C/39	" "	Gekonsentreerde Beesdip „Vitix"— Vitix Concentrated Cattle Dip	Totale arseen, 25%—Total arsenic, 25%.
110/C/39	" "	"Viper"-poeierdip met snelle uit- werking—Viper Rapid Result Pow- der Dip	Totale arseen, 24%—Total arsenic 24%.
111/C/39	" "	Osmond se brommerpastadipstof, „Viper"-merk—Osmond's Viper Blowfly Paste Dip	Adeps lanae, 50%; Ol. picis liq. 25%.
112/C/39	" "	Osmond se bosluishgries—Osmond's Tick Grease	Rotenone en verwante stowwe, 7.2%—Rotenone and allied substances, 7.2%.
113/C/39	" "	Osmond se luisdoder—Osmond's Lice Kill	Pulv.-Flor. pyrethri, 25.5%.
114/C/39	" "	Osmond se insektepoeier—Osmond's Vermín Powder	Fenol, 2.75%; plantaardige olie, 32%—Phenol, 2.75%, Vegetable oil, 32%.
115/C/39	" "	Osmond se Antiseptiese Genesende olie—Osmond's Antiseptic Healing Oils	Arseen, 1% As_2O_3 ; kresols, 2%—Arsenic, 1% As_2O_3 ; Cresols, 2%.
116/C/39	" "	Osblo.....	Nikotien, 20%—Nicotine, 20%.
117/C/39	" "	Osmond se Slaapstok-verf—Osmond's Perch Paint	Nikotien, 0.5%; Olies, 94.5%—Nicotine, 0.5%; oils, 94.5%.
118/C/39	" "	Osmond se Bosluisolie—Osmond's Tick Oil	Fenoloides (K.P. 200°–300° C.), 38%.
119/C/39	" "	Osmol-ontsmettingsmiddel—Osmol Disinfectant	Teersure (K.P. 200°–300° C.), 38.5 gram.; koolteer- koolwaterstowwe, 38.2 gram. (per 100 k.s.)—Tar acids (B.P. 200°–300° C.), 38.5 gram.; coal tar hydrocarbons, 38.2 grams. (per 100 c.c.).
47/C/39	Pearson's Hycol, Ltd., Johan- nesburg	Skaapdip „Hycol No. 1"—Hycol No. 1 Sheep Dip	Teersure, 15.4 gram.; koolteer-koolwaterstowwe, 62.5 gram. (per 100 k.s.)—Tar acids, 15.4 grams.; coal tar hydrocarbons, 62.5 grams. (per 100 c.c.).
48/C/39	" "	Skaapdip „Hycol No. 2"—Hycol No. 2 Sheep Dip	Totale arseen, 25% As_2O_3 ; totaal alkalië, 10.46% K_2O —Total arsenic, 25%, As_2O_3 ; total alkalis, 10.46% K_2O .
50/C/39	" "	Pearson se verbeterde beesdip — Pearson's Improved Cattle Dip	Totale arseen, 64% As_2O_3 ; alkalië, 28.26% Na_2O ; teersure, 6.7%—Total arsenic, 64% As_2O_3 ; alkalis, 28.26% Na_2O ; tar acids, 6.7%.
49/C/39	" "	Gekonsentreerde beesdip „Mutix"— Mutix Concentrated Cattle Dip	Chrysarobinum, 5%.
55/C/39	Promatica Laboratories, Johan- nesburg	Tricoton.....	Phenylis salicylas, 25%.
56/C/39	" "	Camgene.....	Teersure, 14.7 gram.; koolteer-koolwaterstowwe, 62.3 gram.—Tar acids, 14.7 grams.; coal tar hydro- carbons, 62.3 grams.
71/C/39	Patlansky Bros. & Patley, Johan- nesburg	"Universal"-skaapdip — Universal Sheep Dip	Totale arseen, uitgedruk in terme van trioksied (As_2O_3), 80%; soda in verbinding en uitgedruk as die basis Na_2O , 14.5%—Total arsenic expressed in terms of trioxide (As_2O_3), 80%; soda in combination and expressed as the base Na_2O , 14.5%.
1/C/39	L. F. Rae, Kaapstad—Capetown	Natriumarseniet, „Royal"-merk— Royal Brand Arsenite of Soda	64% As_2O_3 in verbinding met 14% Na_2O —64% As_2O_3 , combined with 14% Na_2O .
75/C/39	Rademeyer Chemicals, Ltd., Jo- hannesburg	Rademeyer se arseendip, „Radio"- merk (vir beeste, skape en bokke)— Rademeyer's Radio Brand arsenical Dip (for cattle, sheep and goats)	Totale arseen, 64% As_2O_3 ; natrium, 12.2% Na_2O — Total arsenic, 64% As_2O_3 ; sodium 12.2% Na_2O .
32/C/39	Theo. Schloss & Co., Durban....	Vloeibare beesdip, „Conquest"-merk —Conquest Brand Liquid Cattle Dip	Mineraalolie, 50%; stockholmteer, 30%—Mineral Oil, 50%; stockholmteer, 30%.
33/C/39	" "	Beesbosluissmeersel, „Conquest"- merk—Conquest Brand Cattle Tick Smear	Totale arseen, 80% As_2O_3 ; natrium, 15% Na_2O ; 80% gaan deur 'n 1-mm. sif—Total arsenic, 80% As_2O_3 ; sodium, 15% Na_2O ; 80% passes through a 1-mm. sieve.
31/C/39	" "	Natriumarseniet, „Conquest"-merk Conquest Brand Arsenite of Soda	Polisulfiedswawel, 39%; kalsium, 11%—Polysulphide sulphur, 39%; calcium, 11%.
34/C/39	" "	Kalkswawelskaapdip—Lime Sulphur Sheep Dip	Ongesuiwerde kerosien, V.P. 150°, 17.5%; koolteer- wateroplossing, 5%—Kerosene, crude, F.P. 150°, 17.5%; liquor picis carb., 5%.
80/C/39	St. O'Gorman Chemical Co., Ltd., Oos-Londen—East London	"St. O'Gorman"-beesbosluishgries —St. O'Gorman Cattle Tick Grease	Totale arseen, 48 gram As_2O_3 ; natrium, 9.6 gram Na_2O (per 100 k.s.)—Total arsenic, 48 grams As_2O_3 ; sodium, 9.6 grams Na_2O (per 100 c.c.).
121/C/39	" "	"St. O'Gorman"-beesdip — St. O' Gorman Cattle Dip	Totale arseen, 64 gram As_2O_3 ; natrium, 12.9 gram Na_2O (per 100 k.s.)—Total arsenic, 64 grams As_2O_3 ; sodium, 12.9 grams Na_2O (per 100 c.c.).
122/C/39	" "	"Stogol"-beesdip—Stogol Cattle Dip	80% As_2O_3 .
79/C/39	" "	"St. O'Gorman"-natriumarseniet— St. O'Gorman Arsenite of Soda	Kadinolie, 6%—Oil of Cade, 6%.
78/C/39	" "	Flypow.....	

Registrasie-nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
76/C/39	St. O'Gorman Chemical Co., Ltd., Oos-Londen—East London	„St. O'Gorman”-skaapdippoeier— St. O'Gorman Sheep Dipping Powder	Totale swawel, 70·1%; totale arseen, 20·2% As_2O_3 ; arseen as pentoksied, sulfied en thio-arseensame-stellings, 8·8% As_2O_3 ; alkalië in verbinding, 4·4% Na_2O —Total sulphur, 70·1%; total arsenic, 20·2% As_2O_3 ; arsenic as pentoxide, sulphide and thio-arsenic compounds, 8·8% As_2O_3 ; alkalis in combination, 4·4% Na_2O .
77/C/39	„ „	Gekonsentreerde Stogolpasta-skaap-dip—Stogol Paste Concentrated Sheep Dip	Totale arseen, 26% As_2O_3 ; arseen in verbinding, 26% as arseentriksied; natrium in verbinding met arseen, uitgedruk as Na_2O , 5·3%; kresielsuur (kookpunt 180–230°) 27%—Total arsenic, 26% As_2O_3 ; arsenic in combination, 26% as arsenic trioxide; soda in combination with arsenic (expressed) as Na_2O , 5·3%; cresylic acid (boiling range 180–230°) 27%.
81/C/39	„ „	„Stogol”-huispoeier—Stogol Lice Powder	Derris-uittreksel, 6·5%—Derris Extract, 6·5%.
6/C/39	W. C. Turpin, Middelburg, Kaap-provinsie—Cape Province	Karroomiddel vir wurms in die oë van vee—Karoo Cure for worms in Eyes of Stock	Teersure, K.P., 16%; teerolies, K.P., 64%—Tar acids, B.P., 16%; tar oils, B.P., 64%.
4/C/39	„ „	Karoo-ekseemsalf vir honde—Karoo Canine Eczema Ointment	Swawel, 12½%; ru teerolie, 12½%; salisielsuur, 6½%—Sulphur, 12½%; ol. picis crude, 12½%; acidsalicylic, 6½%.
5/C/39	„ „	Karroomiddel vir seer oë by hoenders—Karoo Cure for sore Eyes in Fowls	Sinkswawel, 1%—Zinc sulph., 1%.
7/C/39	„ „	Karroomiddel vir vratte aan Kalwers—Karoo Cure for Warts in Calves	Sinkchloried, 12½%—Zinc chloride, 12½%.
8/C/39	„ „	Karoo - oorbsluismiddel—Karoo Ear Tick Remedy	Tabakekstrak (40% nikotien), 12½%; paraffien, 12½%—Tobacco extract (40% nicotine), 12½%; paraffin, 12½%.
9/C/39	„ „	Karroomiddel vir douwurm en skurfte by perde, beeste en honde—Karoo cure for Ringworm and Mange in Cattle, Horses and Dogs	Kresielsuur, 6½%; kaliumsulfuraat, 12½%—Cresylic acid, 6½%; potass. sulphurate, 12½%.
10/C/39	„ „	Karroopluiwveedip—Karooldip for Lice in Poultry	Kresols, 50%—Cresols, 50%.
11/C/39	„ „	Karroomiddel teen brommers en maaier—Karoo Blow Fly Repellent and Maggot Destroyer	Fenol, 3%; minerale olie, 50%—Phenol, 3%; mineral oil, 50%.
14/C/39	Vacuum Oil Company of S.A., Kaapstad—Capetown	Mo-lac.....	Mineraalolie, 96·8%—Mineral oils, 96·8%.
13/C/39	„ „	Flit-poeier—Flit Powder.....	Kwylwortelblomme, 94%; tubagistofekstrak, 1%—Pyrethrum flowers, 94%; tuba toxin extract, 1%.
54/C/39	Verseput Bros., Johannesburg...	Vebros Scaleg.....	Teersure, pyridine en kwylwortel, 3·5%—Tar acids, pyridine, and pyrethrum, 3·5%.
53/C/39	„ „	Vebros Dresleg.....	Salisielsuur, 12·5%; kreosoot, 2% — Salicylic acid, 12·5%; creosote, 2%.
52/C/39	„ „	Vebros-salf—Vebros Ointment.....	Fenols, 2%—Phenols, 2%.
51/C/39	„ „	Vebros-tabakbestuipingspoeier—Vebros Tobacco Dusting Powder	Natriumfluoried, 25%; tabakstof, 25%—Sodium fluoride, 25%; tobacco dust, 25%.
72/C/39	J. J. van Zyl, P/s. Blaauwkop, oor/via Morgenzon	Parasido.....	Mineraalolie, 75%; plante-olie, 20%; hulpbestanddele 1·25%; fenols, 3·75%—Mineral Oils, 75%; vege, table oil, 20%; adjuvants, 1·25%; phenols, 3·75%.

* No. 264.]

[28 February 1939.]

Onderstaande lys van veegeneesmiddels, geregistreer by die Departement van Landbou en Bosbou vir die tydperk 1 Januarie 1939 tot 31 Desember 1939 word vir algemene informasie gepubliseer:—

* No. 264.]

[28 Februarie 1939.]

The following list of stock remedies registered with the Department of Agriculture and Forestry for the period 1st January, 1939, to 31st December, 1939, is published for general information:—

Registrasie-nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
92/D/39	Allen & Hanbury's (Africa), Ltd., Durban	Wurm-kapsules vir honde en klein hondjies, „Plough”-merk — Plough Brand Worm Capsules for Dogs and Puppies	Chenopodium-olie, ekstrak van mannetjiesvaring en kalomel—Oil of chenopodium, extract of male fern and calomel.
1/D/39	Antitoxin Agency, Durban.....	Harber se galsiekte-afweermiddel—Harber's Gallsickness Antitoxin	Spesiaal gemaakte serum, 50%—Specially prepared serum, 50%.
73/D/39	British Agencies, Ltd., Johannesburg	Raymaak.....	Mineraalolies, 88%; kreosoot, 5%; naftalien, 0·5%—Mineral oils, 88%; creosote, 5%; naphthalene, 0·5%.
215/D/39	Bayer Pharma (Pty.), Ltd., Johannesburg	Acaprin (Aciron).....	N.N. (dimethylquinolylummetielsulfaat-6), 5% oplos-sing—Methly sulphate-6-urea, 5% solution.
227/D/39	„ „	Veridan „Ciff” Capsules.....	Karbon-tetrachloried, 20 gram; istin, 2·5 gram; arsenigsuur, 0·74 gram. Istin is 1, 8 dioxyanthraquinone—Carbon tetrachloride, 20 grams; Istin, 2·5 grams; arsenious acid, 0·74 grams. Istin is 1, 8 dioxyanthraquinone.
226/D/39	„ „	Surfen „C” Capsules.....	Amino-quinoline-derivaat—Amino-quinoline derivative.
228/D/39	„ „	Rephrin.....	Verbinding van rasedrin en suprarenin—Combination of rasedrin and suprarenin.
213/D/39	„ „	„Antimosan”-oplossing vir veeartsenykundige gebruik—Antimosan Solution for Veterinary Use	'n Organiese antimoonsamestelling—An organic anti-mony compound.
222/D/39	„ „	Methylene Blue „Hoechst”.....	Metileenblou—Methylene Blue.
232/D/39	„ „	Odylen.....	Mengsel van „Mitical” en kentone—Mixture of mitical and kentones.
229/D/39	„ „	Protargol.....	'n Organiese silwerverbinding—An organic silver compound.

Registrasie-nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
224/D/39	Bayer Pharma (Pty.), Ltd., Johannesburg	Omnadin.....	Proteïnes en Lipoides— <i>Proteins and lipoids.</i>
216/D/39	" " "	Ascaridol (Bayer) ad us. vet.....	Gebaseer op „Ascaridole,” die aktiewe bestanddeel van 01. <i>Chenopodii anthelmintici</i> —Based on ascaridole, the active principle of 01. <i>Chenopodii anthelmintici</i> .
231/D/39	" " "	Nemural (pyrasin) ad us. vet.....	Verbinding van 4-oxy-3-ethylaminophenyl-arseensuur en normale methyltetra-hydropyridine-beta-carboxyliesesuur methylester—Compound of 4-oxy-3-ethylaminophenyl-arsenic acid and normal methyltetra-hydropyridine-beta-carboxylic acid methylester.
219/D/39	" " "	Entoson ad us. vet.....	2-3-dimethoxy-6-nitro-9-acridine di-hydrochloride, 5-88%; 2-ethoxy-6, 9-diamino-acridine lactate, 29-44%; amyl saccharine, 58-8%; sodium biborate, 5-88%.
223/D/39	" " "	Naganol.....	The soda salt of Urea-di-M-amino-benzoyl-M-amino-P methylbenzoyl-L-naphthylamin-4, 6, 8-trisulpho-acid.
214/D/39	" " "	Aricyl.....	Natriumsout van 'n organiese suur—Sodium salt of an organic acid.
225/D/39	" " "	Trypan Blue.....	Diazo dye prepared from toluidine and sodium naphtho-lamino-disulphonic acid ($C_{24}H_{24}N_6O_{14}S_4Na_4$).
217/D/39	" " "	Carbo-Pulbit.....	Verbinding van aktiewe houtskool, bismut, subnitraat en kaolien—Combination of active charcoal, bismuth, subnitrate and kaolin.
221/D/39	" " "	Istin.....	1, 8 dioxy-anthraquinone.
218/D/39	" " "	Caporit.....	Kalsium hypochloriet ($Ca \frac{OCL}{OCL}$) bevattende naasteby 75% aktiewe chloor—Calcium hypochlorite ($Ca \frac{OCL}{OCL}$) containing approximately 75% active chlorine.
220/D/39	" " "	Igitol Pills.....	62% hexachlor-ethane—62% hexachlor-ethane.
230/D/39	" " "	Novidol.....	Aktiewe bestanddeel is bisbutylxanthogen—Active principle is bisbutylxanthogen.
40/D/39	" " "	Allegon.....	Die arseengehalte van die droë stof is 20%—The arsenic content of the dry substance is 20%.
41/D/39	" " "	Prontosil.....	Bevat di-natrium-sout—Contains di-sodium salt.
42/D/39	" " "	Rivanol.....	2-ethoxy-6-9 diamino-okridien-laktaat—2-ethoxy-6-9 diamino-acridine lactate.
43/D/39	" " "	Trypa Flavine.....	3-6 diamino-10-metiel-akridien-chloried—3-6 diamino 10-methyl-acridine chloride.
234/D/39	Cooper & Nephews, S.A. (Pty.), Ltd., Johannesburg	Cooper se veelek—Cooper's Stock Lick	Natriumchloried, 22-8%; swawel, 1-4%; ferrosulfaat, 1%; nikotien, 0-4%; fosforoksied, 11-5%; kalsium-oksied, 14-6%—Sodium chloride, 22-8%; sulphur, 1-4%; ferrous sulphate, 1%; nicotine, 0-4%; phosphoric oxide, 11-5%; calcium oxide, 14-6%.
235/D/39	" " "	Cooper se diptablette—Cooper's Dip tablets	Cooper se dipoeier, 3 grein (gelykstaande met $\frac{2}{3}$ grein As_2O_3)—Cooper's powder dip, 3 grains (equivalent to $\frac{2}{3}$ grain As_2O_3).
236/D/39	" " "	Cooper se verbeterde wurmtablette— Cooper's Worm Tablets (improved)	As_2O_3 , 14%; kopersulfaat, 60%; swawel, 20%— As_2O_3 , 14%; copper sulphate, 60%; sulphur, 20%.
237/D/39	" " "	Cooper's Worm Drench.....	Wateroplosbare arseen- en koper-verbindings, bevat-tende die ekwivalent van onderskeidelik 23% arsenig-oksied en 37% kopermetaal—Water-soluble arsenic and copper compounds, containing the equivalent of 23% arsenious oxide and 37% metallic copper, respectively.
238/D/39	" " "	Little se vloeibare skaapdip—Little's Fluid Sheep Dip	Teersure (K.P. 180-250° C.), 16 gram.; teerolies (K.P. 185-300° C.), 64 gram. (per 100 k.s.)—Tar acids (B.P. 180-250° C.), 16 grams.; tar oils (B.P. 185-300° C.), 64 grams. (per 100 c.c.).
241/D/39	" " "	Kerol.....	Feneloides, 44% (K.P. 200-300° C.); neutrale koolteer, koolwaterstowwe en basisse, 29-5%—Pheneloids, 44% (B.P. 200-300° C.), neutral coal tar, hydrocarbons and bases, 29-5%.
240/D/39	" " "	Cooper se Genesende olie—Cooper's Healing Oil	Plantaardige olie, 35-75%—Vegetable oil, 35-75%.
239/D/39	" " "	Cooper se vloeibare wurmmiddel vir honde — Cooper's Liquid Worm Remedy for Dogs	Arekolien, 0-03%; chenopodiumolie, 1-12%; plant-olie, 95-25%—Arecoline, 0-03%; oil of chenopodium, 1-12%; vegetable oil, 95-25%.
244/D/39	" " "	Cooper N.C.A. Worm Drench.....	Nikotien, 12-9%—Nicotine, 12-9%.
49/D/39	N. Coaker, Ladybrand.....	Hicks se Haarwurm-middel—Hick's Wireworm Remedy	Arsenigsuur, 7-3%; nikotien (minimum) 0-3%—Arsenious Acid, 7-3%; Nicotine, 0-3%.
141/D/39	P. J. de Jager, Aberfeldy.....	De Jager se verbeterde geneesmiddel vir knoppies- en haarwurm by skape—De Jager's Improved Re- medy for Nodular and Wire Worm in Sheep	Blouvitriool, 9%; natriumarseniet, 3-25%; skoonteer-olie, 3-5%—Copper sulphate, 9%; arsenite of soda, 3-25%; ol. picis rect., 3-5%.
39/D/39	Solomon Ebedes, Ermelo.....	Ebedes se spesifiek vir wurms — Ebedes Worm Specific	Arseen (As_2O_3), 0-28-0-33%; nikotien, 0-07-0-1%; purgeermiddelgehalte, 5%—Arsenic (As_2O_3), 0-28-0-33%; nicotine, 0-07-0-1%; purgative content, 5%.
126/D/39	French Distributing Co., Durban	Electrargol.....	Bevat koloidale silwer, 0-04%—Contains colloidal silver, 0-04%.
125/D/39	" " "	Optyre-oogdruppels—Optyre Eye Drops	Samestelling van plantaardige uittreksels—Composition of vegetable extracts.
123/D/39	Mev. (Mrs.) F. M. Gradwell, Car- lisle Bridge	Bert Bowker se haarwurm-middel— Bert Bowker's Wire Worm Cure	Sout, 64%; blouvitriool, 12%; arsenigoksied, 1-8%—Salt, 64%; bluestone, 12%; arsenious oxide, 1-8%.
2/D/39	Heynes Mathew, Ltd., Kaapstad— Capetown	Heynes se purgasie- en kondisie- posiers vir perde—Heynes' Al- ternative and Condition Powders for Horses	Soute van natrium, kalium, yster, antimoon, 37-5%; swawel, 10%; kruie, 52-5%—Salts of sodium, potassium, iron, antimony, 37-5%; sulphur, 10%; spices, 52-5%.
45/D/39	S. A. Hunt, Bonemeal and Ferti- liser Co., Ltd., Warrenton	Skaaplek No. 1, „Hunt”-merk— Hunt Brand Sheep Lick No. 1	Fynbeenmeel, 54-54%; tabak, 18-18%; sout, 18-18%; blomswawel, 7-27%—Bone flour, 54-54%; tobacco, 18-18%; salt, 18-18%; flowers of sulphur, 7-27%.
46/D/39	" " "	Skaaplek No. 2, „Hunt”-merk— Hunt Brand Sheep Lick No. 2	Beenfynmeel, 66-66%; sout, 24%; blomswawel, 8-88%—Bone flour, 66-66%; salt, 24%; flowers of sulphur, 8-88%.

Registrasie-nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
4/D/39	F. E. Holborow, Kingwilliamstown	Gow se haarwurmmiddel — <i>Gow's Remedy for Wire Worms</i>	Arsenigoksied, 7%; nikotien, 0.2%— <i>Arsenious oxide</i> , 7%; <i>nicotine</i> , 0.2%.
94/D/39	R. Hillian, Cathcart.....	A.B.-Samestelling— <i>A.B. Compound</i>	Arseniet van soda, 20%; kopersulfaat, 70%; ystersulfaat, 10%— <i>Arsenite of soda</i> , 20%; <i>cupri. sulph.</i> , 70%; <i>ferri. sulph.</i> , 10%.
93/D/39	" "	Nodulux.....	Koper, 18%; arseen, 7%— <i>Copper</i> , 18%; <i>arsenic</i> , 7%.
95/D/39	" "	Vurmex.....	Sod. arsenite, 0.52%; Nicotine sulphate, 0.6%.
204/D/39	Hill & Murray (Pty.), Ltd., Johannesburg	Bob Martin se Wurmtablette— <i>Bob Martin's Worm Nut Tablets</i>	Kamala Pulv. 16.6%; Areca Gem. Pulv., 66.6%.
205/D/39	" "	Bob Martin se Wurmpoeiers— <i>Bob Martin's Worm Powders</i>	Kamala Pulv., 16.6%— <i>Jalap. Pulv.</i> , 16.6%.
47/D/39	B. O. Kellner, Marseilles.....	Derd Cert.....	Kopersulfaat, 51.6%; arseen (As_2O_3), 7.2%— <i>Copper sulphate</i> , 51.6%; <i>arsenic</i> (As_2O_3), 7.2%.
36/D/39	R. H. Lowe, Ladysmith.....	Stopmiddel— <i>Scour Cure</i>	Katsjoepoeier, 15%; fynkancel, 8%; salisielsuur, 5%— <i>Pulv. catechu</i> , 15%; <i>Pulv. cinnamon</i> , 8%; <i>acid salicylic</i> , 5%.
37/D/39	" "	Kondisiepoeier vir perde— <i>Horse Condition Powders</i>	Swart antimoen, 8%; swawel, 20%; ystersulfaat, 6%; fyn kruie, 36%— <i>Antim. nigra.</i> , 8%; <i>sulphur</i> , 20%; <i>ferri sulph.</i> , 6%; <i>powdered spices</i> , 36%.
35/D/39	" "	Wurmpoeiers vir perde — <i>Horse Worm Powders</i>	Kopersulfaat, 4.6%; ystersulfaat, 25%; braakneut, 33.4%; antim. tart., 12.5%— <i>Cupri. sulph.</i> , 4.6%; <i>ferri. sulph.</i> , 25%; <i>nux. vomica</i> , 33.4%; <i>antim. tart.</i> , 12.5%.
38/D/39	" "	Golden Drench.....	Swawelkoolstof, 63.4 gram. — <i>Carbon disulph.</i> , 63.4 grams.
74/D/39	" "	Vee-oogwasmiddel— <i>Cattle Eye Lotion</i>	Silwernitraat, 2%; Gliserolbelladonna, 2% — <i>Argent nit.</i> , 2%; <i>glycerin belladonna</i> , 2%.
75/D/39	Lennon, Ltd., Johannesburg.....	Klensene-wurmpoeiers vir honde — <i>Klensene Worm Powders for Dogs</i>	Kamala, 40.5%.
76/D/39	" "	Lennon se „Ramshead“-haarwurmmiddel— <i>Lennon's Ramshead Wire Worm Remedy</i>	Kopersulfaat, 80%; natriumarseniet, 20% — <i>Copper sulphate</i> , 80%; <i>sodium arsenite</i> , 20%.
77/D/39	" "	Lennon se „Ramshead“-haarwurmmiddel (tabletvorm) — <i>Lennon's Ramshead Wire Worm Remedy (Tablet Form)</i>	Kopersulfaat, 80%; natriumarseniet, 20% — <i>Copper sulphate</i> , 80%; <i>sodium arsenite</i> , 20%.
78/D/39	" "	Benbow se hondemengsel— <i>Benbow's Dog Mixture</i>	Lynolie, 95%— <i>Linseed oil</i> , 95%.
79/D/39	" "	Harvey se akonietpoeiers vir perde en beeste— <i>Harvey's Aconite Powders for Horses and Cattle</i>	Akonietwortel, 8%; antim. tart., 12%; arseensuur, 40%— <i>Aconite rad.</i> , 8%; <i>antim. tart.</i> , 12%; <i>acid arsen</i> , 40%.
80/D/39	" "	Harvey se wurm- en kondisiepoeiers vir perde— <i>Harvey's Worm and Condition Powders for Horses</i>	Wit arseen, 4%— <i>Arsenic alb.</i> , 4%.
81/D/39	" "	Harvey se wurm- en kondisiepoeiers vir perde— <i>Harvey's Worm and Condition Powders for Horses</i>	Wit arseen, 4%— <i>Arsenic Alb.</i> , 4%.
82/D/39	" "	Sherley se wurmpoeiers — <i>Sherley's Worm Powders</i>	Arekaneut, 53.75%— <i>Arecae sem.</i> , 53.75%.
83/D/39	" "	Sherley se wurmkapsules vir groot honde— <i>Sherley's Worm Capsules for Large Dogs</i>	Arekaneut, 53.33%— <i>Arecae sem.</i> , 53.33%.
84/D/39	" "	Sherley se wurmkapsules vir honde— <i>Sherley's Worm Capsules for Dogs</i>	Arekaneut, 53.33%— <i>Arecae sem.</i> , 53.33%.
85/D/39	" "	Sherley se wurmkapsules vir skoot-hondjies, klein hondjies, katte en katjies— <i>Sherley's Worm Capsules for Toy Dogs, Puppies, Cats and Kittens</i>	Arekaneut, 41.86%— <i>Arecae sem.</i> , 41.86%.
86/D/39	" "	Sherley se purgasiepoeier— <i>Sherley's Alternative Powder</i>	Magnesiumsulfaat, 50%— <i>Magnesia sulphate</i> , 50%.
87/D/39	" "	Sherley se anti-diareepoeiers— <i>Sherley's Antidiarrhoea Powders</i>	Bismut-karbonaat, 66.66% — <i>Bismuth carbonate</i> , 66.66%.
88/D/39	" "	Sherley se maagtablette — <i>Sherley's Gastrine Tablets</i>	Koeksoda, 37.5%; bismutkarbonaat, 37.5%— <i>Sodium bicarb.</i> , 37.5%; <i>bismuth carb.</i> , 37.5%.
89/D/39	" "	Sherley se hondesiektemiddel— <i>Sherley's Distemper Cure</i>	Asperien, 62%— <i>Asperin</i> , 62%.
127/D/39	E. Leighton & E. Flint, The Dog Basket, Durban	Haar en velsalf vir honde— <i>Dog Coat and Skin Dressing</i>	Brandspiritus, 62%; Kamfer, 1.5%— <i>Methylated spirits</i> , 62%; <i>Camphor</i> , 1.5%.
128/D/39	" "	Honde-velsalf— <i>Dog Skin Dressing</i>	Vet, 62%; swawel, 15%— <i>Lard</i> , 62%; <i>Sulphur</i> , 15%.
114/D/39	Mager & Marsh, Ltd., Queenstown	Burton se Cathcart-middel— <i>Burton's Cathcart Cure</i>	No. 1: Arsenigoksied, 437.5 grein; No. 2: Soda carb., gedroog, 875 grein—No. 1: <i>Arsenious oxide</i> , 437.5 grains; No. 2: <i>Soda carb., exsiccata</i> , 875 grains
117/D/39	" "	Mager se poeier vir seer oë— <i>Mager's Powder for Sore Eyes</i>	Sinksulfaat, 50%— <i>Zinc sulphate</i> , 50%.
118/D/39	" "	Wurmpoeiers vir perde— <i>Horse Worm Powders</i>	Swawel, 10%; antimoenverbinding, 15%— <i>Sulphur</i> , 10%; <i>antimony compounds</i> , 15%.
116/D/39	" "	Mager se nie-spesifieke galsiektemiddel— <i>Mager's non-Specific Gall-sickness Cure</i>	Alofen, 32%; krotonolie, 4%— <i>Aloin</i> , 32%; <i>croton oil</i> , 4%.
115/D/39	" "	Mager se oogwas— <i>Mager's Eye Lotion</i>	Sinksulfaat, 1.3%; kwiksilwerchloried, 0.04%— <i>Zinc sulphate</i> , 1.3%; <i>hydrarg. perchlor.</i> , 0.04%.
101/D/39	A. D. S. Miller, Johannesburg...	Wurmkapsules— <i>Worm Capsules</i> ...	Arekaneutpoeier, 52.5%— <i>Pulv. nux areca</i> , 52.5%.
102/D/39	" "	Wurmpille vir jong honde— <i>Vermifuge Pills (Puppy)</i>	Kwassia-ekstrak, 16.6%; arekaneutpoeier, 70.8%— <i>Extract quassia</i> , 16.6%; <i>pulv. areca</i> , 70.8%.
103/D/39	" "	Wurmpoeiers— <i>Worm Powders</i>	Arekaneutpoeier, 100%— <i>Pulv. nux areca</i> , 100%.
104/D/39	" "	Hondesiektepile— <i>Distemper Pills</i> ...	Antimoenpoeier, 24.3%; rabarber- en alwynpoeier, 24.3%; fyn podwortel, 27%; kiniensulfaat, 5.5%; gemmerpoeier, 8.1%; spesery, 10.8%— <i>P. antimonialis</i> , 24.3%; <i>p. pil. rhei. ci.</i> , 24.3%; <i>p. pod. rhizome</i> , 27%; <i>quinine sulphate</i> , 5.5%; <i>p. ginger</i> , 8.1%; <i>spice</i> , 10.8%.
105/D/39	" "	Wurmkapsules— <i>Vermifuge Capsules</i>	Kwassia-ekstrak, 16.6%; arekaneutpoeier, 70.8%— <i>Extract quassia</i> , 16.6%; <i>p. areca</i> , 70.8%.

Registrasie- nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
113/D/39	A. D. S. Miller, Johannesburg....	Hondesiektepoeiers— <i>Distemper Powders</i>	No. 1: Podofillienhars, 1.5%; rabarberpoeier, E.L., 37%; jalappoeier, 61.5%—No. 1; <i>Podophyllin res.</i> , 1.5%; <i>p. rhei.</i> , E.L. 37%; <i>p. jalap.</i> , 61.5%. No. 2: Antimoonpoeier, 22.65%; ipecac., 1.9%; kaliumchloried, 67.95%—No. 2; <i>P. antimonialis</i> , 22.65%; <i>p. ipecac.</i> , 1.9%; <i>pot. chlor.</i> , 67.95%. Arekasaad-ekstrak, 43.5%; arekaneutpoeier, 50.5%— <i>Extract areca semen</i> , 43.5%; <i>p. nux areca</i> , 50.5%. Fyn aluin, 0.46%; Barbados-aalwyn, 0.08% — <i>P. alumen</i> , 0.46%; <i>aloes barb.</i> , 0.08%. Chenopodiumolie, 20%; kasterolie, 80%— <i>Ol. chenopodium</i> , 20%; <i>ol. ricini</i> , 80%.
106/D/39	" " "	Wurmpille— <i>Worm Pills</i>	Kopaivabalsem, 66.4%; terpentynolie, 33.2%; <i>ol. rutae</i> , 0.4%— <i>Copabii bals.</i> , 66.4%; <i>ol. terebinth.</i> , 33.2%; <i>ol. rutae</i> , 0.4%.
107/D/39	" " "	Roupine.....	Karbolsuur, 2.97%— <i>Acid carbol.</i> , 2.97%.
108/D/39	" " "	Rooimengsel— <i>Red Mixture</i>	Mag. Carb. Levis, 28.07%; kaliumkarb., 1.75%; spaanse peper, 14.03%; kopaivabalsem, 21.04%; <i>ol. juniperi</i> , 1.75%; olyfolie, 29.82%; gliserien, 3.54%— <i>Mag. carb. levis</i> , 28.07%; <i>pot carb.</i> , 1.75%; <i>p. capsici</i> , 14.03%; <i>bals. copabii</i> , 21.04%; <i>ol. juniperi</i> , 1.75%; <i>ol. olivae</i> , 29.82%; <i>glycerin</i> , 3.54%.
109/D/39	" " "	Vloeibare gaapsiektemiddel— <i>Liquid Gape Remedy</i>	Blomswawel, 33.7%; mag. carb. levis, 5.62%; fyn gemmer, 11.24%; fyn kamfer, 5.62%; kopaivabalsem, 11.24%; ystersulfaat, 3.37%— <i>Sulp. sub.</i> , 33.7%; <i>mag. carb. levis</i> , 5.62%; <i>p. zingib.</i> , 11.24%; <i>p. camphor</i> , 5.62%; <i>bals. copabii</i> , 11.24%; <i>ferri sulph.</i> , 3.37%.
110/D/39	" " "	Blackerite.....	2.35% As_2O_3 .
111/D/39	" " "	„Roup”-pasta— <i>Roup paste</i>	Flor. Tox, 0.4%.
112/D/39	" " "	„Roup”-pille— <i>Roup Pills</i>	Mosterdolie, 90.5%; kreosootolie, 9.5%— <i>Ol. sinapis expres.</i> , 90.5%; <i>ol. creosotum</i> , 9.5%.
181/D/39	G. Mills, Arnot.....	„Mills Redmiddel”.....	Terpentynolie, 19.42%; kreosootolie, 2.92%; mosterdolie, 77.66%— <i>Ol. terebinta</i> , 19.42%; <i>ol. creosotum</i> , 2.92%; <i>ol. sinapis expres.</i> , 77.66%.
167/D/39	Milborrow & Co., Pietermaritzburg	Milborrow se wurmpoeier— <i>Milborrow's Worm Powder</i>	Koper sulfaat, 46.7%— <i>Copper sulphate</i> , 46.7%.
159/D/39	" " "	Milborrow's Perfectol.....	Kaliumaluin, 95%— <i>Potash alum.</i> , 95%.
163/D/39	" " "	Milborrow se „Chanticleer”-parasietolie— <i>Milborrow's Chanticleer Parasite Oil</i>	Terpentyn, 21%; krotonolie, 0.01%— <i>Ol. terebinta</i> , 21%; <i>ol. croton</i> , <i>tigilium</i> , 0.01%.
90/D/39	" " "	Nikos.....	Kreosoot, 0.25%— <i>Creosote</i> , 0.25%.
161/D/39	" " "	Milborrow se oogpoeier— <i>Milborrow's Eye Powder</i>	Flor tox, 3%.
160/D/39	" " "	Milborrow's Wormol.....	Flor tox, 2%; arekaneut, 30%— <i>Flor tox</i> , 2%; <i>Areca</i> , 30%.
154/D/39	" " "	Milborrow se stopmiddel— <i>Milborrow's Blood Scour Remedy</i>	Braakwortel en verwante stowwe, 30%— <i>Impoe purga and allied substances</i> , 30%.
155/D/39	" " "	Milborrow se wurmpoeiers vir honde— <i>Milborrow's Worm Powders for Dogs</i>	Spaanse soethoutwortel, Q.S.; santoniesaad, 5.4%— <i>Glycy radix</i> , Q.S.; <i>semen santonici</i> , 5.4%.
152/D/39	" " "	Varkpoeiers— <i>Pig Powders</i>	Rabarberwortel en verwante stowwe, 5.4%— <i>Rheum. palmatum rhizome and allied substances</i> , 5.4%.
164/D/39	" " "	Milborrow se galpoeier— <i>Milborrow's Gall Powder</i>	Arsen (As ₂ O ₃), 0.15%; koper (CuSO ₄), 2%— <i>Arsenic (As₂O₃)</i> , 0.15%; <i>copper (CuSO₄)</i> , 2%.
157/D/39	" " "	Milborrow se kondisiepoeier— <i>Milborrow's Condition Powder</i>	Kaliumbromied en aromatiese tinkture, 60%— <i>Potassium bromide and aromatic tincture</i> , 60%.
156/D/39	" " "	Milborrow se gryspoeier— <i>Milborrow's Grey Powder</i>	Radix Tox, 25%.
162/D/39	" " "	Milborrow se oogmiddel— <i>Milborrow's Ophthalmia Cure</i>	Sinksulfaat, 1.38%; opiumtinktuur, 2.085%; karbolsuur, 1.38%— <i>Zinc sulphate</i> , 1.38%; <i>Tincture of opium</i> , 2.085%; <i>acid carbol.</i> , 1.38%.
165/D/39	" " "	Milborrow se blouvloeistof— <i>Milborrow's Blue Liquid</i>	Barbados-aalwyn en verwante stowwe, 20%— <i>Aloes barb. and allied substances</i> , 20%.
166/D/39	" " "	Fleefa.....	1 c.c. Koolstof-tetrachloried—1 c.c. <i>Carbon tetrachloride</i>
158/D/39	" " "	„Oculine”-oogmiddel vir beeste— <i>Oculine Ophthalmia Cure for Cattle</i>	Paraffin Molle, 25%; Paraffin Dun, 24%.
153/D/39	" " "	Milborrow se hoendermiddel— <i>Milborrow's Fowl Sickness Cure</i>	Boron, 14.2%; Aluminium, 2%.
168/D/39	" " "	Milborrow se koolstof-tetrachloried-kapsules— <i>Milborrow's Carbon Tetrachloride Capsules</i>	Adjucrant, 35%.
169/D/39	" " "	Ruby-salf— <i>Ruby Balm</i>	Arecoline Hydrobromied, 2.50%— <i>Arecoline Hydrobromide</i> , 2.50%.
170/D/39	" " "	Vagi-cura.....	Dimethylomathoxyphenol, 7.5%.
171/D/39	" " "	Dianimol-kapsules— <i>Dianimol Capsules</i>	Mag. Carb. levis, 74%; Pyrethrie Flor, 5%.
172/D/39	" " "	Milborrow se „Nonstarve”-wurmpoeier of Kapsules vir Honde— <i>Milborrow's Nonstarve Worm Powders or Capsules for Dogs</i>	Koolbisulfied, 6.2%— <i>Carbon bisulphide</i> , 6.2%.
173/D/39	" " "	Dimel White Capsules.....	Formiese Aldehyd, 1.87%— <i>Formic Aldehyde</i> , 1.87%.
151/D/39	" " "	Droë Skoon Poeier, Hydrego-merk— <i>Hydrego Dry Clean Powder</i>	Antimoon, 82.19%; Arseen, 4.11%— <i>Antimony</i> , 82.19%; <i>Arsenic</i> , 4.11%.
174/D/39	" " "	Curebot.....	Petroleum en minerale derivate, 56%— <i>Petroleum and Mineral Derivatives</i> , 56%.
175/D/39	" " "	Mastol.....	Acridiniumchloried, 0.31%— <i>Acridinium Chloride</i> , 0.31%.
176/D/39	" " "	Milborrow se wurmpoeier vir perde— <i>Milborrow's Worm Powder for Horses</i>	Mallotis Phillipensis Fruct., 80%.
177/D/39	" " "	Milborrow se brommermiddel— <i>Milborrow's Blow-fly Remedy</i>	
178/D/39	" " "	Udderine.....	
179/D/39	" " "	Milborrow se wurmpoeiers vir katte— <i>Milborrow's Worm Powders for Cats</i>	
180/D/39	" " "	Wormol.....	
182/D/39	N. Melman, Amersfoort.....	„Salmot”-kopwurmmiddel— <i>Salmot Kopworm Remedy</i>	Ol. Ricini, B.P., 78%. Minerale en Essentiële Olies, 19%; Fenol, 1%— <i>Mineral and Essential Oils</i> , 19%; <i>Phenol</i> , 1%.

Registrasie-nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
196/D/39	C. F. Marshall & Co., Johannesburg	Marshall en Kiese „Roup”-poeier— <i>Marshall & Co.'s Roup Powder</i>	Fyn gensiaan, fyn fenegriek, fyn soethoutwortel, 7% elk; fyn swart swawel, 15%— <i>Pulv. gentian, pulv. fenegreek glycerh. rad., 7% each; pulv. sulph. nig., 15%.</i>
197/D/39	„ „ „	Marshall en Kie se Purgasiepoeier— <i>Marshall & Co.'s Alternative Powder</i>	Fyn gensiaan, fyn fenegriek, fyn soethoutwortel, fyn ystersulfaat, 6% elk— <i>Pulv. gentian, pulv. fenegreek, pulv. glycerh. pulv. ferri. sulph., 6% each.</i>
198/D/39	J. F. Marshall, Ltd., Johannesburg	Marshall se „Roup”-poeier— <i>Marshall's Roup Powder</i>	Vrye swawel, 30%; mosterdolie, 0.11%— <i>Free sulphur, 30%; oil of mustard, 0.11%.</i>
201/D/39	„ „ „	Marshall se Lewermiddel— <i>Marshall's Liver Cure</i>	Magnesiumsulfaat, 9.5 grams; stopmiddels, 0.18 gram insluitende katsjoe, 0.09 gram (per 100 k.s.)— <i>Magnesium sulphate, 9.5 grams; total astringents, 0.18 grams including catechu, 0.09 grams (per 100 c.c.).</i>
202/D/39	„ „ „	Black Leaf 40.....	Nikotien, 40%— <i>Nicotine, 40%.</i>
199/D/39	„ „ „	„ Black Leaf”-Wurmpoeier— <i>Black Leaf Worm Powder</i>	Nikotien, 5%— <i>Nicotine, 5%.</i>
200/D/39	„ „ „	„ Black Leaf”-Wurmpille— <i>Black Leaf Worm Pellets</i>	Nikotien, 5%— <i>Nicotine, 5%.</i>
242/D/39	Nevill's Pharmacy, Colesberg.....	Nevs Purgasiemengsel vir Honde— <i>Nevs Alternative Dog Mixture</i>	Linum Usitatissimum, 85%.
129/D/39	Os Kop Fertilizers, Ltd., Kaapstad— <i>Capetown</i>	Gejodeerde Mineraalmengsel, Os-kop— <i>Os-kop Iodised Mineral Mixture</i>	Kalk, 34.5%; fosforoksied, 22.5%; natrium, 7%; chloor, 11.5%; swawel, 5.5%— <i>Lime, 34.5%; phosphoric oxide, 22.5%; sodium 7%; chloride, 11.5%; sulphur, 5.5%.</i>
206/D/39	Osmond & Sons (Pty.), Ltd., Oos-Londen— <i>East London</i>	Osmond se Suiweringspoeier— <i>Osmond's Scour Cordial Powder</i>	Pulv. Catechu, 10%; Cretae Prep., 26%.
207/D/39	„ „ „	Aborticene Pessaries.....	Iodoform, 4%.
208/D/39	„ „ „	Osmond se speensalf— <i>Osmond's Teat Ointment</i>	Sinkoksied, 5%— <i>Zinc Oxide, 5%.</i>
209/D/39	„ „ „	Osmond se Wurmpille— <i>Osmond's Worm Pills</i>	As ₂ O ₃ , 25%.
210/D/39	„ „ „	Osmond se Oogontstekingsmiddel— <i>Osmond's Ophthalmia Remedy</i>	Arseen, 1.4%, A ₂ O ₃ ; Kopersulfaat, 7.4%— <i>Arsenic, 1.4% A₂O₃; Cupri Sulphas, 7.4%.</i>
211/D/39	„ „ „	Osmond se Santonim-wurmpoeiers vir varke— <i>Osmond's Santonim Worm Powders for Pigs</i>	Pulv. nucis areca, 14.6%; Pulv. gentianae, 11.2%.
212/D/39	„ „ „	Osmond se Middel vir Bosluise in Ore— <i>Osmond's Ear Tick Remedy</i>	Nikotien, 2%; Teersure, 4.25%— <i>Nicotine, 2%; Tar Acids, 4.25%.</i>
124/D/39	„ „ „	Osmond se Douwurmsalf— <i>Osmond's Ringworm Ointment</i>	Sulphuris Nig., 15.82%.
51/D/39	Pearson's Hycol, Ltd., Johannesburg	Hycol No. 1.....	Teersure (K.P. 200–300° C.), 38.5 gram; koolteerkool-waterstowwe (K.P. 200–300° C.), 38.2 gram (per 100 k.s.)— <i>Tar acids (B.P. 200–300° C.), 38.5 grams; coal tar hydrocarbons (B.P. 200–300° C.), 38.2 grams (per 100 c.c.).</i>
52/D/39	„ „ „	Hycol No. 2.....	Teersure (K.P. 200–300° C.), 15.4 gram; koolteerkool-waterstowwe (K.P. 200–300° C.), 62.5 gram (per 100 k.s.)— <i>Tar acids (B.P. 200–300° C.), 15.4 grams; coal tar hydrocarbons (B.P. 200–300° C.), 62.5 grams (per 100 c.c.).</i>
53/D/39	„ „ „	Medol.....	Koolwaterstowwe, 55.63 gram; teersure, koolteerkool-waterstowwe (K.P. 200–310° C.), 3.5 gram (per 100 k.s.)— <i>Hydrocarbons, 55.63 grams; tar acids, coal tar hydrocarbons (B.P. 200–310° C.), 3.5 grams per 100 c.c.).</i>
67/D/39	Promatica Laboratories, Johannesburg	Distoline.....	Chlorazol blou— <i>blue</i> , 13%; Quininae Bi-hydrochloras, 9%.
68/D/39	„ „ „	Altero-refrigerant.....	Acetosalin, 5%; Acetpenetidum, 5%; Quininea sulfas, 1%.
69/D/39	„ „ „	Ascarinyl.....	Artimisia maritima lactone, 6%; Pulv. Nux. Areca Catechu, 30%.
70/D/39	„ „ „	Piropasmal.....	Chlorazol blou, 32½%— <i>Chlorazol blue, 32½%.</i>
71/D/39	„ „ „	Phenterol.....	Nux Areca Catechu, 25%; ol. Dryopteris Filicis Maris, 10%.
72/D/39	„ „ „	Choreatone.....	Pulv. Nucis vom., 2.5%; Pulv. Salactim, 10%.
185/D/39	Parry & Co. (Pty.), Ltd., Durban	Mag-o-tol.....	'n Mengsel van mineraal- en eterise olies bevattende 4% fenols— <i>A mixture of mineral and essential oils containing 4% phenols.</i>
186/D/39	„ „ „	Wurm-ez-ol, Graad T— <i>Worm-ez-ol, Grade T</i>	Koolstofchloriede, 50%; olies (s.g. 0.800 tot 0.875), 50%— <i>Chlorides of carbon, 50%; oils (sp. gr. 0.800–0.875), 50%.</i>
189/D/39	„ „ „	Vitalek (dubbel)— <i>Vita-Lick (double)</i>	Fosforoksied, 6%; kalsiumoksied, 9%; vrye swawel, ystersulfaat en magnesiumsulfaat, 5.7%— <i>Phosphoric oxide, 6%; calcium oxide, 9%; free sulphur, sulphate of iron and sulphate of magnesium, 5.7%.</i>
188/D/39	„ „ „	Vitalek (normaal)— <i>Vita-Lick (normal)</i>	Fosforoksied, 3.7%; kalsiumoksied, 5.5%; vrye ystersulfaat en magnesiumsulfaat, 3.5%— <i>Phosphoric oxide, 3.7%; calcium oxide, 5.5%; free sulphate of iron and sulphate of magnesium, 3.5%.</i>
190/D/39	„ „ „	Vitalek, spesiaal (dubbelsterkte)— <i>Vita-lick Special (Double Strength)</i>	Fosforoksied, 11.2%; kalsiumoksied, 12.6%; swawel ystersulfaat en magnesiumsulfaat, 9%; organiese stowwe, 19%— <i>Phosphoric oxide, 11.2%; calcium oxide, 12.6%; sulphur, ferrous sulphate and magnesium sulphate, 9%; organic matter, 19%.</i>
187/D/39	„ „ „	Vitalek, normaal (tabak)— <i>Vita-lick Norma. (Tobacco)</i>	Fosforoksied, 3.1%; kalsiumoksied, 4.4%; swawel, ystersulfaat en magnesiumsulfaat, 3.2%; organiese stowwe, 18%; tabak, 5%— <i>Phosphoric oxide, 3.1%; calcium oxide, 4.4%; sulphur, sulphate of iron or iron and sulphate of magnesium, 3.2%; organic matter, 18%; tobacco, 5%.</i>
191/D/39	„ „ „	Vitalek Super-sterkte — <i>Vita-Lick Super Strength</i>	Fosforoksied, 14.9%; kalsiumoksied, 18%; swawel, 6.8%; ystersulfaat, 4.4%; magnesiumsulfaat, 4.6%— <i>Phosphoric oxide, 14.9%; calcium oxide, 18%; sulphur, 6.8%; sulphate of iron, 4.4%; sulphate of magnesium, 4.6%.</i>

Registrasie-nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
192/D/39	Parry & Co. (Pty.) Ltd., Durban	Vitaleek-kragvoer— <i>Vita-Lick Concentrates</i>	Fosfooroksied, 16%; kalsiumoksied, 17%; swawel, 9%— <i>Phosphoric oxide, 16%; calcium oxide, 17%; sulphur, 9%.</i>
193/D/39	" " "	Kalsifos Meerdere— <i>Kalsifos Major</i>	Kalsiumoksied, 13%; fosforoksied, 4%; swawel, 1.25%— <i>Calcium oxide, 13%; Phosphoric oxide, 11%; sulphur, 1.25%.</i>
194/D/39	" " "	Kalsifos Mindere— <i>Kalsifos Minor.</i>	Kalsiumoksied, 8.6%; fosforoksied, 7.3%; swawel, .83%— <i>Calcium oxide, 8.6%; phosphoric oxide, 7.3%; Sulphur, .83%.</i>
195/D/39	" " "	Kalsifos-mineraalkragvoer— <i>Kalsifos Mineral Concentrates</i>	Kalsiumoksied, 26%; fosforoksied, 22%— <i>Calcium oxide, 26%; Phosphoric oxide, 22%.</i>
91/D/39	Powel & Daniel (Pty.) Ltd., Volksrust	Dingler se Neuswurmmiddel— <i>Dingler's Nose Worm Remedy</i>	Terpentyn, 18.4%; karbololie, 9.2%— <i>Spirits of turpentine, 18.4%; Carbolic oil, 9.2%.</i>
3/D/39	Pasmar (Pty.) Ltd., Johannesburg	„Schabok”-Veegeneesmiddel— <i>Schabok Stock Remedy</i>	Natriumarseniet, .66%; kopersulfaat, 14.2%— <i>Arsenite of soda, .66%; copper sulphate, 14.2%.</i>
132/D/39	Reliance Stock Lick Co., George	Mengsel vir beeste en skape „M.W.M.” merk— <i>M.W.M. mixture for Cattle and Sheep</i>	Fosfor, 16.9%; swawel, 4.7%— <i>Phosphorus, 16.9%; sulphur, 4.7%.</i>
131/D/39	" " "	„Reliance All-in-one”-pluimvee-minerale— <i>Reliance "All-in-one" Poultry Minerals</i>	Fosfate, 12.1%; kalk, 19.5%; chloor, 10.3%; houts-kool, 20.6%; swawel, 4.5%; yster, 4%— <i>Phosphates 12.1%; lime, 19.5%; chlorine, 10.3%; charcoal, 20.6%; sulphur, 4.5%; iron, 4%.</i>
130/D/39	" " "	„Reliance Marvel”-varkpoeier— <i>Reliance Marvel Pig Powder</i>	Fosfor, 12.45%; chloor, 5.5%; yster, 5.5%; kalsiumkarbonaat, 30.4%; swawel, 4.8%— <i>Phosphorus, 12.45%; chlorine, 5.5%; iron, 5.5%; calcium carbonate, 30.4%; sulphur, 4.8%.</i>
48/D/39	W. J. Robb, Kroonstad.....	Robb se Haarwurm- en Galsiekte-geneesmiddel— <i>Robb's Wireworm and Gall-sickness Remedy</i>	Arsenik in droë poeier, 2.24%; sout, kalk, swawel en loogas— <i>Arsenic in dry powder, 2.24%; salt, lime, sulphur and loog ash.</i>
149/D/39	St. O'Gorman Chemical Co., Ltd., Oos-Londen— <i>East London</i>	„St. O'Gorman”-veelek No. 1— <i>St. O'Gorman Stock Lick No. 1</i>	Kalsiumoksied, 16%; fosforoksied, 14%; swawel, 4% ystersulfaat, 1%; tabak, 10%; sout, 37%— <i>Calcium oxide, 16%; phosphoric oxide, 14%; sulphur, 4%; iron sulphate, 1%; tobacco, 10%; salt, 37%.</i>
150/D/39	" " "	„St. O'Gorman”-veelek No. 2— <i>St. O'Gorman Stock Lick No. 2</i>	Kalsiumoksied, 16%; fosforoksied, 14%; swawel, 4%; ystersulfaat, 1%; sout, 47%— <i>Calcium oxide, 16%; phosphoric oxide, 14%; sulphur, 4%; iron sulphate, 1%; salt, 47%.</i>
142/D/39	" " "	Vegidine Irradiated Minerals A—Beeste— <i>Cattle</i>	Ysteroksied en aluinaarde, 3.95%; kalsiumfosfaat, 26.74%; kalsiumkarbonaat, 32.96%; natrium-chloried, 16.45%— <i>Iron oxide and alumina, 3.95%; calcium phosphate, 26.74%; calcium carbonate, 32.96%; sodium chloride, 16.45%.</i>
143/D/39	" " "	Vegidine Irradiated Minerals B—Varke, kalwers en vullens— <i>Pigs, Calves and Foals</i>	Ysteroksied en aluinaarde, 5.70%; kalsiumfosfaat, 29.35%; kalsiumkarbonaat, 41.94%; natrium-chloried, 6.89%— <i>Iron oxide and alumina, 5.70%; calcium phosphate, 29.35%; calcium carbonate, 41.94%; sodium chloride, 6.89%.</i>
144/D/39	" " "	Vegidine Irradiated Minerals C—Pluimvee— <i>Poultry</i>	Ysteroksied en aluinaarde, 6.88%; kalsiumfosfaat, 25.91%; kalsiumkarbonaat, 31.45%; sout, 12.96%— <i>Iron oxide and alumina, 6.88%; calcium phosphate, 25.91%; calcium carbonate, 31.45%; salt, 12.96%.</i>
145/D/39	" " "	Vegidine Irradiated Minerals D—Skape— <i>Sheep</i>	Ysteroksied en aluinaarde, 11.05%; kalsiumkarbonaat, 27.68%; kalsiumfosfaat, 26.95%; natriumchloried, 15.57%— <i>Iron oxide and alumina, 11.05%; calcium phosphate, 26.95%; calcium carbonate, 27.68%; sodium chloride 15.57%.</i>
148/D/39	" " "	Vegidine Irradiated Minerals E—Opreggeteelde vee— <i>Blood Stock</i>	Ysteroksied en aluinaarde, 5.40%; kalsiumfosfaat, 14.31%; kalsiumkarbonaat, 36.55%; natriumchloried, 23.90%— <i>Iron oxide and alumina, 5.40%; calcium phosphate, 14.31%; calcium carbonate, 36.55%; sodium chloride, 23.90%.</i>
146/D/39	" " "	Keldine Iodine Compound.....	Ysteroksied en aluinaarde, 1.55%; kalsiumoksied 13.28%; magnesium, 0.52%; kalium, 18.16%; chloor, 22.85%; natrium, 10.16%— <i>Iron oxide and alumina, 1.55%; calcium oxide, 13.28%; magnesium, 0.52%; potassium, 18.17%; chlorine, 22.25%; sodium, 10.16%.</i>
147/D/39	" " "	Vegidine Lick Brick.....	Potassium, 18.16%; sodium, 10.6%.
50/D/39	Shaw Bros., Durban.....	Nopara.....	Koolstof-tetrachloried, 32.8%; tetrachloretilleen, 7.3%— <i>Carbon tetrachloride, 32.8%; tetrachlorethylene, 7.3%.</i>
233/D/39	H. C. Spershoff, Ficksburg.....	Sperlo-oogmiddel— <i>Sperlo Ophthalmia Cure</i>	Jodiumtinktuur, 50%; gliserien, 49%— <i>Tinct. iodine, 50%; glycerine, 49%.</i>
184/D/39	S. Sachs, Pretoria.....	Vaginaline.....	Sink, 2.1%; swawel, 1.1%; suurstof, 32%; waterstof, 2%; booron, 5.9%; koper, 4%— <i>Zinc, 2.1%; sulphur, 1.1%; oxygen, 32%; hydrogen, 2%; booron, 5.9%; copper, 4%.</i>
27/D/39	W. C. Turpin, Middelburg, K.P.—C.P.	Karomiddel vir koliek en diarree by perde— <i>Karoo Cure for Colic and Diarrhoea in Horses</i>	Swaweleteer, 19.2%; Spaanse peper-tinktuur, 11.5%; opium-tinktuur, 9.6%— <i>Ether sulph., 19.2%; tinct-capsici, 11.5%; tinct. opii, 9.6%.</i>
26/D/39	" " "	Karopoeiers vir veeartsenykundige mondiutspoeling— <i>Karoo Powders for Veterinary Mouth Wash</i>	Fyn aluin, 0.9 gram; fyn sinksulfaat, 0.45 gram; fyn kaliumpermanganaat, 0.04 gram (per 100 k.s.)— <i>Alum. pulv., 0.9 grams; zinc sulph. pulv., 0.45 grams; pot. permang. pulv., 0.04 grams (per 100 c.c.)</i>
25/D/39	" " "	Karomiddel vir seerkeel by hoenders— <i>Karoo Cure for Sore Throat in Fowls</i>	Kopersulfaat, 12.5%; fyn aluin, 12.5%— <i>Cupric sulphas, 12.5%; pulv. alum, 12.5%.</i>
24/D/39	" " "	Karomiddel vir diaree by lammers— <i>Karoo Cure for Diarrhoea in Lambs</i>	Fyn magnesiumkarbonaat, 60.3%— <i>Mag. carb. powder, 60.3%.</i>
23/D/39	" " "	Karomiddel vir diaree by kalwers— <i>Karoo Cure for Diarrhoea in Calves</i>	Looisuur, 95%— <i>Acidum tanicum, 95%.</i>
22/D/39	" " "	Karomiddel teen lintwurm by volstruise— <i>Karoo Cure for Tapeworm in Ostriches</i>	Fyn kamala— <i>Pulv. kamala.</i>

Registrasie- nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
21/D/39	W. C. Turpin, Middelburg, K.P.	Karomiddel teen „Roup” — <i>Karoo Cure for Roup</i>	Kaliumchloraat, 25%; fyn kubebe, 25% — <i>Potass. chlorass, 25%; pulv. cubebs, 25%.</i>
20/D/39	„ „ „	Karomiddel teen wurms by hoenders — <i>Karoo Cure for Worms in Fowls</i>	Terpentynolie, 9.3% — <i>Ol. terebinth, 9.3%.</i>
32/D/39	„ „ „	Karo-wurmstroop vir honde — <i>Karoo Worm Syrup for Dogs</i>	Fyn arekanout, 11% — <i>Pulv. Nucis arecae, 11%.</i>
18/D/39	„ „ „	Karomiddel teen lintwurms by kalwers — <i>Karoo Cure for Tapeworms in Calves</i>	Arseen (as As_2O_3), 1.4% — <i>Arsenic (as As_2O_3), 1.4%.</i>
17/D/39	„ „ „	Karomiddel teen lewersiekte by hoenders — <i>Karoo Cure for Liver Diseases in Fowls</i>	Kalomel — <i>Hydrag subchlor.</i>
16/D/39	„ „ „	Karomiddel teen diarree by hoenders — <i>Karoo Cure for Diarrhoea in Fowls</i>	Gesuiwerde kalk, 66.6% — <i>Cretae prep., 66.6%.</i>
15/D/39	„ „ „	Karomiddel teen lintwurms by skape — <i>Karoo Cure for Tapeworms in Sheep</i>	Arseen (As_2O_3), 2.4% — <i>Arsenic (As_2O_3), 2.4%.</i>
14/D/39	„ „ „	Karopoeiers teen ronde- en draadwurms by perde — <i>Karoo Powders for Round Worms and Thread Worms in Horses</i>	Wit arseen, 4%; fyn antimoonartaraat, 48% — <i>White arsenic, 4%; antim. tart. pulv., 48%.</i>
13/D/39	„ „ „	Karomiddels vir piep by hoenders — <i>Karoo Cure for Pip in Fowls</i>	(1) Rabarber en alwynpille; (2) Watervrye aluin — (1) <i>Pil. rhei. co.; (2) Alum ust.</i>
34/D/39	„ „ „	Karo-versterkpille vir ramme — <i>Karoo Vitalising Balls for Rams</i>	Fosfor, 0.1%; fyn damiana-ekstrak, 0.2%; spaansvlieg, 0.01% — <i>Phosphorus, 0.1%; ext. damiana pulv., 0.2%; cantharides, 0.01%.</i>
12/D/39	„ „ „	Karo-versterkpille vir bulle en hingste — <i>Karoo Vitalising Balls for Bulls and Stallions</i>	Fosfor, 0.25 gr.%; arsenigsuur, 0.33 gr.%; damiana-ekstrak, 15%; fyn spaansvlieg, 15% — <i>Phosphorus, 0.25 gr.%; acid arsenious, 0.33 gr.%; ext. damiana, 15%; cantharides pulv., 15%.</i>
11/D/39	„ „ „	Eiermakende voedsel, Karo-merk — <i>Karoo Egg-making Feed</i>	Fyn gemmer, 14.5%; fyn gensiaan, 7.2%; rooipoelier, 7.2%; blomswawel, 7.2%; kanariegruis, 21.3%; beenmeel, 21.3% — <i>Pulv. zingib., 14.5%; pulv. gentian, 7.2%; pulv. capsici, 7.2%; sulphur sub., 7.2%; crushed canary grit, 21.3%; bonemeal, 21.3%.</i>
10/D/39	„ „ „	Karomiddel teen papies — <i>Karoo Cure for Bots</i>	Fyn kwylwortelblomme, 50% — <i>Pulv. flor. pyrethri, 50%.</i>
33/D/39	„ „ „	Karo-kondisiepoeliers — <i>Karoo Condition Powders</i>	Blomswawel, 8%; fyn gemmer, 8%; fyn swart antimoon, 8%; natriumsulfaat, 18% — <i>Sulphur sub., 8%; pulv. zingib., 8%; pulv. antimon. nigr., 8%; soda sulph., 18%.</i>
9/D/39	„ „ „	Karosalf vir pokies — <i>Karoo Salve for Chicken Pox</i>	Kopersulfaat, 25% — <i>Cuprisulphas, 25%.</i>
28/D/39	„ „ „	Veeartsenykundige Karo-oogdruppels — <i>Karoo Veterinary Eye Drops</i>	Silwernitraat, 1% — <i>Silver nitrate, 1%.</i>
8/D/39	„ „ „	Karomiddel teen lewerslak by skape en beeste — <i>Karoo Cure for Fluke or Liver Rot in Sheep and Cattle</i>	Koolstof-tetrachloried pur., 50% — <i>Carbon tetrachloride pur., 50%.</i>
29/D/39	„ „ „	Karomiddel vir nie-spesifieke galsiekte by skape en beeste — <i>Karoo Cure for Non-specific Gallsickness in Sheep and Cattle</i>	Kalomel, 29.4% — <i>Hydrag. subchlor., 29.4%.</i>
7/D/39	„ „ „	Karomiddel teen haarwurm by volstruise — <i>Karoo Cure for Wireworm in Ostriches</i>	Beta-naftol — <i>Beta naphthol.</i>
6/D/39	„ „ „	Karomiddel teen stywesiekte by skape en beeste — <i>Karoo Remedy for Stiff Sickness in Sheep and Cattle</i>	Fyn braakneut, 7%; fyn gensiaan, 36% — <i>Pulv. nucis vom., 7%; pulv. gentian, 36%.</i>
5/D/39	„ „ „	Karopoeiers teen haarwurm by skape — <i>Karoo Powders for Wireworm in Sheep</i>	Kopersulfaat, 25%; arseen (as As_2O_3), 5.625% — <i>Cupric sulph., 25% (as As_2O_3), 5.625%.</i>
31/D/39	„ „ „	Karo-voorbehoedmiddel teen geilsiekte by skape — <i>Karoo Preventative for Geilsiekte in Sheep</i>	Arseen (as As_2O_3), 4.5% — <i>Arsenic (as As_2O_3), 4.5%.</i>
30/D/39	„ „ „	Karo-koorspoeliers vir skape — <i>Karoo Fever Powders for Sheep</i>	Natriumsalisilaat, 95% — <i>Sodium salicylate, 95%.</i>
96/D/39	Turner & Co., Pietermaritzburg	Diarreepoeiers vir kalwers — <i>Diarrhoea Powders for Calves</i>	Creta Prep. 53.5%; Catechu pulv., 26%.
97/D/39	„ „ „	Antiscour.....	Creta Prep., 56.5%; Catechu, 27%.
98/D/39	„ „ „	Bossik-poeiers — <i>Bossik Powders.....</i>	Kaliumnitraat, 60%; Podophyllum emodi, 20% — <i>Nitrate of Potassium, 60%; Podophyllum emodi, 20%.</i>
99/D/39	„ „ „	Electuary.....	Kaliumchloraat, 36%; Kamfer, 9% — <i>Potassium chlorate, 36%; Camphor, 9%.</i>
100/D/39	„ „ „	Oogpoeier — <i>Ophthalmia Powder.....</i>	Alum Usr., 87%.
243/D/39	Dr. C. J. en H. B. Uys, Ermelo	Kopstol.....	Koolstofdissulfied en koolstoftetrachlor — <i>Carbon Disulph. and carbon tetrachlor.</i>
133/D/39	Victoria Salt Works, Teviotstasie — Station	Victoria-beeslek No. 1 — <i>Victoria Stock Lick No. 1</i>	Kalsiumoksied, 8.6%; fosforoksied, 6.4%; beenkool, 3% — <i>Calcium oxide, 8.6%; phosphoric oxide, 6.4%; bone charcoal, 3%.</i>
134/D/39	„ „ „	Victoria-tabakbeeslek No. 2 — <i>Victoria Tobacco Stock Lick No. 2</i>	Tabak, 5%; kalsiumoksied, 8.6%; fosforoksied, 6.4%; beenkool, 3% — <i>Tobacco, 5%; calcium oxide, 8.6%; phosphoric oxide, 6.4%; bone charcoal, 3%.</i>
135/D/39	„ „ „	Spesiale „Victoria”-beeslek No. 3 — <i>Victoria Special Stock Lick No. 3</i>	Kalsiumoksied, 17.2%; fosforoksied, 12.8%; beenkool, 6% — <i>Calcium oxide, 17.2%; phosphoric oxide, 12.8%; bone charcoal, 6%.</i>
136/D/39	„ „ „	Spesiale „Victoria”-tabakbeeslek No. 4 — <i>Victoria Special Tobacco Stock Lick No. 4</i>	Tabak, 10%; kalsiumoksied, 17.2%; fosforoksied, 12.8%; beenkool, 6% — <i>Tobacco, 10%; calcium oxide, 17.2%; phosphoric oxide, 12.8%; bone charcoal, 6%.</i>
137/D/39	„ „ „	„Victoria”-tabakbeeslek No. 5, ekstra spesiaal — <i>Victoria Extra Special Tobacco Stock Lick No. 5</i>	Tabak, 20%; kalsiumoksied, 17.2%; fosforoksied, 12.8%; beenkool, 6% — <i>Tobacco, 20%; calcium oxide, 17.2%; phosphoric oxide, 12.8%; bone charcoal, 6%.</i>

Page 582. No. 302.

Determination of Localities and
Occupations where beneficiary miners
may be employed.

SEEN BY	
R.B.H.	☒
A.C.W.	☒
J.B.	☒
J.E.L.	☒
E.A.R.	☒
H.C.K.	☒
<i>Free</i>	☒

R.R.

W

b.

Registrasie- nommer. Registration No.	Naam van Persoon wat Registreer. Name of Person Registering.	Beskrywende Naam of Merk. Descriptive Name or Brand.	Vernaamste Aktiewe Bestanddele. Chief Active Ingredients.
138/D/39	Victoria Salt Works, Teviotstasie —Station	„Victoria”-beesminerale No. 6 — Victoria Cattle Minerals No. 6	Kalsiumoksied, 27.9%; fosforoksied, 20.8%; been- kool, 11%; swawel, 2%—Calcium oxide, 27.9%; phosphoric oxide, 20.8%; bone charcoal, 11%; sulphur, 2%.
139/D/39	„ „ „	Gejodiseerde „Victoria”-pluimvee- minerale—Victoria Iodised Poultry Minerals	Kalsiumoksied, 37.4%; fosforoksied, 27.8%; beenkool, 14.7%; magnesiumsulfaat, 2.5%; sout, 10%— Calcium oxide, 37.4%; phosphoric oxide, 27.8%; bone charcoal, 14.7%; magnesium sulphate, 2.5%; salt, 10%.
140/D/39	„ „ „	„Victoria”-geneesmiddel vir brom- mers—Victoria Blowfly Remedy	Olium Picis, 10%; Phenol, 5%.
119/D/39	J. J. van Zyl, Morgenzon.....	Impardo.....	Arseen (as As ₂ O ₃), 1.05%; nikotien, 1.83%; kopersul- faat, 15.7%—Arsenic (as As ₂ O ₃), 1.05%; nicotine, 1.83%; copper sulphate, 15.7%.
120/D/39	„ „ „	Nasaldi.....	Koolstofbisulfied, 7.6%; Pyrethrum opgelos in petrol, 62%—Carbon bisulphide, 7.6%; Pyrethrum dissolved in petrol, 62%.
203/D/39	C. J. van der Berg, Platrandstasie —Station	Van den Berg se „Roup”-middel— Van den Berg's Roup Cure	Rooipoeier, kerriepoeier en mosterd, 0.205% elk; olies tot 100%—Cayenne pepper, curry powder and mustard, 0.205% each; oils to 100%.
56/D/39	Verseput, Bros., Johannesburg...	Vebros Diarem.....	Kreosoot, 4.2%—Cresote, 4.2%.
55/D/39	„ „ „	Vebros Asca.....	Koolstof-tetrachloried, 40%—Carbon tetrachloride, 40%.
57/D/39	„ „ „	Vebros Luzip.....	Natriumboraat, 12%—Sodium borate, 12%.
58/D/39	„ „ „	Vebros Enteritis Cure.....	Salisielsuur, 50%—Salicylic acid, 50%.
59/D/39	„ „ „	Vebros Savechic.....	Kreosoot, 12.5%—Cresote, 12.5%.
60/D/39	„ „ „	Vebros Rouprem.....	Yster en kopersulfaat, 5%—Iron and copper sulphate, 5%.
61/D/39	„ „ „	Vebros Taenia.....	Terpentynolie, 13%—Ol. terebinth, 13%.
63/D/39	„ „ „	Vebros Tampite.....	Koolwaterstowwe, 62%; teersure en pyridien, 35%; kwywortel, 0.25%—Hydrocarbons, 62%; tar acid and pyridine, 35%; pyrethrum, 0.25%.
62/D/39	„ „ „	Vebros Tonie.....	Ysterkarbonaat, 19%—Carbonate of iron, 19%.
54/D/39	„ „ „	Vebros Nico-sul-40.....	Nikotien, 40%—Nicotine, 40%.
64/D/39	„ „ „	Vebros-tabakmineraal-skaaplek — Vebros Tobacco Mineral Sheep Lick	Tabak, 24%; totale swawel, 5.11%; P. as P ₂ O ₅ , 10.6% —Tobacco, 24%; total sulphur, 5.11%; P. as P ₂ O ₅ , 10.6%.
65/D/39	„ „ „	„Vebroo” Coxitone.....	Jodium, 0.45%; kaliumjodied, 0.70%; monsol, 0.11% Iodine, 0.45%; potassium iodide, 0.70%; monsol, —0.11%.
66/D/39	„ „ „	Tick-O.....	Minerale olie, 75%; kwywortel, 0.25%—Mineral oil, 75%; Pyrethrins, 0.25%.
44/D/39	S. J. Woollatt, Rosetta.....	Woollatt se haarwurmmiddel—Wool- latt's Wireworm Cure	Arsenigsuur, 7%; kresols, 21%—Arsenious acid, 7%; cresols, 21%.
183/D/39	Wright, Brothers, Highlands.....	Wright se kondisieiek — Wright's Condition Lick	Gesteriliseerde beenmael, 70%; ystersulfied, swawel en sout, 30%—Sterilized bone meal, 70%; iron sulphide, sulphur and salt, 30%.
121/D/39	F. W. Wileman, Claremont.....	Vermomt.....	Santonien, 7%; fyn arekanaut, 61%—Santonin, 7%; P. areca nut, 61%.
122/D/39	„ „ „	Rooi-olie—Red Oil.....	Chanopodiumolie, 8%; kamala, 2%; arekanaut, 2%— Wormseed oil, 8%; kamala, 2%; nux areca, 2%.

MINERALE- WYSIGINGS- WET

(No. 36 van 1934)

PRYS 9d. PER EKSEMPIAAR

Verkrygbaar by die Staatsdrukker,
Pretoria

MINERAL LAW AMENDMENT ACT

(No. 36 of 1934)

PRICE 9d. PER COPY

Obtainable from the Government Printer,
Pretoria

WET OP DIE KRIMINELE PROSEDURE EN BEWYS- LEWERING, 1917

(Wet No. 31 van 1917)

(Met Wysigings tot en met 1933)

PRYS 2s. 6d.

VERKRYGBAAR BY DIE STAATSDRUKKER,
PRETORIA

CRIMINAL PROCEDURE AND EVIDENCE ACT, 1917

(Act No. 31 of 1917)

(With Amendments up to and
including 1933)

PRICE 2s. 6d.

OBTAINABLE FROM THE GOVERNMENT
PRINTER, PRETORIA

ADVERTENSIES.

HERSIENE WETTE

van die Unie van Suid-
Afrika, 1910-1929
met Wysigings

Aangeteken tot 1933

Sewe dele

Deel I.—1910-1912

Deel II.—1913-1916

Deel III.—1917-1920

Deel IV.—1921-1924

Deel V.—1925-1926

Deel VI.—1927-1929

Deel VII.—Inhoudsopgawe

Prys £5. 5s. 0d. per stel van sewe boekdele

Afsonderlike boekdele kan gelewer word teen £1. 1s. 0d. per deel

Die Inhoudsopgawe Deel No. 7 kan gebruik word vir gewone Wette tot en met 1934

VERKRYGBAAR BY DIE STAATSDRUKKER, PRETORIA

REVISED STATUTES

of the Union of South
Africa, 1910-1929

with Amendments

Annotated to 1933

Seven volumes

Volume I.—1910-1912

Volume II.—1913-1916

Volume III.—1917-1920

Volume IV.—1921-1924

Volume V.—1925-1926

Volume VI.—1927-1929

Volume VII.—Index

Price £5. 5s. 0d. per set of seven volumes

Separate volumes can be supplied, price £1. 1s. 0d. per volume

The Index Volume No. 7 can be used with ordinary Statutes up to and including 1934

OBTAINABLE FROM THE GOVERNMENT PRINTER, PRETORIA