

REPUBLIC  
OF  
SOUTH AFRICA



REPUBLIEK  
VAN  
SUID-AFRIKA

G 6 8 G  
8.559

# Government Gazette

# Staatskooerant

Registered at the post office as a Newspaper

Selling price • Verkoopprys  
(GST excluded/AVB uitgesluit)

Local **50c** Plaaslik  
Other countries **70c** Buiteland  
Post free • Posvry

As 'n Nuusblad by die Poskantoor Geregistreer



Vol. 284

PRETORIA, 17 FEBRUARY 1989

No. 11704

## GOVERNMENT NOTICE

### DEPARTMENT OF NATIONAL HEALTH AND POPULATION DEVELOPMENT

No. 225

17 February 1989

AMENDMENT OF SCHEDULES 1 TO 9 TO THE MEDICINES AND RELATED SUBSTANCES CONTROL ACT, 1965 (ACT 101 OF 1965)

The Minister of National Health and Population Development has, by virtue of the powers vested in him by section 37A of the Medicines and Related Substances Control Act, 1965 (Act 101 of 1965), and on the recommendation of the Medicines Control Council, amended Schedules 1 to 9 to the said Act as indicated below. This amendment shall come into effect immediately after the date of publication of this notice.

General explanatory notes:

- (a) [ ] Words in **bold type** in brackets indicate omissions from existing enactments.
- (b) — Words underlined with solid line indicate insertions in existing enactments.
- (c) The letter "S" followed by a number in brackets e.g. (S1), (S2), etc., when appearing after an entry in a particular Schedule, is a cross-reference to any other Schedule containing an entry in respect of the substance concerned.

## SCHEDULE 1

All substances referred to in this Schedule are excluded when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes.

All substances, preparations and mixtures referred to in this Schedule are also excluded when registered and sold in terms of the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

## GOEWERMENTSKENNISGEWING

### DEPARTEMENT VAN NASIONALE GESONDHEID EN BEVOLKINGS- ONTWIKKELING

No. 225

17 Februarie 1989

WYSIGING VAN BYLAES 1 TOT 9 VAN DIE WET OP  
DIE BEHEER VAN MEDISYNE EN VERWANTE  
STOWWE, 1965 (WET 101 VAN 1965)

Die Minister van Nasionale Gesondheid en Bevolkingsontwikkeling het kragtens die bevoegdheid hom verleen by artikel 37A van die Wet op die Beheer van Medisyne en Verwante Stowwe, 1965 (Wet 101 van 1965), en op aanbeveling van die Medisynebeheerraad, Bylaes 1 tot 9 van genoemde Wet gewysig soos hieronder aangedui. Hierdie wysiging tree in werking onmiddellik na die datum van publikasie van hierdie kennisgewing.

Algemene verduidelikende notas:

- (a) [ ] Woorde in **vet druk** tussen hakies duif skrappings uit bestaande verordenings aan.
- (b) — Woorde met 'n volstreep daaronder, duif invoegings in bestaande verordenings aan.
- (c) Die letter "B" gevvolg deur 'n nommer tussen hakies, bv. (B1), (B2), ens., wat na 'n inskrywing in 'n bepaalde Bylae verskyn, is 'n kruisverwysing na 'n ander bylae wat 'n inskrywing ten opsigte van die betrokke stof bevat.

## BYLAE 1

Al die stowwe bedoel in hierdie Bylae word uitgesluit wanneer dit spesifiek verpak, geëtiketteer en gebruik word vir industriële en nie-medisinale laboratoriumdoeleindes.

Al die stowwe, preparate en mengsels bedoel in hierdie Bylae word ook uitgesluit wanneer dit ooreenkomsdig die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer en verkoop word.

All substances referred to in this Schedule include the following:

- (a) The salts and esters of such substances, where the existence of such salts and esters is possible; and
- (b) all preparations and mixtures of such substances, where such preparations and mixtures are not expressly excluded.

Acetanilide and alkyl acetanilides.

Acetyldihydrocodeine; preparations containing not more than 2,5 per cent of acetyldihydrocodeine. (S7)

Aconite alkaloids; substances, preparations and mixtures containing less than 0,02 per cent thereof. (S2).

Adrenaline (epinephrine), except inhalants and except preparations for injection and except ophthalmic preparations when intended for glaucoma. (S2, S3, S4)

Amyl nitrite.

Anethole trithione.

Anticoagulants, when intended for application to the skin. (S4)

Antimalarials; preparations containing substances in the 4-aminoquinoline, 8-aminoquinoline, diguanide and diaminopyrimidine groups of compounds, when intended specifically for malaria prophylaxis. (S4)

**[Antihistaminics when intended specifically for the treatment of travel sickness and for application to the skin.]**

Antimicrobial substances, namely bacitracin, gramicidin, polymyxin B and tyrothricin, when intended for application to the skin, nares and external ear, as excluded from the conditions of Schedule 4. (S2, S4)

Antimony potassium tartrate and antimony sodium tartrate; preparations and mixtures containing less than 1,0 per cent thereof. (S2)

Antipyrine (phenazone); preparations and mixtures, when intended for application to the skin. (S2)

Apomorphine; preparations and mixtures containing less than 0,2 per cent thereof. (S2).

Arsenic; substances, preparations and mixtures containing the equivalent of less than 0,01 per cent of arsenic trioxide. (S2)

Atropine; substances, preparations and mixtures containing less than 0,1 per cent thereof, except ophthalmic preparations. (S2, S3)

Barbituric acid and its derivatives, unless listed in another Schedule, excluding amobarbital, cyclobarbital, pentobarbital and secobarbital; preparations and mixtures containing 30 milligrams or less per minimum recommended or prescribed dose, when intended for continued use in asthma, and 50 milligrams or less per minimum recommended or prescribed dose, when intended for continued use in epilepsy. (S2, S5, S6, S7)

Bee venom, when intended for application to the skin. (S4)

Belladonna alkaloids; substances, preparations and mixtures containing less than 0,1 per cent thereof, and including belladonna plasters. (S2)

Al die stowwe bedoel in hierdie Bylae sluit die volgende in:

- (a) Die soute en esters van sodanige stowwe, waar die bestaan van sodanige soute en esters moontlik is; en
- (b) alle preparate en mengsels van sodanige stowwe, waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.

Adrenalien (epinefrien), uitgesonderd inasemmiddels en uitgesonderd preparate vir inspuiting en uitgesonderd oogpreparate wanneer bedoel vir gloukoom. (B2, B3, B4)

Akonietalkaloïde; stowwe, preparate en mengsels wat minder as 0,02 persent daarvan bevat. (B2)

Amielnitriet.

Anetooltritioon.

**[Antihistaminika wanneer spesifiek bedoel vir die behandeling van reissiekte en vir aanwending aan die vel.]**

Antimalariamiddels; preparate wat stowwe bevat in die 4-aminokinolien-, 8-aminokinolien-, diguanied- en diaminopirimidiengroep verbindings, wanneer spesifiek bedoel vir die voorkoming van malaria. (B4)

Antimikrobiese stowwe, naamlik basitrasien, gramisdien, polimiksien B en tirotrisien, wanneer bedoel vir aanwending aan die vel, neusholtes en buite-oor, soos uitgesluit van die voorwaardes in Bylae 4. (B2, B4)

Antymoonkaliumtartraat en antimoonnatriumtartraat; preparate en mengsels wat minder as 1,0 persent daarvan bevat. (B2)

Antipirien (fenasoon); preparate en mengsels, wanneer bedoel vir aanwending aan die vel. (B2)

Antistolmiddels, wanneer bedoel vir aanwending aan die vel. (B4)

Apomorfien; preparate en mengsels wat minder as 0,2 persent daarvan bevat. (B2)

Arseen; stowwe, preparate en mengsels wat die ekwivalent van minder as 0,01 persent arseentrioksied bevat. (B2)

Asetanilied en alkielasetaniliede.

Asetieldihidrokodeïen; preparate wat hoogstens 2,5 persent asetieldihidrokodeïen bevat. (B7)

Atropien; stowwe, preparate en mengsels wat minder as 0,1 persent daarvan bevat, uitgesonderd oogpreparate. (B2, B3)

Barbituursuur en die derivate daarvan, tensy in 'n ander Bylae gelys, met uitsondering van amobarbital, pentobarbital, sekobarbital en siklobarbital; preparate en mengsels wat hoogstens 30 milligram per minimum aanbevole of voorgeskrewe dosis bevat; wanneer bedoel vir aanhoudende gebruik by asma, en hoogstens 50 milligram per minimum aanbevole of voorgeskrewe dosis, wanneer bedoel vir aanhoudende gebruik by epilepsie. (B2, B5, B6, B7)

Belladonna-alkaloïde; stowwe, preparate en mengsels wat minder as 0,1 persent daarvan bevat, met inbegrip van belladonnapeleisters. (B2)

Benorylate.	Benorilaat.
Beta-aminopropylbenzene and beta-aminoisopropylbenzene as excluded from the conditions of Schedule 5. (S5)	Beta-aminopropielbenseen en beta-aminoïsopropielbenseen soos uitgesluit van die voorwaardes in Bylae 5. (B5)
Beta-carotene, when intended for medicinal purposes.	Betakaroteen, wanneer bedoel vir medisinale doeleindes.
Bioallethrin.	Bioalletrien.
Bitolterol.	Bitolterol.
Calabar bean alkaloids; substances, preparations and mixtures containing less than 0,2 per cent thereof. (S2)	Braakneut; stowwe, preparate en mengsels wat minder as 0,2 persent strignien bevat. (B2)
Calcium salts; preparations thereof, when intended for injection.	Byegif, wanneer bedoel vir aanwending aan die vel. (B4)
Camylofin.	Chlooramien, wanneer bedoel vir menslike vaginale gebruik.
Cantharidin; substances, preparations and mixtures containing less than 0,01 per cent thereof. (S2)	<b>[Chlorodien (Tinktuur van Chloroform en Morfien BP 1980); preparates and mengsels wat hoogstens 5,0 per cent or less chlorodyne in combination with other medicinal ingredients in such a manner that it cannot be recovered by readily applicable means or in a yield that would constitute a risk to public health.]</b>
Canthaxanthin, when intended for medicinal purposes.	Chlorodien ("Chloroform and Morphine Tincture BP 1980") of enige preparaat of mengsel daarvan beskryf as chlorodien; preparates en mengsels wat hoogstens 5,0 per cent chlorodien in samestelling met ander aktiewe medisinale bestanddele bevat. (B7)
Chloramine, when intended for human vaginal use.	Chloroform, uitgesonderd stowwe, preparate en mengsels wat minder as 20 persent chloroform bevat.
<b>[Chlorodyne (Tincture of Chloroform and Morphine BP 1980); preparations and mixtures containing 5,0 per cent or less chlorodyne in combination with other medicinal ingredients in such a manner that it cannot be recovered by readily applicable means or in a yield that would constitute a risk to public health.]</b>	Dapsoon en die derivate daarvan, tensy in 'n ander Bylae gelys; preparates en mengsels spesifiek bedoel vir die voorkoming van malaria. (B4)
Chlorodyne (Chloroform and Morphine Tincture BP 1980) or any preparation or mixture thereof described as chlorodyne; preparations and mixtures containing 5,0 per cent or less of chlorodyne in combination with other active medicinal ingredients. (S7)	Dekstrometorfaan. (B7)
Chloroform, except substances, preparations and mixtures containing less than 20 per cent of chloroform.	Dialisaatpreparate.
Clanobutin.	Dihidrokodeïen; mengsels wat hoogstens 2,5 persent dihidrokodeïen bevat. (B7)
Clonidine, when intended for the treatment of migraine. (S3)	Diklofenak, wanneer bedoel vir aanwending aan die vel. (B3)
<b>[Cocaine; preparations containing 0,1 per cent or less cocaine, calculated as cocaine alkaloid.]</b>	<b>[Dimenhydrinaat wanneer spesifiek bedoel vir die behandeling van reissiekte.]</b>
Codeine (methylmorphine); mixture containing not more than 2,5 per cent of codeine. (S7)	Efedra-alkaloïede (natuurlik of sinteties); preparates en mengsels wat bedoel is vir aanwending aan die vel, oë, ore en neusholtes en wat hoogstens 1,0 persent efedra-alkaloïede bevat, en ander preparates en mengsels wat hoogstens 30 milligram efedrien of efedra-alkaloïede per dosis bevat. (B2)
Contrast media.	Eksien; medisianle preparates en mengsels daarvan wat bedoel is vir aanwending aan die vel en wat hoogstens 1,0 persent eksien bevat. (B3)
Cresol and phenol; preparations and mixtures containing 3,0 per cent or more of either of these substances.	Etakridien.
Dapsone and its derivatives, unless listed in another Schedule; preparations and mixtures intended specifically for malaria prophylaxis. (S4)	Eter (diëtieleter); alle stowwe, preparates en mengsels wat meer as 20 persent eter bevat.
Dextromethorphan. (S7)	Etielfenielefrien.
Dialysate preparations.	Etielmorfien; mengsels wat hoogstens 2,5 persent etielmorfien bevat. (B7)
<b>Diclophenac, when intended for application to the skin. (S3)</b>	<b>Etofenamaat, wanneer bedoel vir aanwending aan die vel.</b>
Dihydrocodeine; mixtures containing 2,5 per cent or less of dihydrocodeine. (S7)	Fedrlaat.
<b>[Dimenhydrinate when intended specifically for the treatment of travel sickness.]</b>	
Ephedra alkaloids (natural or synthetic); preparations and mixtures intended for application to the skin, eyes, ears and nares and containing 1,0 per cent or less of ephedra alkaloids, and other preparations and mixtures containing not more than 30 milligrams of ephedrine or ephedra alkaloids per dose. (S2)	

Escin (aescin); medicinal preparations and mixtures thereof intended for application to the skin and containing 1,0 per cent or less of escin. (S3)

Ethacridine.

Ether (diethyl either); all substances, preparations and mixtures containing more than 20 per cent of ether.

Ethylmorphine; mixtures containing 2,5 per cent or less of ethylmorphine. (S7)

Ethylphenylephrine.

Etofenamate, when intended for application to the skin.

Fedrilate.

Fenbendazole.

Flufenamic acid, when intended for application to the skin. (S3)

Fluorescein, when intended for ophthalmic use.

Fluorides; oral medicinal preparations and mixtures thereof containing less than 0,25 milligrams of fluorine as fluoride per recommended daily dose. (S2)

Gamma benzene hexachloride; human medicinal preparations and mixtures containing more than 1,0 per cent thereof, when intended for application to the skin.

Gelsemium alkaloids; substances, preparations and mixtures containing less than 0,1 per cent thereof. (S2)

Glycosaminoglycan polysulphate (previously mucopolysaccharide poly-sulphuric acid ester), when intended for application to the skin. (S4)

Homatropine; preparations and mixtures containing less than 0,1 per cent thereof, except ophthalmic preparations. (S2, S3)

Hormones (natural or synthetic), with either hormonal or anti-hormonal action, when intended for application to the skin or for human vaginal use. (S3, S4)

Halogenated hydroxyquinolines, when intended for application to the skin. (S4)

Hyoscine; substances, preparations and mixtures containing less than 0,1 per cent thereof. (S2)

Indanazoline.

Indomethacin, when intended for application to the skin. (S3)

Injections, unless listed in another Schedule.

Iopromide.

Ipecacuanha alkaloids; substances, preparations and mixtures thereof containing more than 0,01 per cent and less than 0,2 per cent alkaloids, calculated as emetine. (Also see Schedule 4 under "emetine".)

Lactobacillus acidophilus and Lactobacillus bifidus, when intended for therapeutic purposes.

Lead acetate.

Lead plaster and its combinations.

Live attenuated measles virus.

Live attenuated rubella virus.

Fenbendasool.

Fenielbutasoon en die derivate daarvan, wanneer bedoel vir aanwending aan die vel, tensy in 'n ander Bylae gelys. (B4)

Fenielefrien, uitgesonderd oogpreparate wat hoogstens 0,2 persent fenielefrien bevat.

Flufenaamsuur, wanneer bedoel vir aanwending aan die vel. (B3)

Fluoresceïen, wanneer bedoel vir oftalmiese gebruik.

Fluoriede; mondlike medisinale preparate en mengsels daarvan wat minder as 0,25 milligram fluoor as fluoried per aanbevole daaglikske dosis bevat. (B2)

Foledrien.

Folkodien; mengsels wat hoogstens 2,5 persent folkodien bevat. (B7)

Fosfolipiede, wanneer dit vir terapeutiese doeleindes aangewend word.

Gammabenseenheksachloried; medisinale preparate en mengsels vir menslike gebruik wat meer as 1,0 persent daarvan bevat, wanneer bedoel vir aanwending aan die vel.

Gehalogeneerde hidroksikinoliene, wanneer bedoel vir aanwending aan die vel. (B4)

Gelsemiumalkaloïde; stowwe, preparate en mengsels wat minder as 0,1 persent daarvan bevat. (B2)

Glikosaminoglykanpolisulfaat (voorheen mukopolisakariedpoliswaalzuurester), wanneer bedoel vir aanwending aan die vel. (B4)

Hiossien; stowwe, preparate en mengsels wat minder as 0,1 persent daarvan bevat. (B2)

Homatropien; preparate en mengsels wat minder as 0,1 persent daarvan bevat, uitgesonderd oogpreparate. (B2, B3)

Hormone (natuurlik of sinteties) met of hormonale of antihormonale werking, wanneer bedoel vir aanwending aan die vel of vir menslike vaginale gebruik. (B3, B4)

Indanasolien.

Indometasien, wanneer bedoel vir aanwending aan die vel. (B3)

Insputings, tensy in 'n ander Bylae gelys.

Iopromied.

Ipekakuana-alkaloïde; stowwe, preparate en mengsels daarvan wat meer as 0,01 persent en minder as 0,2 persent alkaloïde, bereken as emetien, bevat. (Sien ook Bylae 4 onder "emetien".)

Kalabarboontjie-alkaloïde; stowwe, preparate en mengsels wat minder as 0,2 persent daarvan bevat. (B2)

Kaliumchloried, wanneer bedoel vir intraveneuse infusie of vir insputing. (B2)

Kaliumdichromaat.

Kalsiumsoute; preparate daarvan, wanneer bedoel vir insputing.

Kamilofien.

Kantaridien; stowwe, preparate en mengsels wat minder as 0,01 persent daarvan bevat. (B2)

Lobelia alkaloids; substances, preparations and mixtures containing less than 0,5 per cent thereof. (S2)	Kantaxantien, wanneer bedoel vir medisinale doeleinades.
Local anaesthetics, except when intended for ophthalmic and parenteral use. (S4)	Kinien; preparate en mengsels wat meer as 1,0 persent daarvan bevat.
Lysozyme, when intended for application to the skin. (S4)	Klanobutien.
Macrogolethers, when intended for human vaginal use.	Klonidien, wanneer bedoel vir die behandeling van migraine. (B3)
Mercuric ammonium chloride.	Kodeïen (metielmorphien); mengsels wat hoogstens 2,5 persent kodeïen bevat. (B7)
Mercuric chloride; substances, preparations and mixtures containing less than 1,0 per cent thereof. (S2)	[Kokaiën; preparate wat hoogstens 0,1 persent kokaïen bereken as kokaïenalkaloïed, bevat.]
Mercuric iodide.	Kontrasmedia.
Mercuric oxides; substances, preparations and mixtures thereof, except those containing less than 3,0 per cent of mercury.	Kresol en fenol; preparate en mengsels wat 3,0 persent of meer van een van hierdie stowwe bevat.
Mercury organic compounds; substances, preparations and mixtures not in the form of aerosols and intended for application to the skin or mucous membranes and containing less than the equivalent of 0,6 per cent of elemental mercury. (S2)	Kwik(II)ammoniumchloried.
Metacresol sulphonic acid formaldehyde, when intended for human vaginal use.	Kwik(II)chloried; stowwe, preparate en mengsels wat minder as 1,0 persent daarvan bevat. (B2)
Methoxyphenamine.	Kwik(II)jodied.
Microfibrillar collagen hydrochloride.	Kwik(II)oksiede; stowwe, preparate en mengsels daarvan, uitgesonderd dié wat minder as 3,0 persent kwik bevat.
Morphine; mixtures containing 0,2 per cent or less of morphine, calculated as anhydrous morphine. (S7)	Kwik organiese verbindings; stowwe, preparate en mengsels wat nie in die vorm van aërosols is nie en wat bedoel is vir aanwending aan die vel of slymvliese en wat minder as die ekwivalent van 0,6 persent elementale kwik bevat. (B2)
<u>Naphazoline, when intended for nasal use.</u>	<u>Lactobacillus acidophilus en Lactobacillus bifidus</u> , wanneer bedoel vir terapeutiese doeleinades.
Nicotinic acid; oral medicinal preparations and mixtures thereof containing more than 30 milligrams per recommended daily dose.	<u>Lewende verswakte maselvirus.</u>
Nitrofurantoin, when intended for application to the skin. (S4)	<u>Lewende verswakte rubellavirus.</u>
Nitrofurazone, when intended for application to the skin. (S4)	Lisosiem, wanneer bedoel vir aanwending aan die vel. (B4)
Nitroscanate.	Lobelia-alkaloïde; stowwe, preparate en mengsels wat minder as 0,5 persent daarvan bevat. (B2)
Norcodeine; mixtures containing 2,5 per cent or less of norcodeine. (S7)	Lokale anestetika; uitgesonderd wanneer bedoel vir oftalmiese en parenterale gebruik. (B4)
Nux vomica; substances, preparations and mixtures containing less than 0,2 per cent of strychnine. (S2)	Loodasetaat.
Opium; mixtures containing not more than 0,2 per cent of morphine, calculated as anhydrous morphine. (S7)	Loodpleister en die samestellings daarvan.
Ornidazole, when intended for application to the skin. (S4)	Makrogoleters, wanneer bedoel vir menslike vaginale gebruik.
Oxibendazole.	Metakresolsulfoonsuur-formaldehyd, wanneer bedoel vir menslike vaginale gebruik.
<u>Oxymetazoline, when intended for nasal use.</u>	Metoksifinenamien.
<u>Pancreatic enzyme-containing preparations, unless listed in another Schedule.</u>	Mikrofibrillêre kollageenhidrochloried.
Papaverine; substances, preparations and mixtures containing less than 0,2 per cent thereof. (S2)	Morfien; mengsels wat hoogstens 0,2 persent morfien, bereken as anhidriese morfien, bevat. (B7)
Phenylbutazone and its derivatives, when intended for application to the skin, unless listed in another Schedule. (S4)	Nafasolien, wanneer bedoel vir gebruik in die neus.
	Natriumkromoglikaat.
	Natriumpentosaanpolisulfaat.
	Nikotiensiuur; mondlike medisinale preparate en mengsels daarvan wat meer as 30 milligram per aanbevole daaglikske dosis bevat.
	Nitrofurantoïen, wanneer bedoel vir aanwending aan die vel. (B4)

Phenylephrine, except ophthalmic preparations containing 0,2 per cent or less of phenylephrine.

Pholcodine; mixtures containing 2,5 per cent or less of pholcodine. (S7)

Pholedrine.

Phospholipids, when applied for therapeutic purposes.

Piperonyl butoxide.

Potassium chloride, when intended for intravenous infusion or for injection. (S2)

Potassium dichromate.

**[Propylhexedrine; nose preparations and inhalants thereof.]**

Propylhexedrine, when used as a vasoconstrictor and decongestant in nose preparations and inhalants. (S4)

Proteolytic (fibrinolytic) enzymes for oral use and when intended for application to the skin, unless listed in another Schedule, and except when intended for injection and except when intended for soft contact lens cleaners. (S4)

Pyridoxilate.

Quinine; preparations and mixtures containing more than 1,0 per cent thereof.

*Radix valeriana* and its extracts; preparations and mixtures containing more than 10 per cent thereof.

Sabadilla alkaloids; substances, preparations and mixtures containing less than 1,0 per cent thereof. (S2)

Sodium cromoglycate.

Sodium pentosan polysulphate.

**[Solcoseryl; ophthalmic preparations and preparations thereof intended for application to the skin.]**

Solcoseryl; preparations thereof intended for application to the skin, to the mucous membranes of the mouth and to the lips. (S3, S4)

Strychnine; preparations and mixtures containing less than 0,2 per cent thereof, except the substance. (S2, S4)

Sulphonamides, when intended for application to the eyes, nares and vagina. (S4)

Tetrahydrozoline, when intended for nasal use.

Theophylline and its derivatives, unless listed in another Schedule, except preparations for infection and except inhalants. (S2, S4)

Ticlatone.

Tolmetin, when intended for application to the skin. (S3)

L-tryptophan, when intended for medicinal use as supplementation for nutritional purposes. (S5)

Xylometazoline, when intended for nasal use.

Nitrofurason, wanneer bedoel vir aanwending aan die vel. (B4)

Nitroskanaat.

Norkodeïn; mengsels wat hoogstens 2,5 persent norkodeïn bevat. (B7)

Oksibendasool.

Oksimetasolien, wanneer bedoel vir gebruik in die neus.

Opium; mengsels wat hoogstens 0,2 persent morfien, bereken as anhidriese morfien, bevat. (B7)

Ornidasool, wanneer bedoel vir aanwending aan die vel. (B4)

Pankreasensiembewattende preparate, tensy in 'n ander Bylae gelys.

Papawerien; stowwe, preparate en mengsels wat minder as 0,2 persent daarvan bevat. (B2)

Piperonielbutoksied.

Piridoksilaat.

**[Propielheksedrien; neuspreparate en inasemmiddels daarvan.]**

Propielheksedrien, wanneer gebruik as 'n bloedaatvernouer en ontstuwer in neuspreparate en inasemmiddels. (B4)

Proteolitiese (fibrinolitiese) ensieme vir mondlike gebruik en wanneer bedoel vir aanwending aan die vel, tensy in 'n ander Bylae gelys en uitgesonderd wanneer bedoel vir inspuiting en uitgesonderd wanneer bedoel vir sagtekontak-lens-reinigers. (B4)

*Radix valeriana* en die ekstrakte daarvan; preparate en mengsels wat meer as 10 persent daarvan bevat.

Sabadilla-alkaloïede; stowwe, preparate en mengsels wat minder as 1,0 persent daarvan bevat. (B2)

**[Solkoseriel; oogpreparate en preparate daarvan wanneer bedoel vir aanwending aan die vel.]**

Solkoseriel; preparate daarvan bedoel vir aanwending aan die vel, aan die slymvlies van die mond en aan die lippe. (B3, B4)

Strignien; preparate en mengsels wat minder as 0,2 persent daarvan bevat, uitgesonderd die stof. (B2, B4)

Sulfoonamiede, wanneer bedoel vir aanwending aan die oë, neusholtes en vagina. (B4)

Teofillien en die derivate daarvan, tensy in 'n ander Bylae gelys, uitgesonderd preparate vir inspuiting en uitgesonderd inasemmiddels. (B2, B4)

Tetrahidrosolien, wanneer bedoel vir gebruik in die neus.

Tiklatoon.

Tolmetien, wanneer bedoel vir aanwending aan die vel. (B3)

L-triptofaan, wanneer bedoel vir medisinale gebruik as aanvulling vir voedingkundige doeleindes. (B5)

Xilometasolien, wanneer bedoel vir gebruik in die neus.

**SCHEDULE 2**

All substances referred to in this Schedule are excluded when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes.

All substances, preparations and mixtures referred to in this Schedule are also excluded when registered and sold in terms of the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

All substances referred to in this Schedule include the following:

- (a) The salts and esters of such substances, where the existence of such salts and esters is possible; and
- (b) all preparations and mixtures of such substances, where such preparations and mixtures are not expressly excluded.

Acetarsol, when intended for human vaginal use.

Acetylcysteine.

Aconite alkaloids; substances, preparations and mixtures containing 0,02 per cent or more thereof. (S1)

Adrenaline (epinephrine), when intended for inhalation. (S1, S3, S4)

**[Alkaloids and glycosides; all poisonous alkaloids and glycosides and their salts not specifically named in any Schedule.]**

Alkaloids and glycosides; all other alkaloids and glycosides not specifically named in any other Schedule.

Aminopentamide.

**[Amobarbital, cyclobarbital, pentobarbital and seco-barbital; preparations and mixtures thereof containing 30 milligrams or less per minimum recommended or prescribed dose, when intended for continued use in asthma and epilepsy.]**

Amobarbital, cyclobarbital and pentobarbital; preparations and mixtures thereof containing 30 milligrams or less per minimum recommended or prescribed dose, when intended for continued use in asthma, and 50 milligrams or less per minimum recommended or prescribed dose, when intended for continued use in epilepsy. (S1, S5, S6)

**[Antihistaminics; unless listed in another Schedule, except preparations and mixtures thereof when intended specifically for the treatment of travel sickness and for application to the skin.]**

Antihistaminics, irrespective of indication or dosage form, unless listed in another Schedule. (S5)

Antimicrobial substances, namely clotrimazole, mupirocin, natamycin and nystatin, when intended for application to the skin, nares and external ear, as excluded from the conditions of Schedule 4. (S1, S4)

Antimony potassium tartrate and antimony sodium tartrate; substances, preparations and mixtures containing 1,0 per cent or more thereof. (S1)

Antipyrine (phenazone), except preparations and mixtures, when intended for application to the skin. (S1)

Apomorphine; preparations and mixtures containing 0,2 per cent or more thereof. (S1)

**BYLAE 2**

Al die stowwe bedoel in hierdie Bylae word uitgesluit wanneer dit spesifiek verpak, geëtiketteer en gebruik word vir industriële en nie-medisinale laboratoriumdoeleindes.

Al die stowwe, preparate en mengsels bedoel in hierdie Bylae word ook uitgesluit wanneer dit ooreenkomsdig die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer en verkoop word.

Al die stowwe bedoel in hierdie Bylae sluit die volgende in:

- (a) Die soute en esters van sodanige stowwe, waar die bestaan van sodanige soute en esters moontlik is; en
- (b) alle preparate en mengsels van sodanige stowwe, waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.

Adrenalien (epinefrien), wanneer bedoel vir inhalasie. (B1, B3, B4)

Akonietalkaloïede; stowwe, preparate en mengsels wat 0,02 persent of meer daarvan bevat. (B1)

**[Alkaloïede en glikosiede; alle giftige alkaloïede en glikosiede en hulle soute wat in geen bylae uitdruklik genoem word nie.]**

Alkaloïede en glikosiede; alle ander alkaloïede en glikosiede wat nie uitdruklik in enige ander Bylae genoem word nie.

Aminopentamied.

**[Amobarbital, siklobarbital, pentobarbital, sekobarbital; preparate en mengsels daarvan wat hoogstens 30 milligram per minimum aanbevole of voorgeskrewe dosis bevat wanneer bedoel vir aanhoudende gebruik by asma en epilepsie.]**

Amobarbital, pentobarbital en siklobarbital; preparate en mengsels daarvan wat hoogstens 30 milligram per minimum aanbevole of voorgeskrewe dosis bevat, wanneer bedoel vir aanhoudende gebruik by asma, en wat hoogstens 50 milligram per minimum aanbevole of voorgeskrewe dosis bevat, wanneer bedoel vir aanhoudende gebruik by epilepsie. (B1, B5, B6)

**[Antihistaminika, tensy in 'n ander bylae gelys, uitgesonderd preparate en mengsels wanneer spesiaal bedoel vir die behandeling van reissiekte en vir aanwending aan die vel].**

Antihistaminika, ongeag die indikasie of doseervorm, tensy in 'n ander Bylae gelys. (B5)

Antimikrobiiese stowwe, naamlik klotrimasool, mupirocien, natamisien en nistatien, wanneer bedoel vir aanwending aan die vel, neusholtes en buite-oor, soos uitgesluit van die voorwaardes in Bylae 4. (B1, B4)

Antimoonkaliumtartraat en antimoonnatriumtartraat; stowwe, preparate en mengsels wat 1,0 persent of meer daarvan bevat. (B1)

Antipirien (fenasoen), uitgesonderd preparate en mengsels, wanneer bedoel vir aanwending aan die vel. (B1)

Apomorfien; preparate en mengsels wat 0,2 persent of meer daarvan bevat. (B1)

Aptocaine.	Aptokaïen.
Arecoline.	Arekoliën.
Arsenic; substances, preparations and mixtures containing the equivalent of 0,01 per cent or more of arsenic trioxide. (S1)	Arseen; stowwe, preparate en mengsels wat die ekwivalent van 0,01 persent of meer arseentrioksied bevat. (B1).
“AS XVII” (“Spasmo-Urgenin”).	“AS XVII” (“Spasmo-Urgenin”).
Atropine; substances, preparations and mixtures containing 0,1 per cent or more thereof, except ophthalmic preparations. (S1, S3)	Atropien; stowwe, preparate en mengsels wat 0,1 persent of meer daarvan bevat, uitgesonderd oogpreparate. (B1, B3).
Belladonna alkaloids; substances, preparations and mixtures containing 0,1 per cent or more thereof, excluding belladonna plasters. (S1)	Belladonna-alkaloïde; stowwe, preparate en mengsels wat 0,1 persent of meer daarvan bevat, uitgesonderd belladonnapleisters. (B1).
Benproperine.	Benproperien.
Benzethonium chloride, when intended for human vaginal use.	Benzetoniumchloried, wanneer bedoel vir menslike vaginale gebruik.
<u>Bifonazole, when intended for application to the skin.</u>	<u>Bifonasool, wanneer bedoel vir aanwending aan die vel.</u>
<u>Biologicals, when intended for human use.</u>	<u>Biologiese middels, wanneer bedoel vir menslike gebruik</u>
<b>[Bismuth salts when intended for oral use.]</b>	<b>[Bismutsoute wanneer vir orale gebruik bedoel.]</b>
<u>Bismuth, when intended for oral use.</u>	<u>Bismut, wanneer bedoel vir mondlike gebruik.</u>
Bovonium metilsulphate.	Bovoniummetilsultaat.
Bromhexine.	Bromheksien.
<u>Bromides; preparations and mixtures thereof containing less than 80 milligrams of bromine as bromide per recommended daily dose. (S5)</u>	<u>Bromiede; preparate en mengsels daarvan minder as 80 milligram broom as bromied per aanbevole daagliks dosis bevat. (B5)</u>
Bufexamac, when intended for application to the skin.	Bufeksamak, wanneer bedoel vir aanwending aan die vel.
Butinoline.	Butinolien.
Calabar bean alkaloids; substances, preparations and mixtures containing 0,2 per cent or more thereof. (S1)	“Camphorated Opium Tincture BP”.
Calcium dobesilate.	Chloorheksidien, wanneer bedoel vir menslike vaginale gebruik.
Camphorated Opium Tincture BP.	Chloormesanoon, mengsels daarvan waar die maksimum aanbevole of voorgeskrewe dosis nie 100 milligram chloormesanoon oorskry nie. (B5)
Cantharidin; substances, preparations and mixtures containing 0,01 per cent or more thereof. (S1)	Chloorprenalien.
Carbocisteine.	Chloorsoksasoon.
Carbuterol, except when intended for injection. (S4)	Difenoksiën (of difenoksiëlsuur); mengsels wat per doseringseenheid hoogstens 0,5 milligram difenoksiën, as die basis bereken, bevat asook 'n hoeveelheid atropiensulfaat gelyk aan minstens 5,0 persent van die hoeveelheid difenoksiën, as die basis bereken, in die mengsel. (B7)
Carisoprodol.	Difenoksilaat; preparate wat hoogstens 2,5 milligram difenoksilaat, as die basis bereken, en minstens 25 mikrogram atropiensulfaat per doseringseenheid bevat. (B7)
Chlorhexidine, when intended for human vaginal use.	<b>[Dimenhidrinaat, uitgesoderd wanneer spesifiek bedoel vir die behandeling van reissiekte.]</b>
Chlormezanone; mixtures thereof where the maximum recommended or prescribed dose does not exceed 100 milligrams of chlormezanone. (S5)	Diosmine.
Chlorprenaline.	Disiklomien.
Chlorzoxazone.	Ditiasanien.
Cyclandelate.	D-norpseudoëfedrien.
Cylopentolate, except ophthalmic preparations thereof. (S3)	Domperidoon.
Dicyclomine.	
Difenoxin (or diphenoxyllic acid); mixtures containing, per dosage unit, 0,5 milligrams or less of difenoxin, calculated as the base, and a quantity of atropine sulphate equal to at least 5,0 per cent of such quantity of difenoxin, calculated as the base, as is present in the mixture. (S7)	
Diosmine.	
<b>[Dimenhydrinate except when intended specifically for the treatment of travel sickness.]</b>	

Diphenoxylate; preparations containing not more than 2,5 milligrams of diphenoxylate, calculated as the base, and not less than 25 micrograms of atropine sulphate per dosage unit. (S7)

Dithiazanine.

D-norpseudoephedrine.

Domperidone.

Econazole, when intended for application to the skin. (S4)

Emepronium.

Ephedra alkaloids (natural or synthetic), except preparations and mixtures intended for application to the skin, eyes, ears and nares and containing 1,0 per cent or less of ephedra alkaloids, and other preparations and mixtures containing 30 milligrams or less of ephedrine or ephedra alkaloids per dose. (S1)

Ergot alkaloids (natural or synthetic), when intended for the treatment of migraine. (S4)

Exalamide.

Felbinac, when intended for application to the skin.

Fenoterol, except when intended for injection or for the prevention or delay of labour. (S4)

Fenticonazole, when intended for application to the skin.

Flavoxate.

Flucytosine, when intended for application to the skin. (S4)

Fluorides; oral medicinal preparations and mixtures thereof containing 0,25 milligrams or more of fluorine as fluoride per recommended daily dose. (S1)

Furazolidone, except preparations thereof intended for addition to animal feeds. (S4)

Gelsemium alkaloids; substances, preparations and mixtures containing 0,1 per cent or more thereof. (S1)

Glycopyrronium.

Hexametazime.

Hexoprenaline, except when intended for injection or for the prevention or delay of labour. (S4)

Homatropine; preparations and mixtures containing 0,1 per cent or more thereof, except ophthalmic preparations. (S1, S3)

Hydrocortisone and hydrocortisone acetate, when used as a single active ingredient in a maximum concentration of 0,5 per cent in preparations intended for application to the skin. (S4)

Hydroquinone; preparations and mixtures containing 2 per cent or less thereof, when intended for medicinal use. (S3)

Hyoscine; substances, preparations and mixtures containing 0,1 per cent or more thereof. (S1)

Ibuprofen, when used in oral medicinal preparations as a single active ingredient where the recommended daily dose does not exceed 1,2 grams, except when intended for treatment of inflammatory joint diseases. (S3)

Efedra-alkaloïde (natuurlik of sinteties), uitgesonderd preparate en mengsels wat bedoel is vir aanwending aan die vel, oë, ore en neusholtes en wat hoogstens 1,0 persent efedra-alkaloïde bevat, en ander preparate en mengsels wat hoogstens 30 milligram efedrien of efedra-alkaloïde per dosis bevat. (B1)

Ekonasool, wanneer bedoel vir aanwending aan die vel. (B4)

Eksalamied.

Emepronium.

Ergotalkaloïde (natuurlik of sinteties), wanneer bedoel vir die behandeling van migraine. (B4)

Felbinak, wanneer bedoel vir aanwending aan die vel.

Fenasopiridien.

Fenielpropanolamien.

Fenoterol, uitgesonderd wanneer bedoel vir inspuiting of vir die voorkoming of vertraging van kraam. (B4)

Fentikonasool, wanneer bedoel vir aanwending aan die vel.

Flavoksaat.

Fluoride; mondlike medisinale preparate en mengsels daarvan wat 0,25 milligram of meer fluoor as fluoried per aanbevole daaglikske dosis bevat. (B1)

Flusitosien, wanneer bedoel vir aanwending aan die vel. (B4)

Furasolidoon, uitgesonderd preparate daarvan bedoel vir toevoeging by dierevoedsels. (B4)

Gelsemiumalkaloïde; stowwe, preparate en mengsels wat 0,1 persent of meer daarvan bevat. (B1)

Glikopirronium.

Heksametasiem.

Heksoprenalien, uitgesonderd wanneer bedoel vir inspuiting of vir die voorkoming of vertraging van kraam. (B4)

Hidrokinoon; preparate en mengsels wat hoogstens 2 persent daarvan bevat, wanneer bedoel vir medisinale gebruik. (B3)

Hidrokortisoon en hidrokortisonasetaat, wanneer gebruik as 'n enkele aktiewe bestanddeel in 'n maksimum konsentrasie van 0,5 persent in preparate bedoel vir aanwending aan die vel. (B4)

Hiossien; stowwe, preparate en mengsels wat 0,1 persent of meer daarvan bevat. (B1)

Homatropien; preparate en mengsels wat 0,1 persent of meer daarvan bevat, uitgesonderd oogpreparate. (B1, B3)

Ibuprofeen, wanneer gebruik in mondlike medisinale preparate as 'n enkele aktiewe bestanddeel waar die aanbevole daaglikske dosis nie 1,2 gram oorskry nie, uitgesonderd wanneer bedoel vir die behandeling van inflammatoriese gewrigsiektes. (B3)

Idoksuridien, wanneer bedoel vir aanwending aan die vel. (B4)

Imidasool, wanneer bedoel vir aanwending aan die vel.

**[Inasemmiddels wat adrenalien (epinefrien) of teofilien in enige hoeveelheid bevat.]**

Iodoxuridine, when intended for application to the skin. (S4)	Insulien, in noodgevalle. (B3)
Imidazole, when intended for application to the skin.	Ipratropiumbromied.
<b>[Inhalants containing adrenaline (epinephrine) or theophylline in any quantity.]</b>	Isoaminiel.
Insulin, in cases of emergency. (S3)	Isokonasool, wanneer bedoel vir aanwending aan die vel. (B4)
Ipratropium bromide.	Isoprenalien (isoproterenol), uitgesonderd wanneer bedoel vir inspuiting. (B4)
Isoaminile.	Isopropamied.
Isoconazole, when intended for application to the skin. (S4)	Isosorbied, in noodgevalle. (B3)
Isoprenaline (isoproterenol), except when intended for injection. (S4)	Kalabarboontjie-alkaloïde; stowwe, preparate en mengsels wat 0,2 percent of meer daarvan bevat. (B1)
Isopropamide.	<b>[Kaliumpchloried wanneer bedoel vir orale gebruik waar die voorgeskrewe dosis 20 millimol kaliump (1 500 mg kaliumpchloried) of minder is per etmaal.]</b>
Isosorbide, in cases of emergency. (S3)	<u>Kaliumpchloried, uitgesonderd wanneer bedoel vir intraveuse infusie of vir inspuiting en uitgesonderd wanneer dit in mondlike rehidrasiepreparate voorkom.</u> (B1)
Ketoconazole, when intended for application to the skin. (S4)	Kalsiumdobesilaat.
<u>Ketotifen.</u>	Kantardien; stowwe, preparate en mengsels wat 0,01 percent of meer daarvan bevat. (B1)
Lobelia alkaloids; substances, preparations and mixtures containing 0,5 per cent or more thereof. (S1)	Karbosisteïen.
Loperamide.	Karbuterol, uitgesonderd wanneer bedoel vir inspuiting. (B4)
<u>Loratadine.</u>	Karisoprodol.
Malathion.	<u>Ketokonasool, wanneer bedoel vir aanwending aan die vel.</u> (B4)
Mebendazole.	<u>Ketotifeen.</u>
Mebeverine.	Kwik(II)chloried; stowwe, preparate en mengsels wat 1,0 percent of meer daarvan bevat. (B1)
Mepenzolate bromide.	Kwik organiese verbindings, uitgesonderd stowwe, preparate en mengsels wat nie in die vorm van aerosols is nie en wat bedoel is vir aanwending aan die vel of slymvliese en wat minder as die ekwivalent van 0,6 percent elementale kwik bevat. (B1)
Mercuric chloride; substances, preparations and mixtures containing 1,0 per cent or more thereof. (S1)	Lobelia-alkaloïde; stowwe, preparate en mengsels wat 0,5 percent of meer daarvan bevat. (B1)
Mercury organic compounds, except substances, preparations and mixtures not in the form of aerosols and intended for application to the skin or mucous membranes, and containing less than the equivalent of 0,6 per cent of elemental mercury. (S1)	Loperamied.
Mesna.	<u>Loratadien.</u>
Metaproterenol (orciprenaline), except when intended for injection or for the prevention or delay of labour. (S4)	Malation.
Methenamine (hexamine), except when intended for application to the skin.	Mebendasool.
Methixene.	Mebeverien.
Methocarbamol.	Mefenesien.
Miconazole, when intended for application to the skin, and when intended for human vaginal use. (S4)	Mepensolaatbromied.
Nitroglycerine, when intended for medicinal use in cases of emergency. (S3)	Mesna.
Nux vomica; substances, preparations and mixtures containing 0,2 per cent or more of strychnine. (S1)	Metaproterenol (orsiprenalien), uitgesonderd wanneer bedoel vir inspuiting of vir die voorkoming of vertraging van kraam. (B4)
Octatropine methylbromide.	Metenamien (heksamien), uitgesonderd wanneer bedoel vir aanwending aan die vel.
Oleoresin of aspidium (Filix Mas).	Metikseen.
Orphenadrine.	Metokarbamol.
<u>Orthodichlorobenzene, when intended for human medicinal use.</u>	

Oxyphencyclimine.	Mikonasool, wanneer bedoel vir aanwending aan die vel en wanneer bedoel vir menslike vaginale gebruik. (B4)
Oxyphenonium.	Nitrogliserien, wanneer bedoel vir medisinale gebruik in noodgevalle. (B3)
Papaverine; substances, preparations and mixtures containing 0,2 per cent or more thereof. (S1)	Oksifenonium.
<u>Paradichlorobenzene, when intended for human medicinal use.</u>	Oksifensiklimien.
Pentaerythritol tetrannitrate, in cases of emergency. (S3)	Oktatropienmetielbromied.
Pentoxifylline.	Oliehars van aspidium (Filix Mas).
Phenazopyridine.	Orfenadrien.
Phenylpropanolamine.	<u>Ortrodichloorbenseen, wanneer bedoel vir menslike medisinale gebruik.</u>
Pinaverium.	Papawerien; stowwe, preparate en mengsels wat 0,2 persent of meer daarvan bevat. (B1)
Pipenzolate.	<u>Paradichloorbenseen, wanneer bedoel vir menslike medisinale gebruik.</u>
Pipoxolan.	Pentaëritritoltetranitraat, in noodgevalle. (B3)
Pirbuterol.	Pentoksifillien.
Pizotifen; preparations and mixtures, when intended for prophylaxis of migraine. (S5)	Pinaverium.
Podophyllum resin; preparations and mixtures containing 20 per cent or less thereof. (S4)	Pipensolaat.
Poldine methylsulphate.	Pipoksolaan.
<b>[Potassium chloride when intended for use where the prescribed dose is 20 millimol potassium (1 500 mg potassium chloride) or less thereof per 24 hours.]</b>	Pirbuterol.
<u>Potassium chloride, except when intended for intravenous infusion or for injection and except when contained in oral rehydration preparations. (S1)</u>	Pirodifenium.
Providone iodine, when intended for human vaginal use.	Pisotifeen; preparate en mengsels daarvan, wanneer bedoel vir die voorkoming van migraine. (B5)
Prifinium bromide.	Podofillumhars; preparate en mengsels wat hoogstens 20 persent daarvan bevat. (B4).
Procaterol.	Poldienmetielsulfaat.
Procyclidine.	Povidonjodium, wanneer bedoel vir menslike vaginale gebruik.
Proglumide.	Prifiniumbromied.
Propantheline bromide.	Proglumied.
<u>Propentofylline, when intended for veterinary use.</u>	Prokaterol.
Propyphenazone.	Propantelenbromied.
Pyrodifenium.	<u>Propentofillien, wanner bedoel vir veterinêre gebruik.</u>
<u>Reprotorol.</u>	Propifenasoon.
Rimiterol, except when intended for injection. (S4)	Prosiklidien.
Sabadilla alkaloids; substances, preparations and mixtures containing 1,0 per cent or more thereof. (S1)	Reprotorol.
Salbutamol, except when intended for injection. (S4)	Rimiterol, uitgesonderd wanneer bedoel vir inspuiting. (B4)
Salmefamol, except when intended for injection. (S4)	Sabadilla-alkaloïde; stowwe, preparate en mengsels wat 1,0 persent of meer daarvan bevat. (B1)
<u>Siccanin, when intended for application to the skin.</u>	Salbutamol, uitgesonderd wanneer bedoel vir inspuiting. (B4)
Strychnine; preparations and mixtures containing 0,2 per cent or more thereof, except the substance. (S1, S4)	Salmefamol, uitgesonderd wanneer bedoel vir inspuiting. (B4)
	<u>Sikkanien, wanneer bedoel vir aanwending aan die vel.</u>
	Siklandelaat.
	Siklopentolaat, uitgesonderd oogpreparate daarvan. (B3)
	Strignien; preparate en mengsels wat 0,2 persent of meer strignien bevat, uitgesonderd die stof. (B1, B4)

Terbutaline.  
Theophylline, when intended for inhalation. (S1, S4)  
Timepidium.  
 Tioconazole, when intended for application to the skin.  
 (S4)  
Trimebutine.  
Tulobuterol.

### SCHEDULE 3

All substances referred to in this Schedule are excluded when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes.

All substances, preparations and mixtures referred to in this Schedule are also excluded when registered and sold in terms of the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

All substances referred to in this Schedule include the following:

- (a) The salts and esters of such substances, where the existence of such salts and esters is possible; and
- (b) all preparations and mixtures of such substances, where such preparations and mixtures are not expressly excluded.

Acebutolol.  
Acetazolamide.  
Acetohexamide.  
Acetylcholine, when intended for ophthalmic use.  
 Adrenaline (epinephrine); ophthalmic preparations thereof, when intended for glaucoma. (S1, S2, S4)  
Alclofenac.  
Allopurinol.  
Alprenolol.  
Amiloride.  
5-aminosalicylic acid.  
Ancrod.  
Anthiolimine, when intended for injection.  
Arsanilic acid.  
Atenolol.  
Atropine; ophthalmic preparations thereof. (S1, S2)  
Azapropazone.  
Beclamide.  
Benfluorex.  
Benoaprofen.  
Benzbromarone.  
Benzydamine.  
Bepridil.  
Beta-benzalbutyramide.  
 Beta-galactosidase, when intended for therapeutic purposes.

Teofillien, wanneer bedoel vir inhalasie. (B1, B4)

Terbutalien.  
Timepidium.  
 Tiokonasool, wanneer bedoel vir aanwending aan die vel. (B4)

Trimebutien.  
Tulobuterol.

### BYLAE 3

Al die stowwe bedoel in hierdie Bylæ word uitgesluit wanneer dit spesifiek verpak, geëtiketteer en gebruik word vir industriële en nie-medisinale laboratoriumdoeleindes.

Al die stowwe, preparate en mengsels bedoel in hierdie Bylæ word ook uitgesluit wanneer dit ooreenkomsdig die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer en verkoop word.

Al die stowwe bedoel in hierdie Bylæ sluit die volgende in:

- (a) Die soute en esters van sodanige stowwe, waar die bestaan van sodanige soute en esters moontlik is; en
- (b) alle preparate en mengsels van sodanige stowwe, waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.

Adrenalien (epinefrien); oogpreparate daarvan, wanneer bedoel vir gloukoom. (B1, B2, B4)

Alklofenak.  
Allopurinol.  
Alprenolol.  
Amiloried.  
5-aminosalisielsuur.  
Ankrod.  
Antiolimien, wanneer bedoel vir inspuiting.  
Arsanielsuur.  
Asapropasoon.  
Asebutolol.  
Asetolasolamied.  
Asetielcholien, wanneer bedoel vir oftalmiese gebruik.  
Asetoheksamied.  
Atenolol.  
Atropien; oogpreparate daarvan. (B1, B2)  
Beklamied.  
Benfluoreks.  
Benoksaprofeen.  
Bensbromaroon.  
Bensidamien.  
Bepridiel.  
Besafibraat.  
Betabensalbutiramied.

Betahistine.	Betagalaktosidase, wanneer bedoel vir terapeutiese doel-eindes.
<u>Betaxolol.</u>	Betahistien.
Bethanidine.	<u>Betaksolol.</u>
<u>Bevantolol.</u>	Betanidien.
Bezafibrate.	<u>Bevantolol.</u>
<u>Bisoprolol.</u>	Bisoprolol.
Buflomedil.	Buflomediel.
Buformin.	Buformien.
Bumetanide.	Bumetanied.
Calcium disodium edetate, when intended for injection.	Chenodeoksicholsuur.
<u>Carazolol.</u>	Chloorasaniel.
Carbachol; ophthalmic preparations thereof, when intended for glaucoma. (S4)	Chlooreksoloon.
Carbamazepine.	Chloorpropamied.
Carbenoxolone, except when intended for application to the oral mucosa.	Chloortalidoon.
Carprofen.	Chloortiasied en ander derivate van benzo-1,2,4-tiadiazien-7-sulfoonamide-1,1-dioksied, hetsy gehidrogeneer al dan nie, insluitende hidrochloortiasied, bendofluasied, benstiasied, siklopentiasied, hidroflumetasied, metchloortiasied en politiasied.
Carteolol.	Cholestipol.
Chenodeoxycholic acid.	Chromonar.
Chlorazanil.	Debrisokien.
Chlorexolone.	Dichloorfenamied.
Chlorothiazide and other derivatives of benzo-1,2,4-thiadiazine-7-sulphonamide-1,1-dioxide, whehter hydrogenated or not, including hydrochlorothiazide, bendofluazide, benzthiazide, cyclopenthiazide, hydroflumethiazide, metchlorothiazide and polythiazide.	Diflunisal.
Chlorpropamide.	Diftaloon.
Chlorthalidone.	Digitalis; die glikosiede en ander aktiewe bestanddele daarvan, tensy verdun tot minder as een eenheid (BP) in elke 2,0 gram.
Cholestipol.	<u>Diklofenak, uitgesonderd wanneer bedoel vir aanwending aan die vel.</u> (B1)
Chromonar.	Dihidroërgokristien.
Clofibrate.	Diltiasem.
Clonidine, except when intended for the treatment of migraine. (S1)	Dimerkaprol, wanneer bedoel vir inspuiting.
Colchicine.	Dipiridamool.
Copper salts, when intended for injection for veterinary use.	Dipirosetiel.
Cyclopentolate; opthalmic preparations thereof. (S2)	Dipivefrien.
Debrisoquine.	Ditranol.
Dichlorphenamide.	Doksasosien.
<b>[Diclophenac sodium.]</b>	Endralasien.
<u>Diclophenac, except when intended for application to the skin.</u> (S1)	Eskien, uitgesonderd preparate en mengsels daarvan wat bedoel is vir aanwending aan die vel en wat hoogstens 1,0 persent eskien bevat. (B1)
Diflunisal.	Eskulien, wanneer bedoel vir mondlike gebruik.
Diftalone.	Etakriensuur.
Dihydroergocristine.	Etambutol.
Digitalis; its glycosides and other active principles thereof, unless diluted below one unit (BP) in each 2,0 grams.	Etionamied, wanneer bedoel vir mondlike gebruik.
Diltiazem.	Etisasool.
Dimercaprol, when intended for injection.	<u>Etodolak.</u>
<u>Dipivefrin.</u>	

<u>Dipyridamole.</u>	<u>Etodoliensuur.</u>
<u>Dipyrocetyl.</u>	<u>Etosuksimied.</u>
<u>Dithranol.</u>	<u>Funbufeen.</u>
<u>Doxazosin.</u>	<u>Fendilien.</u>
<u>Endralazine.</u>	<u>Fenformien.</u>
Escin (aescin), except preparations and mixtures thereof intended for application to the skin and containing 1,0 per cent or less of escin. (S1)	Fenitoïen.
Esulin, when intended for oral use.	Fenklofenak.
Ethacrynic acid.	<u>Fenofibraat.</u>
Ethambutol.	Fenoksimetielpenisillien, wanneer bedoel vir die voorcoming van rumatiekkoors. (B4)
Ethionamide, when intended for oral use.	<u>Fenoprofeen.</u>
Ethosuximide.	<u>Fentiasak.</u>
Etisazol.	<u>Fentolamien.</u>
<u>Etodolac.</u>	Fisostigmien; oogpreparate daarvan, wanneer bedoel vir gloukoom. (B4)
<u>Etodolic acid.</u>	<u>Floktafenien.</u>
Fenbufen.	Flufenaamsuur, uitgesonderd preparate en mengsels bedoel vir aanwending aan die vel. (B1)
Fenclofenac.	<u>Fluniksienmeglumien.</u>
Fendiline.	<b>[Flurbiprofen.]</b>
Fenofibrate.	Flurbiprofen, uitgesonderd wanneer bedoel vir oftalmiese gebruik. (B4)
Fenoprofen.	<u>Furosemied.</u>
Fentiazac.	Gammaglobulien, wanneer bedoel vir inspuiting.
Floctafenine.	<u>Gemfibrosiel.</u>
Flufenamic acid, except preparations and mixtures intended for application to the skin. (S1)	Glafenien.
Flunixim meglumine.	Glibenklamied.
<b>[Flurbiprofen.]</b>	Glibornuried.
Flurbiprofen, except when intended for ophthalmic use. (S4)	Glikasied.
Furosemide.	Glimidien.
Gamma globulin, when intended for injection.	Glipisied.
<u>Gemfibrozil.</u>	<u>Guanabens.</u>
Glafenine.	Guanetidien.
Glibenclamide.	Guanfasien.
Glibenclamide.	Guanoksaan.
Glibornuride.	Hidralasien.
Glicazide.	Hidrokinoon; preparate en mengsels daarvan wat meer as 2,0 persent hidrokinoon bevat. (B2)
Glimidine.	Homatropien; oogpreparate daarvan. (B1, B2)
Glipizide.	Hormone (natuurlik of sinteties), wanneer bedoel as mondeline voorbehoedmiddels. (B1, B4)
<u>Guanabenz.</u>	Ibuprofeen, wanneer spesifiek bedoel vir die behandeling van inflammatoriese gewrigsiektes. (B2)
Guanethidine.	Indapamied.
Guanfacine.	Indometasien, uitgesonderd wanneer bedoel vir aanwending aan die vel. (B1)
Guanoxan.	Indoprofeen.
Homatropine; ophthalmic preparations thereof. (S1, S2)	Indoramien.
Hormones (natural or synthetic), when intended for oral contraception. (S1, S4)	Insulien, uitgesonderd in noodgevalle. (B2)
Hydralazine.	Isoksikaam.
Hydroquinone; preparations and mixtures thereof containing more than 2,0 per cent of hydroquinone. (S2)	
Ibuprofen, when specifically intended for the treatment of inflammatory joint diseases. (S2)	

Indapamide.	Isoniasied en die derivate daarvan, tensy in 'n ander Bylae gelys.
Indomethacin, except when intended for application to the skin. (S1)	Isosorbied, uitgesonderd in noodgevalle. (B2)
Indoprofen.	Ivermektien.
Indoramin.	<b>[Kaliumchloried wanneer bedoel vir orale gebruik waar die aanbevole dosis meer as 20 millimol kalium (1 500 mg kaliumchloried) per etmaal is.]</b>
Insulin, except in cases of emergency. (S2)	Kaliumkanrenoaat.
Iron salts, when intended for injection.	Kalsiumdinatriumedetaat, wanneer bedoel vir inspuiting.
Isoniazid and its derivatives, unless listed in another Schedule.	<u>Karasolol.</u>
Isosorbide, except in cases of emergency. (S2)	Karbachol; oogpreparate daarvan, wanneer bedoel vir gloukoom. (B4)
Isoxicam.	Karbamasepien.
Ivermectin.	Karbenoksoloon, uitgesonderd wanneer bedoel vir aangewend aan die slymvlies van die mond.
<u>Ketanserin.</u>	Kaprofeen.
Ketoprofen.	Karteolol.
<b>[Ketotifen.]</b>	<u>Ketanserien.</u>
Labetalol.	Ketoprofeen.
<u>Levobunolol.</u>	<b>[Ketotifen.]</b>
Lidoflazine.	Klofibraat.
<u>Lonazolac.</u>	Klonidien, uitgesonderd wanneer bedoel vir die behandeling van migraine. (B1)
Meclofenamic acid.	Kolgisten.
Mefenamic acid.	Kopersoute, wanneer bedoel vir inspuiting vir veterinêre gebruik.
Mepindolol.	Labetalol.
Mesulphene.	<u>Levobunolol.</u>
Metformin.	Lidoflasien.
Methimazole.	<u>Lonasolak.</u>
Methsuximide.	Mefenaamsuur.
Methyldopa and its esters.	Meklofenaamsuur.
Metipranolol.	Mepindolol.
Metolazone.	Mesulfeen.
Metoprolol.	Metformien.
<u>Nabumetone.</u>	Metyldopa en die esters daarvan.
Nadolol.	Metimasool.
Naftidrofuryl.	Metipranolol.
Naproxen.	Metolasoon.
<u>Nicardipine.</u>	Metoprolol.
Nicotine, when intended for human medicinal use.	Metsuksimied.
Nifedipine.	<u>Nabumetoon.</u>
Niflumic acid.	Nadolol.
<u>Nimodipine.</u>	Naftidrofuriel.
<u>Nitrendipine.</u>	Naprokseen.
Nitroglycerine, when intended for medicinal use, except in cases of emergency. (S2)	<b>[Natriumdiklofenak.]</b>
Oxaprozin.	<b>[Natriumvalproaat.]</b>
Oxovinca.	Nifedipien.
Oxprenolol.	Niflumiensuur.
Oxybutynin.	
Pancrelipase.	
Para-aminosalicylic acid and its esters.	

Penbutolol.	<u>Nikardipien.</u>
Penicillinase, when intended for injection.	Nikotien, wanneer bedoel vir menslike medisinale gebruik.
Pentaerythritol tetranitrate, except in cases of emergency. (S2)	<u>Nimodipien.</u> <u>Nitrendipien.</u>
Pentolinium.	Nitrogliserien, wanneer bedoel vir medisinale gebruik, uitgesonderd in noodgevalle. (B2)
Phenformin.	Oksaprofien.
Phenoxymethylenicillin, when intended for the prophylaxis of rheumatic fever. (S4)	Oksibutinien.
Phentolamine.	Oksovinka.
Phenytoin.	Oksprenolol.
Physostigmine; ophthalmic preparations thereof, when intended for glaucoma. (S4)	Pankrelipase.
Pilocarpine; ophthalmic preparations thereof intended for glaucoma. (S4)	Paraäminosalisielsuur en die esters daarvan.
Pindolol.	Penbutolol.
Piracetam.	Penisillinase, wanneer bedoel vir inspuiting.
Piretanide.	Pentaëritritoltetranitraat, uitgesonderd in noodgevalle. (B2)
Piroxicam.	Pentolinium.
Pirprofen.	Pilokarpien; oogpreparate daarvan bedoel vir gloukoom. (B4)
Potassium canrenoate.	Pindolol.
<b>[Potassium chloride when intended for oral use where the prescribed dose is more than 20 millimol of potassium (1 500 mg of potassium chloride) per 24 hours.]</b>	Pirasetam.
Practolol.	Pirasinamied, wanneer bedoel vir mondlike gebruik.
Pralidoxime, when intended for injection.	Piretanied.
Prazosin.	Piritioksien.
Primidone.	Piroksikaam.
Probenecid.	Pirprofeen.
Probucol.	Praktolol.
Proctofene.	Pralidoksiem, wanneer bedoel vir inspuiting.
Propranolol.	Prasosien.
Proquazone.	Primidoon.
<u>Proscillaridine.</u>	Probenesied.
<b>[Proteolytic enzymes when intended for injection.]</b>	Probukol.
Prothionamide, when intended for oral use.	Proktofeen.
<i>Pygeum africanum</i> (lipido-sterolic complex extract thereof).	Prokasoon.
Pyrazinamide, when intended for oral use.	Propranolol.
Pyrithioxin.	<u>Proskillaridien.</u>
Raubasine.	<b>[Proteolitiese ensieme wanneer bedoel vir inspuiting.]</b>
Rauwolfia alkaloids.	Protonamied, wanneer bedoel vir mondlike gebruik.
Reserpine (natural or synthetic).	<i>Pygeum africanum</i> (lipido-steroliesekompleks-ekstrak daarvan).
Roxarzone (3-nitro-4-hydroxyphenylarsonic acid), when intended for veterinary use.	Rauwolfia-alkaloïede.
<b>[Sodium valproate.]</b>	Reserpien (natuurlik of sinteties).
Solcoseryl; ophthalmic preparations thereof. (S1, S4)	Roksarsoon (3-nitro-4-hidroksifeniolarsoonsuur), wanneer bedoel vir veterinêre gebruik.
	Roubasien.
	Siklopentolaat; oogpreparate daarvan. (B2)

Sotalol.	<u>Silimarien.</u>
Spironolactone.	Sinksoute vir mondlike inname waar die daaglikse dosis meer as 50 miligram elementale sink is.
Strophanthus; its glycosides and their hydrolysis products, and their derivatives, unless listed in another Schedule.	Skildklier en die aktiewe bestanddele en derivate daarvan, tensy in 'n ander Bylae gelys.
Sulindac.	<u>Solkoseriel; oogpreparate daarvan. (B1, B4)</u>
Sulotidil.	Somepirak.
Sulphinpyrazone.	Sotalol.
Sulthiame.	Spironolaktoon.
Suprofen.	Strofantis; die glikosiede daarvan en hul hidroliseprodukte, en hul derivate, tensy in 'n ander Bylae gelys.
<u>Sylimarin.</u>	Sulfienpirasoon.
<u>Tenoxicam.</u>	Sulindak.
<u>Terazosin.</u>	Suloktidiel.
Terizidone.	Sultiaam.
<u>Terodiline.</u>	Suprofeen.
Thiacetazone.	<u>Tenoksikaam.</u>
Thyroid gland and its active principles and derivatives, unless listed in another Schedule.	<u>Terasosien.</u>
Tiaprofenic acid.	Terisidoon.
Timolol.	<u>Terodilien.</u>
Tolamolol.	Tiaproveensuur.
Tolazamide.	Tiasetasoon.
Tolbutamide.	Timolol.
Tolfenamic acid.	Tolamolol.
Tolmetin, except when intended for application to the skin. (S1)	Tolasamied.
Tretinoïn.	Tolbutamied.
Triamterene.	Tolfenaamsuur.
Tricaine.	Tolmetien, uitgesonderd wanneer bedoel vir aanwending aan die vel. (B1)
Trimethadione.	Tretinoïen.
Tropicamide.	Triamtereën.
Ursodeoxycholic acid.	Trikaïen.
<u>Valproic acid and its derivatives, unless listed in another Schedule.</u>	Trimetadioon.
Verapamil (ipoveratril).	Tropikamied.
Veratrum alkaloids.	Ursodeoksicholsuur.
Vincamine.	<u>Valproësuur en die derivate daarvan, tensy in 'n ander Bylae gelys.</u>
Vinpocetine.	Verapamiel (improveratriel).
<b>[Vitamin A; preparations thereof for injection.]</b>	Veratrumalkaloïede.
<u>Vitamin A; preparations thereof for injection and oral preparations and mixtures thereof containing more than 10 000 I.U. per recommended daily dose.</u>	Vinkamien.
Vitamin D; preparations thereof for injection and oral preparations and mixtures thereof containing more than 500 I.U. per recommended daily dose.	Vinposestien.
Xipamide.	<b>[Vitamien A; preparate daarvan vir inspuiting.]</b>
Zinc salts for oral ingestion where the daily dose is more than 50 milligrams of elemental zinc.	<u>Vitamien A; preparate daarvan vir inspuiting en mondlike preparate en mengsels daarvan wat meer as 10 000 I.E. per aanbevole daaglikse dosis bevat.</u>
Zomepirac.	Vitamien D; preparate daarvan vir inspuiting en mondlike preparate en mengsels daarvan wat meer as 500 I.E. per aanbevole daaglikse dosis bevat.
	Xipamied.
	Ystersoute, wanneer bedoel vir inspuiting.

**SCHEDULE 4**

All substances referred to in this Schedule are excluded when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes.

All substances, preparations and mixtures referred to in this Schedule are also excluded when registered and sold in terms of the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

All substances referred to in this Schedule include the following:

- (a) The salts and esters of such substances, where the existence of such salts and esters is possible; and
- (b) all preparations and mixtures of such substances, where such preparations and mixtures are not expressly excluded.

Acetarsone diethylamine salt, when intended for injection.

Acyclovir.

Adrenaline, when intended for injection. (S1, S2, S3)

Albendazole.

Alcuronium.

Alisapride.

Almitrine.

Alphacalcidol.

Alpha-chymotrypsin, when intended for ophthalmic use.

Alpha-2-interferon.

Alpha-2b-interferon.

Alprostadil.

Amantadine.

Aminoglutethimide.

Aminopyrine (amidopyrine).

Amiodarone.

Amiphenazole.

Amrinone.

Amsacrine.

Anticoagulants, except preparations intended for application to the skin. (S1)

Antihaemophilic factor.

Antimalarials, excluding the 4-aminoquinoline, 8-aminoquinoline, diguanide and diaminopyrimidine groups of compounds and preparations thereof, when these are intended specifically for malaria prophylaxis. (S1)

**BYLAE 4**

Al die stowwe bedoel in hierdie Bylæ word uitgesluit wanneer dit spesifiek verpak, geëtiketteer en gebruik word vir industriële en nie-medisinale laboratoriumdoeleindes.

Al die stowwe, preparate en mengsels bedoel in hierdie Bylæ word ook uitgesluit wanneer dit ooreenkomsdig die bepalings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer en verkoop word.

Al die stowwe bedoel in hierdie Bylæ sluit die volgende in:

- (a) Die soute en esters van sodanige stowwe, waar die bestaan van sodanige soute en esters moontlik is; en
- (b) alle preparate en mengsels van sodanige stowwe, waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.

Adrenalien, wanneer bedoel vir inspuiting. (B1, B2, B3)

Albendasool.

Alfachimotripsien, wanneer bedoel vir oftalmiese gebruik.

Alfa-2-interferon.

Alfa-2b-interferon.

Alfakalsidol.

Alisapried.

Alkuronium.

Almitrien.

Alprostadiel.

Amantadien.

Amifenenasool.

Aminoglutetimied.

Aminopirien (amidopirien).

Amiodaroon.

Amrinoon.

Amsakrien.

Antihemofiliese faktor.

Antimalariamiddels, uitgesonderd die 4-aminokinolien-, 8-aminokinolien-, diguanied- en diaminopirimidiengroep verbindings en preparate daarvan, wanneer spesifiek bedoel vir die voorkoming van malaria. (B1)

Antimikrobiiese stowwe (chemoterapeutiese stowwe) gesintetiseer in die natuur of in 'n laboratorium, synde stowwe wat gebruik word by die spesifieke behandeling van infeksie, uitgesonderd die volgende wanneer bedoel vir plaaslike aanwending aan die epidermis, neusholtes en buite-oor:

Basitrasien; (B1)

gramisidien; (B1)

klotrimasool; (B2)

mupirosien; (B2)

natamisien; (B2)

nistatien; (B2)

Antimicrobial substances (chemotherapeutic substances) synthesised in nature or the laboratory, being substances used in the specific treatment of infections, except the following when intended for topical application to the epidermis, nares and external ear:

Bacitracin; (S1)

clotrimazole; (S2)

gramicidin; (S1)

mupirocin; (S2)

natamycin; (S2)

nystatin; (S2)

polymyxin B; (S1)

tyrothricin; (S1)

and except when intended for use as germicides and antisepsics, and except phenoxymethylenicillin when intended for the prophylaxis of rheumatic fever. (S3)

Antisera for veterinary use.

Aprotinin.

Arabinosylcytosine.

Arsenamide, when intended for injection.

L-asparaginase.

Atracurium besilate.

Auranofin.

Azathioprine.

Baclofen.

Bee venom, except preparations intended for application to the skin. (S1)

Bemegride.

Bethanechol.

Biperiden.

Bleomycin.

Bretylium tosylate.

Bromocriptine.

Bufenoide.

Bumadizone.

Buserelin.

Busulphan.

Calcitonin.

Calcitriol.

Calcium polystyrene sulphonate, when intended for therapeutic purposes.

Captopril.

Carbachol, except ophthalmic preparations thereof, when intended for glaucoma. (S3)

Carbidopa.

Carboplatin.

Carbuterol, when intended for injection. (S2)

Carmustine.

Ceruletid.

polimiksien B; (B1)

tirotrisien; (B1)

en uitgesonderd wanneer bedoel vir gebruik as kiemdoders en antiseptika, en uitgesonderd fenoksimetilpenisillien wanneer bedoel vir die voorkoming van rumatiekkoors. (B3)

Antisera vir veterinêre gebruik.

Antistolmiddels, uitgesonderd preparate bedoel vir aanwending aan die vel. (B1)

Aprotinien.

Arabinosielositosien.

Arseenamied, wanneer bedoel vir inspuiting.

Asatiopriën.

Asetarsoondiëtielamiensout, wanneer bedoel vir inspuiting.

Asiklovir.

L-asparaginase.

Atrakuriumbesilaat.

Baklofeen.

Bemegried.

Betanechol.

Biperideen.

Bleomisien.

Bretiliumontsilaat.

Bromokriptien.

Bufenoïed.

Bumadisoon.

Buserelin.

Busulfaan.

Byegif, uitgesonderd preparate bedoel vir aanwending aan die vel. (B1)

Chimopapaïen, wanneer bedoel vir inspuiting.

Chloorambusiel.

Choordantoiën, wanneer bedoel vir menslike vaginale gebruik.

Chlorokien, wanneer bedoel vir antirumatiese gebruik. (B1)

Cholestiramienhars.

Dakarbasien.

Daktinomisien (aktinomisien D).

Dantroleen.

Dapsoon en die derivate daarvan, tensy in 'n ander Bylae gelys, uitgesonderd preparate en mengsels spesifiek bedoel vir die voorkoming van malaria. (B1)

Demekarium.

Diasoksied.

Diëtielkarbamasien.

Difemetoksidien.

Difenidol.

Dihidralasien.

Chlorambucil.	Dihidrotagisterol.
Chlordantoin, when intended for human vaginal use.	Diiisopropielfluoorfosfaat.
Chloroquine, when intended for antirheumatic use. (S1)	<u>Diklasuriel.</u>
Cholestyramine resin.	Dilasep.
Chymopapain, <u>when intended for injection.</u>	Diloksaniedfuroaat.
Cimetidine.	Dimetielsulfoksied.
<u>Cisapride.</u>	Dinitrofenol.
Cisplatin.	Dinoprostoon.
Clofazimine.	Diprenorfien.
Clomiphene.	Disopiramied.
Corticosteroids (natural or synthetic), except hydrocortisone and hydrocortisone acetate, when used as a single active ingredient in a maximum concentration of 0,5 per cent in preparations intended for application to the skin. (S2)	Distigmien.
Cotetroxazine.	Disulfiraam.
<u>Co-trimoxazole.</u>	Ditasol.
Cyclofenil.	Dobutamien.
Cyclophosphamide and its derivatives, unless listed in another Schedule.	Doksapraam.
Cyclosporin.	Dopa.
Cyproterone acetate.	Dopamien.
Cytarabine.	Dounomisien (dounorubisien).
Dacarbazine.	Edrofonium.
Dactinomycin (actinomycin D).	Ekonasool, uitgesonderd preparate en mengsels wanneer bedoel vir aanwending aan die vel. (B2)
Dantrolene.	Emetien, uitgesonderd stowwe, preparate en mengsels wat minder as 0,2 persent alkaloëde, bereken as emetien, bevat.
Dapsone and its derivatives, unless listed in another Schedule, except preparations and mixtures intended specifically for malaria prophylaxis. (S1)	<u>Enalapriel.</u>
Daunomycin (daunorubicin).	<u>Enkaïnied.</u>
Demecarium.	4'-epidoksurubisien.
Diazoxide.	Ergotalkaloëde (natuurlik of sinteties), uitgesonderd preparate en mengsels daarvan wanneer bedoel vir die behandeling van migraine. (B2)
<u>Diclazuril.</u>	Estramustien.
Diethylcarbamazine.	Etidronaat.
Dihydralazine.	Etofamied.
Dihydrotachysterol.	Etoglusied.
Di-isopropyl fluorophosphate.	Etoposied.
Dilazep.	<u>Famotidien.</u>
Diloxanide furoate.	Fasadinium.
Dimethyl sulphoxide.	Fenasetien, uitgesonderd preparate en mengsels wat vir uitwendige gebruik bedoel is en wat hoogstens 0,1 persent fenasetien as stabiliseerde bevat.
Dinitrophenol.	Fenchloofos.
Dinoprostone.	Fenelbutasoon en die derivate daarvan, tensy in 'n ander Bylae gelys, uitgesonderd preparate bedoel vir aanwending aan die vel. (B1)
Diphemethoxidine.	Fenoksibensamien.
Diphenidol.	Fnepiprasoon.
Diprenorphine.	Fenoterol, wanneer bedoel vir die voorkoming of vertraging van kraam en preparate daarvan vir inspuiting. (B2)
Disopyramide.	<u>Fertirelien.</u>
Distigmine.	
Disulfiram.	
Ditazol.	

Dobutamine.	Fisostigmien, uitgesonderd oogpreparate daarvan wanneer bedoel vir gloukoom. (B3)
Dopa.	<u>Flekaïnied.</u>
Dopamine.	<u>Flukonasool.</u>
Doxapram.	<b>[Funiksinmeglumien.]</b>
Econazole, except preparations and mixtures when intended for application to the skin. (S2)	Flunisolied.
Edrophonium.	5-fluorourasiel.
Emetine, except substances, preparations and mixtures containing less than 0,2 per cent of alkaloids, calculated as emetine.	<u>Flurbiprofeen</u> , wanneer bedoel vir oftalmiese gebruik. (B3)
Enalapril.	Flusitosien, uitgesonderd preparate en mengsels bedoel vir aanwending aan die vel. (B2)
Encainide.	Flutamied.
4—epidoxorubicin.	Ftorafur.
Ergot alkaloids (natural or synthetic), except preparations and mixtures thereof when intended for the treatment of migraine. (S2)	Furasolidoon, wanneer bedoel vir toevoeging by dierenvoedsels. (B2)
Estramustine.	Gallamien.
<u>Etidronate.</u>	Gehalogeneerde hidroksikinoliene, uitgesonderd wanneer bedoel vir aanwending aan die vel. (B1)
Ethoglucid.	<u>Gestrinoon.</u>
Etofamide.	Glikosaminoglykaanpolisulfaat (voorheen mukopolysakkariedpoliswaalsuurester), uitgesonderd wanneer bedoel vir aanwending aan die vel. (B1)
Etoposide.	<u>Goserelien.</u>
<u>Famotidine.</u>	Halofenaat.
Fazadinium.	Heksoprenalien, wanneer bedoel vir die voorkoming of vertraging van kraam en preparate daarvan vir inspuiting. (B2)
Fenchlorphos.	Heptaminol.
Fneterol, when intended for the prevention or delay of labour and preparations thereof for injection. (S2)	Hialuronsuur-B.
<u>Fertirelin.</u>	Hidroksi-ureum.
<u>Flecainide.</u>	Hikantoon.
<u>Fluconazole.</u>	Hormone (natuurlik of sinteties), met of hormonale of antihormonale werking, uitgesonderd wanneer bedoel vir aanwending aan die vel, wanneer bedoel vir menslike vaginale gebruik en wanneer bedoel as mondlike voorbehoedmiddels, en uitgesonderd insulien en epinefrien (adrenaliën). (B1, B2, B3)
Flucytosine, except preparations and mixtures intended for application to the skin. (S2)	Idoksuridien, uitgesonderd wanneer bedoel vir aanwending aan die vel. (B2)
Flunisolide.	<u>Inosiplex (inosienpranabeks).</u>
<b>[Flunixin meglumine.]</b>	<u>Intra-uteriene toestelle.</u>
5-fluorouracil.	Isokonasool, uitgesonderd wanneer bedoel vir aanwending aan die vel. (B2)
<u>Flurbiprofen</u> , when intended for ophthalmic use. (S3)	Isopirien.
Flutamide.	Isoprenalien (isoproterenol), wanneer bedoel vir inspuiting. (B2)
Ftorafur.	<u>Itrakonasool.</u>
Furazolidone, when intended for addition to animal feeds. (S2)	<u>Kalsitonien.</u>
Gallamine.	<u>Kalsitriol.</u>
<u>Gestrinone.</u>	Kalsiumpolistireensulfonaat, wanneer bedoel vir terapeutiese doeleindes.
Glycosaminoglycan polysulphate (previously mucopolysaccharide poly-sulphuric acid ester), except when intended for application to the skin. (S1)	<u>Kaptopriol.</u>
<u>Goserelin.</u>	
Halofenate.	
Halogenated hydroxyquinolines, except when intended for application to the skin. (S1)	
Hetaminol.	

Hexoprenaline, when intended for the prevention or delay of labour and preparations thereof for injection. (S2)

Hormones (natural or synthetic), with either hormonal or antihormonal action, except when intended for application to the skin, when intended for human vaginal use and when intended for oral contraception, and excluding insulin and epinephrine (adrenaline). (S1, S2, S3)

Hyaluronic acid-B.

Hycanthone.

Hydroxyurea.

Iodoxuridine, except when intended for application to the skin. (S2)

Inosiplex (inosine pranabex).

Intra-uterine devices.

Isoconazole, except when intended for application to the skin. (S2)

Isopirin.

Isoprenaline (isoproterenol), when intended for injection. (S2)

Itraconazole.

Ketoconazole, except when intended for application to the skin. (S2)

**[Lactobacillus acidophilus and L. bifidus when intended for therapeutic purposes.]**

Levallorphan.

Levamisole.

Lisinopril.

Local anaesthetics, when intended for ophthalmic and parenteral use. (S1)

Lomustine.

Lysozyme, except preparations and mixtures when intended for application to the skin. (S1)

Mecamylamine.

Melarsoprol, when intended for injection.

Melphalan and its derivatives, unless listed in another Schedule.

Mephentermine.

Mepirizole.

2-mercaptopropionyl glycine.

6-mercaptopurine and its derivatives, unless listed in another Schedule.

Mercury; preparations and mixtures that contain mercury metal and that are intended for medicinal use.

Metaproterenol (orciprenaline), when intended for the prevention or delay of labour and preparations thereof for injection. (S2)

Metergoline.

Methacholine.

Methampyrone.

Methotrexate.

Methoxsalen.

Karbachol, uitgesonderd oogpreparate daarvan, wanneer bedoel vir gloukoom. (B3)

Karbidopa.

Karboplastien.

Karbuterol, wanneer bedoel vir inspuiting. (B2)

Karmustien.

Ketokonasool, uitgesonderd wanneer bedoel vir aanwending aan die vel. (B2)

Klofasimien.

Klomifeen.

Kortikosteroïde (natuurlik of sinteties), uitgesonderd hidrokortisoon en hidrokortisonasetaat wanneer gebruik as 'n enkele aktiewe bestanddeel in 'n maksimum konsentrasie van 0,5 persent in preparate bedoel vir aanwending aan die vel. (B2)

Kotetroksasien.

Kotrimoksasool.

Kwik; preparate en mengsels wat kwikmetaal bevat en wat bedoel is vir medisinale gebruik.

**[Lactobacillus acidophilus en L. bifidus wanneer vir terapeutiese gebruik bedoel.]**

Levallorfaan.

Levamisool.

Lisinopriol.

Lisosiem, uitgesonderd preparate en mengsels wanneer bedoel vir aanwending aan die vel. (B1)

Lokale anestetika, wanneer bedoel vir oftalmiese en parenterale gebruik. (B1)

Lomustien.

Mefentermien.

Mekamielamien.

Meksiletien.

Melarsoprol, wanneer bedoel vir inspuiting.

Melfalaan en die derivate daarvan, tensy in 'n ander Bylae gelys.

Mepirisool.

2-merkaptopropionielglisien.

6-merkaptapurien en die derivate daarvan, tensy in 'n ander Bylae gelys.

Metacholien.

Metampiroon.

Metaproterenol (orsiprenalien), wanneer bedoel vir die voorkoming of vertraging van kraam en preparate daarvan vir inspuiting. (B2)

Metergolien.

Metisergied.

Metoklopramied.

Metokssaleen.

Metotreksaat.

Metronidasool.

<u>Methysergide.</u>	Mikonasool, uitgesonderd preparate en mengsels bedoel vir aanwending aan die vel en wanneer bedoel vir menslike vaginale gebruik. (B2)
<u>Metoclopramide.</u>	
<u>Metronidazole.</u>	
<u>Mexiletine.</u>	
<u>Miconazole, except preparations and mixtures intended for application to the skin, and when intended for human vaginal use.</u> (S2)	
<u>Milrinone.</u>	<u>Milrinoon.</u>
<u>Minoxidil.</u>	<u>Minoksidiel.</u>
<u>Misoprostol.</u>	<u>Misoprostol.</u>
<u>Mitomycin C.</u>	<u>Mitoksantroon.</u>
<u>Mitoxantrone.</u>	<u>Mitomisien C.</u>
<u>Mofebutazone.</u>	<u>Mofebutasoon.</u>
<u>Mometasone.</u>	<u>Mometasoon.</u>
<u>Morazone.</u>	<u>Morasoon.</u>
<u>Morphazinamide.</u>	<u>Morfasiennamied.</u>
<u>Morphethylbutyne.</u>	<u>Morfetielbutyn.</u>
<u>Nalidixic acid.</u>	<u>Nalidiksensiensuur.</u>
<u>Nalorphine.</u>	<u>Naloksoon.</u>
<u>Naloxone.</u>	<u>Nalorfien.</u>
<u>Naltrexone.</u>	<u>Naltreksoon.</u>
<u>Nefopam.</u>	<u>Natriumdihidroasapentaseenpolisulfonaat.</u>
<u>Neostigmine.</u>	<u>Natriumfluoried; preparate en mengsels daarvan wat 40 milligram of meer per daaglikse dosis bevat.</u>
<u>Nifuratel.</u>	<u>Natriumnitroprussied.</u>
<u>Nikethamide.</u>	<u>Natriumourotiomalaat.</u>
<u>Nimorazole.</u>	<u>Nefopaam.</u>
<u>Nimustine.</u>	<u>Neostigmien.</u>
<u>Niridazole.</u>	<u>Nifuratel.</u>
<u>Nitrofurantoin, except preparations thereof intended for application to the skin.</u> (S1)	<u>Niketamied.</u>
<u>Nitrofurazone, except preparations thereof intended for application to the skin.</u> (S1)	<u>Nimorasool.</u>
<u>Nitroxoline.</u>	<u>Nimustien.</u>
<u>Nizatidine.</u>	<u>Niridasool.</u>
<u>Obidoxime.</u>	<u>Nisatidien.</u>
<u>Octreotide.</u>	<u>Nitrofuraantoen, uitgesonderd preparate daarvan bedoel vir aanwending aan die vel.</u> (B1)
<u>Olsalazine.</u>	<u>Nitrofurason, uitgesonderd preparate daarvan bedoel vir aanwending aan die vel.</u> (B1)
<u>Omeprazole.</u>	<u>Nitroksolien.</u>
<u>Ornidazole, except when intended for application to the skin.</u> (S1)	<u>Obidoksiem.</u>
<u>Oxamniquine.</u>	<u>Oksamnikien.</u>
<u>Oxolinic acid.</u>	<u>Oksoliensuur.</u>
<u>Pancuronium.</u>	<u>Oktreetied.</u>
<u>Penicillamine.</u>	<u>Olsalasien.</u>
<u>Pentamidine isethionate.</u>	<u>Omeprasool.</u>
<u>Perhexiline.</u>	<u>Ornidasool, uitgesonderd wanneer bedoel vir aanwending aan die vel.</u> (B1)
<u>Phenacetin, except preparations and mixtures intended for external use and containing not more than 0,1 per cent phenacetin as stabiliser.</u>	<u>Ouranofien.</u>
<u>Phenopyrazone.</u>	<u>Pankuronium.</u>
<u>Phenoxybenzamine.</u>	<u>Penisillamien.</u>
	<u>Pentamidienisetionaat.</u>
	<u>Perheksilien.</u>
	<u>Pikrotoksiien.</u>

Phenylbutazone and its derivatives, unless listed in another Schedule, except preparations intended for application to the skin. (S1)	Pilocarpien, uitgesonderd oogpreparate daarvan bedoel vir gloukoom. (B3)
Physostigmine, except ophthalmic preparations thereof when intended for glaucoma. (S3)	Pipemidiensuur.
Picrotoxin.	Pirensepien.
Pilocarpine, except ophthalmic preparations thereof intended for glaucoma. (S3)	Piribediel.
Pipemic acid.	Piridinolkarbamaat.
Pirenzepine.	Piridostigmien.
Piribedil.	Piromidiensuur.
Piromidic acid.	Podofillumhars; preparate en mengsels wat meer as 20 persent podofillumhars bevat. (B2)
Podophyllum resin; preparations and mixtures containing more than 20 per cent of podophyllum resin. (S2)	Poligliserileendekstraan.
Polyglycerlylene-dextran.	Prasikwantel.
Praziquantel.	Prokaenamied.
Procaine amide.	Prokarbasien.
Procarbazine.	Propafenoon.
Propafenone.	Propielheksedrien, uitgesonderd wanneer gebruik as 'n bloedvaatvernouer en ontstuwer in neuspreparate en inasemmiddels. (B1)
Propylhexedrine, except when used as a vasoconstrictor and decongestant in nose preparations and inhalants. (S1)	Proteolitiese (fibrinolitiese) ensieme, wanneer bedoel vir inspuiting. (B1)
<u>Proteolytic (fibrinolytic) enzymes, when intended for injection. (S1)</u>	Radioaktiewe verbindings, wanneer gebruik vir diagnostiese doeleindes.
Pyridinolcarbamate.	Ranitidien.
Pyridostigmine.	Rekombinante mensweefseltype plasminogenaktivator (rt-PA).
<u>Radio-active compounds, when used for diagnostic purposes.</u>	Rimiterol, wanneer bedoel vir inspuiting. (B2)
Ranitidine.	Ritodrien.
<u>Recombinant human tissue-type plasminogen activator (rt-PA).</u>	Roksatidien.
Rimiterol, when intended for injection. (S2)	Rosoksasien.
Ritodrine.	Salbutamol, wanneer bedoel vir inspuiting. (B2)
Rosoxacin.	Salmefamol, wanneer bedoel vir inspuiting. (B2)
<u>Roxatidine.</u>	Selegilien.
Salbutamol, when intended for injection. (S2)	Seruletidien.
Salmefamol, when intended for injection. (S2)	<u>Sidovudien (AZT).</u>
<u>Selegiline.</u>	Siklofeniel.
Sodium aurothiomalate.	Siklofosfamied en die derivate daarvan, tensy in 'n ander Bylae gelys.
Sodium dihydroazapentacene polysulphonate.	Siklosporien.
<u>Sodium fluoride; preparations and mixtures thereof containing 40 milligrams or more per daily dose.</u>	Simetidien.
Sodium nitroprusside.	Siproteroonasetaat.
<u>Solcoseryl, except ophthalmic preparations thereof and except preparations intended for application to the skin, to the mucous membranes of the mouth and to the lips. (S1, S3)</u>	Sisapried.
<u>Somatotropin.</u>	Sisplatiën.
Styramate.	Sitarabien.
Strychnine, except preparations and mixtures thereof. (S1, S2)	Solkoseriel, uitgesonderd oogpreparate daarvan en uitgesonderd preparate bedoel vir aanwending aan die vel, <u>aan die slymvlies van die mond en aan die lippe. (B1, B3)</u>
Sulphonamides, except those substances, preparations and mixtures intended for application to the eyes, nares and vagina. (S1)	Somatotropien.
	Stiramaat.
	Strignien, uitgesonderd preparate en mengsels daarvan. (B1, B2)

<u>Suramin.</u>	<u>Suksametonium.</u>
<u>Suxamethonium.</u>	<u>Suksetonium.</u>
<u>Suxethonium.</u>	<u>Sulfoonamiede, uitgesonderd die stowwe, preparate en mengsels bedoel vir aanwending aan die oë, neusholtes en vagina. (B1)</u>
<u>Tamoxifen.</u>	<u>Suramien.</u>
<u>Teniposide.</u>	<u>Tamoksifeen.</u>
<u>Terconazole.</u>	<u>Teniposied.</u>
<u>Tetramisole.</u>	<u>Teofillien en die derivate daarvan, tensy in 'n ander Bylae gelys, wanneer bedoel vir inspuiting. (B1, B2)</u>
<u>Theophylline and its derivatives, unless listed in another Schedule, when intended for injection. (S1, S2).</u>	<u>Terkonasool.</u>
<u>Thiabendazole.</u>	<u>Tetramisool.</u>
<u>Thioguanine.</u>	<u>Tiabendasool.</u>
<u>Thymopentin.</u>	<u>Tiboloon.</u>
<u>Tibolone.</u>	<u>Timopentien.</u>
<u>Tin fluoride, when intended for injection.</u>	<u>Tinfluoried, wanneer bedoel vir inspuiting.</u>
<u>Tinidazole.</u>	<u>Tinidasool.</u>
<u>Tioconazole, except when intended for application to the skin. (S2)</u>	<u>Tioguanien.</u>
<u>Tocainide.</u>	<u>Tiokonasool, uitgesonderd wanneer bedoel vir aanwending aan die vel. (B2)</u>
<u>Toltrazuril.</u>	<u>Tokaïned.</u>
<u>Tranexamic acid.</u>	<u>Toltrasuriel.</u>
<u>Treosulfan.</u>	<u>Traneksaamsuur.</u>
<u>Triethylene thiophosphoramide.</u>	<u>Treosulfaan.</u>
<u>Trifluorothymidine.</u>	<u>Triëtileentiosforamied.</u>
<u>Trimetaphane.</u>	<u>Trifluoortimidien.</u>
<u>Trimethoprim.</u>	<u>Trimetafaan.</u>
<u>Trioxsalen.</u>	<u>Trimetopriem.</u>
<u>Tromantadine.</u>	<u>Triokssaleen.</u>
<u>Tubocurarine.</u>	<u>Tromantadien.</u>
<u>Urapidil.</u>	<u>Tubokurarien.</u>
<u>Urethane.</u>	<u>Urapidiel.</u>
<u>Urokinase.</u>	<u>Uretaan.</u>
<u>Vaccines for veterinary use.</u>	<u>Urokinase.</u>
<u>Vanillic acid diethylamide.</u>	<u>Vaksiene vir veterinêre gebruik.</u>
<u>Vecuronium bromide.</u>	<u>Vanilliensuurdiëtielamied.</u>
<u>Vidarabine.</u>	<u>Vekuroniumbromied.</u>
<u>Vinblastine.</u>	<u>Vidarabien.</u>
<u>Vincristine.</u>	<u>Vinblastien.</u>
<u>Vindesine.</u>	<u>Vindesien.</u>
<u>Zidovudine (AZT).</u>	<u>Vinkristien.</u>

**SCHEDULE 5**

All substances, preparations and mixtures referred to in this Schedule are excluded when registered and sold in terms of the provisions of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act 36 of 1947).

**BYLAE 5**

Al die stowwe, preparate en mengsels bedoel in hierdie Bylae word uitgesluit wanneer dit ooreenkomsdig die bepallings van die Wet op Misstowwe, Veevoedsel, Landboumiddels en Veemiddels, 1947 (Wet 36 van 1947), geregistreer en verkoop word.

All substances referred to in this Schedule include the following:

- (a) The salts and esters of such substances, where the existence of such salts and esters is possible; and
- (b) all preparations and mixtures of such substances, where such preparations and mixtures are not expressly excluded.

Acitretin.

Amitriptyline and its derivatives, unless listed in another Schedule.

Amoxapine.

Anaesthetic preparations containing pregnanedione derivatives.

Aponal.

Apronalide.

Azacyclonol.

Barbituric acid and its derivatives, unless listed in another Schedule, excluding amobarbital, cyclobarbital, pentobarbital, and secobarbital and except preparations and mixtures containing not more than 30 milligrams per minimum recommended or prescribed dose when intended for continued use in asthma, and not more than 50 milligrams per minimum recommended or prescribed dose when intended for continued use in epilepsy. (S1, S2, S6, S7)

Benactyzine and its derivatives, unless listed in another Schedule.

Benfluramate.

Benzocetamine.

Benzodiazepines and their derivatives, unless listed in another Schedule.

Benzquinamide.

Beta-aminopropylbenzene and beta-aminoisopropylbenzene, any compound structurally derived from either of these substances by substitution in the side chain or by ring closure therein (or by both substitution and ring closure) and any salt or substance falling under the above, except preparations and mixtures of the above when used as vasoconstrictors and decongestants in antihistamine nose and eye preparations and except when contained in appliances for inhalation in which the substance is absorbed in solid material and excluding d-norpseudoephedrine, ephedrine, etafedrine, N-methylephedrine, N-diethylaminoethylephedrine, phenylpropanolamine, prenylamine and preparations and mixtures thereof except substances listed in Schedules 8 and 9. (S1, S2)

Bromides; preparations and mixtures thereof containing 80 milligrams or more of bromine as bromide per recommended daily dose, except when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes. (S2)

Bromisovalum.

Brotizolam.

**[Buprenorphine.]**

Buspirone.

Al die stowwe bedoel in hierdie Bylae sluit die volgende in:

- (a) Die soute en esters van sodanige stowwe, waar die bestaan van sodanige soute en esters moontlik is; en
- (b) alle preparate en mengsels van sodanige stowwe, waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.

Amitriptylien en die derivate daarvan, tensy in 'n ander Bylae gelys.

Amoksapien.

Anestetiese preparate wat pregnaandioonderivate bevat.

Aponal.

Apronalid.

Asasiklonol.

Asitretien.

Barbituursuur en die derivate daarvan, tensy in 'n ander Bylae gelys, met uitsondering van amobarbital, pentobarbital, sekobarbital en siklobarbital, uitgesonderd preparate en mengsels wat hoogstens 30 milligram per minimum aanbevole of voorgeskrewe dosis bevat wanneer bedoel vir aanhoudende gebruik by asma, en hoogstens 50 milligram per minimum aanbevole of voorgeskrewe dosis wanneer bedoel vir aanhoudende gebruik by epilepsie. (B1, B2, B6, B7)

Benaktisien en die derivate daarvan, tensy in 'n ander Bylae gelys.

Benfluramaat.

Benskinamied.

Bensodiasepiene en die derivate daarvan, tensy in 'n ander Bylae gelys.

Bensoktamien.

Beta-aminopropielbenseen en beta-aminoisopropielbenseen, enige verbinding struktureel afkomstig van enigeen van hierdie twee stowwe deur substitusie in die syketing of deur ringsluiting daarin (of deur sowel substitusie as ringsluiting) en enige sout of stof wat hieronder val, uitgesonderd preparate en mengsels van bostaande wanneer dit gebruik word as bloedvaatvernouers en ontstuwers in anti-histamienus- en -oogpreparate, en uitgesonderd wanneer dit voorkom in inasemtoestelle waarin die stof in soliede materiaal geabsorbeer is, en uitgesonderd d-norpseudoëfedrien, N-diëtielaminoëtiefedrien, efedrien, etafedrien, fenilpropanolamien, N-metielefedrien, prenielamien en preparate en mengsels daarvan uitgesonderd stowwe gelys in Bylaes 8 en 9. (B1, B2)

Bromiede; preparate en mengsels daarvan wat 80 milligram of meer broom as bromied per aanbevole daaglikse dosis bevat, uitgesonderd wanneer dit spesifiek verpak, geëtiketteer en gebruik word vir industriële en nie-medisinale laboratoriumdoeleindes. (B2)

Broomisovalum.

Brotisolaam.

**[Buprenorfien.]**

Buspiron.

<u>Butriptyline.</u>	<u>Butirofenone.</u>
<u>Butyrophenones.</u>	<u>Butriptilien.</u>
<u>Carbromal.</u>	<u>Chloormesanoon</u> , uitgesonderd mengsels daarvan waar die maksimum aanbevole of voorgeskrewe dosis nie 100 milligram chloormesanoon oorskry nie. (B2)
<u>Chloral derivatives, unless listed in another Schedule.</u>	<u>Chloorprotikseen.</u>
<u>Chlormezanone, except mixtures thereof where the maximum recommended or prescribed dose does not exceed 100 milligrams of chlormezanone. (S2)</u>	<u>Chloraalderivate</u> , tensy in 'n ander Bylae gelys.
<u>Chlorprothixene.</u>	<u>Deanol</u> en die derivate daarvan, tensy in 'n ander Bylae gelys, uitgesonderd wanneer dit spesifiek verpak, geëtiketteer en gebruik word vir industriële en nie-medisinale laboratoriumdoeleindes.
<u>Clomacran.</u>	<u>Dekstropopoksifeen; preparate en mengsels vir mondlike gebruik wat hoogstens 135 milligram dekstropopoksifeen, as die basis bereken, per doseringseenheid bevat of met 'n konsentrasie van hoogstens 2,5 persent in onverdeelde preparate. (B7)</u>
<u>Clomethiazole.</u>	<u>Detomidien.</u>
<u>Clopenthixol.</u>	<u>Diprenorfien.</u>
<u>Clothiapine.</u>	<u>Doksepien.</u>
<u>Clozapine.</u>	<u>Dotiëpien.</u>
<u>Cyclobenzaprine.</u>	<u>Droperidol.</u>
<u>Deanol and its derivatives, unless listed in another Schedule, except when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes.</u>	<u>Drostanoloon.</u>
<u>Detomidine.</u>	<u>Ekotiofaat.</u>
<u>Dextropropoxyphene; preparations and mixtures for oral use containing not more than 135 milligrams of dextropropoxyphene, calculated as the base, per dosage unit or with a concentration of not more than 2,5 per cent in undivided preparations. (S7)</u>	<u>Emielkamaat.</u>
<u>Diprenorphine.</u>	<u>Enfluraan.</u>
<u>Dothiepin.</u>	<u>Etchlorvinol.</u>
<u>Doxepin.</u>	<u>Etinamaat</u> en die derivate daarvan, tensy in 'n ander Bylae gelys.
<u>Droperidol.</u>	<u>Etodroksisien</u> , uitgesonderd preparate en mengsels daarvan wanneer dit uitsluitlik as 'n antihistamien gebruik word. (B2)
<u>Drostanolone.</u>	<u>Etomidaat.</u>
<u>Echothiopate.</u>	<u>Etretinaat.</u>
<u>Emylcamate.</u>	<u>Fenetielhidrasien.</u>
<u>Enflurane.</u>	<u>Fenfluramien.</u>
<u>Ethchlorvynol.</u>	<u>Fenkamfamien.</u>
<u>Ethinamate and its derivatives, unless listed in another Schedule.</u>	<u>Fenotiasien</u> en die derivate daarvan, tensy in 'n ander Bylae gelys, uitgesonderd preparate en mengsels wat prometasien of dimetotiasien of hul soute bevat wanneer dit uitsluitlik as 'n antihistamien gebruik word, en uitgesonderd preparate wat prometasien of die soute daarvan bevat wanneer dit spesifiek bedoel is vir die behandeling van reisiekte of vir aanwending aan die vel. (B2)
<u>Etodroxizine, except preparations and mixtures thereof when used solely as an antihistaminic. (S2)</u>	<u>Fentermien.</u>
<u>Etomidate.</u>	<u>Flumaseniel.</u>
<u>Etretinate.</u>	<u>Fluoksetien.</u>
<u>Fencamfamine.</u>	<u>Flupentiksol.</u>
<u>Fenfluramine.</u>	<u>Fluspirileen.</u>
<u>Flumazenil.</u>	<u>Halotaan.</u>
<u>Fluoxetine.</u>	<u>Hedonaal</u> en die esters daarvan, uitgesonderd wanneer dit spesifiek geëtiketteer en gebruik word vir industriële en nie-medisinale laboratoriumdoeleindes.
<u>Flupenthixol.</u>	
<u>Fluspirilene.</u>	
<u>Halothane.</u>	
<u>Hedonal and its esters, except when specifically packaged, labelled and used for industrial and non-medicinal laboratory purposes.</u>	

Heminevrin.	Heminevrien.
Hydroxyzine.	Hidroksisien.
Imipramine and its derivatives, unless listed in another Schedule.	Imipramien en die derivate daarvan, tensy in 'n ander Bylae gelys.
Iproniazid.	Iproniasied.
Isoflurane.	Isofluraan.
Isotretinooin.	Isotretinoïen.
Ketamine.	Karbromaal.
Lithium salts, when intended for medicinal use.	Ketamien.
Lofepramine.	<u>Kinupramien.</u>
Loxapine.	Klomakraan.
Maprotiline.	Klometiasool.
Mazindol.	Klopentiksol.
Mechlorethamine and its derivatives, unless listed in another Schedule.	Klosapien.
Meclofenoxate.	Klotiapien.
Melitracene.	Litiumsoute, wanneer bedoel vir medisinale gebruik.
Mephenoxyalone.	Lofepramien.
Meprobamate.	Loksapien.
Methoxyflurane.	Maprotilien.
<b>[Methyprylone.]</b>	Masindol.
Mianserin.	Mechlooretamien en die derivate daarvan, tensy in 'n ander Bylae gelys.
Molindone.	Mefenoksaloon.
Nalbuphine.	Meklofenoksaat.
Nomifensine.	Melitraseen.
Oxypertine.	Meprobamaat.
Paraldehyde.	<b>[Metipriloon.]</b>
Pargyline.	Metoksifluraan.
Pemoline and its complexes.	Mianserien.
Phenethylhydrazine.	Molindoon.
Phenothiazine and its derivatives, unless listed in another Schedule, except preparations and mixtures containing promethazine or dimethothiazine or their salts when used solely as an antihistaminic, and except preparations containing promethazine or its salts when intended specifically for the treatment of travel sickness or application to the skin. (S2)	Nalbufien.
Phentermine.	Nomifensien.
Pimethixene, except preparations and mixtures thereof when used solely as an antihistaminic. (S2)	Oksipertien.
Pimozide.	Paraldehied.
Pipradol.	Pargilien.
Pizotifen, except preparations and mixtures thereof when used solely as an antihistaminic or when intended for the prophylaxis of migraine. (S2)	Pemolien en die komplekse daarvan.
Prolintane.	Pimetikseen, uitgesonderd preparate en mengsels daarvan wanneer dit uitsluitlik as 'n antihistamien gebruik word. (B2)
<b>[Propanidid.]</b>	Pimosied.
Propofol.	Pipradol.
Quinupramine.	Pisotifeen, uitgesonderd preparate en mengsels daarvan wanneer dit uitsluitlik as 'n antihistamien gebruik word of wanneer dit vir die voorkoming van migraine bedoel is. (B2)
Sulphonmethane.	Prolintaan.
	<b>[Propanidied.]</b>
	Propofol.
	Siklobensaprien.

Sulpyride.  
Tiapride.  
Thioguanosine.  
Thiothixene.  
Tizanidine.  
Tranylcypromine.  
Trazodone.  
Trihexyphenidyl.  
L-tryptophan, when intended for medicinal use, except when intended for medicinal use as supplementation for nutritional purposes. (S1)  
Viloxazine.  
Xylazine.  
Zimelidine.  
Zolazepam.  
Zopiclone.  
Zotepine.  
Zuclopenthixol.

#### SCHEDULE 6

All substances referred to in this Schedule include the following:

- (a) The salts and esters of such substances, where the existence of such salts and esters is possible; and
- (b) all preparations and mixtures of such substances, where such preparations and mixtures are not expressly excluded.

[Amobarbital, cyclobarbital, pentobarbital and seconobarbital, except preparations and mixtures containing not more than 30 milligrams per minimum recommended or prescribed dose when intended for continued use in asthma and epilepsy.]

Amobarbital, cyclobarbital and pentobarbital, except preparations and mixtures containing not more than 30 milligrams per minimum recommended or prescribed dose when intended for continued use in asthma, and not more than 50 milligrams per minimum recommended or prescribed dose when intended for continued use in epilepsy. (S1, S2, S5)

Buprenorphine.

Chlorphentermine.

Diethylpropion (amfepramone).

Glutethimide.

Meptazinol.

Pentazocine.

Tiletamine.

Simelidien.  
Solasepaam.  
Sopikloon.  
Sotepien.  
Suklopentiksol.  
Sulfoonmetaan.  
Sulpiried.  
Tiapried.  
Tioguanosien.  
Tiotikseen.  
Tisanidien.  
Tranielsipromien.  
Trasodoon.  
Triheksifendiel.  
L-triptofaan, wanneer bedoel vir medisinale gebruik, uitgesonderd wanneer bedoel vir medisinale gebruik as aanvulling vir voedingkundige doeleinades. (B1)  
Viloksasien.  
Xilasien.

#### BYLAE 6

Al die stowwe bedoel in hierdie Bylae sluit die volgende in:

- (a) Die soute en esters van sodanige stowwe, waar die bestaan van sodanige soute en esters moontlik is; en
- (b) alle preparate en mengsels van sodanige stowwe, waar sodanige preparate en mengsels nie uitdruklik uitgesluit word nie.

[Amobarbital, pentobarbital, sekobarbital en siklobarbital, uitgesonderd preparate en mengsels wat nie meer as 30 milligram per minimum aanbevole of voorgeskrewe dosis bevat nie, en bedoel vir aanhoudende gebruik by asma en epilepsie.]

Amobarbital, pentobarbital en siklobarbital, uitgesonderd preparate en mengsels wat hoogstens 30 milligram per minimum aanbevole of voorgeskrewe dosis bevat wanneer bedoel vir aanhoudende gebruik by asma, en hoogstens 50 milligram per minimum aanbevole of voorgeskrewe dosis wanneer bedoel vir aanhoudende gebruik by epilepsie. (B1, B2, B5)

Buprenorfien.

Chloorfentermien.

Diëtielpropioon (amfepramoon).

Glutetimied.

Meptasinol.

Pentasosien.

Tiletamien.

**SCHEDULE 7**

All substances referred to in this Schedule include the following (unless expressly excluded or unless listed in another Schedule):

- (a) The isomers of such substances, where the existence of such isomers is possible within the specific chemical designation;
- (b) the esters and ethers of such substances and of the isomers referred to in (a), as well as the isomers of such esters and ethers, where the existence of such esters, ethers and isomers is possible;
- (c) the salts of such substances and of the isomers referred to in (a), as well as the salts of the esters, ethers and isomers referred to in (b), where the existence of such salts is possible;
- (d) the isomers of any of the salts referred to in (c), where the existence of such isomers is possible;
- (e) all preparations and mixtures of any of the above.

Acetorphine.

Acetyldihydrocodeine, except preparations containing not more than 2,5 per cent of acetyldihydrocodeine. (S1)

Acetylmethadol.

Alfentanil.

Allylprodine.

Alphacetylmethadol.

Alphameprodine.

Alphamethadol.

Alphaprodine.

Anileridine.

Benzethidine.

Benzphetamine.

Benzylmorphine.

Betacetylmethadol.

Betameprodine.

Betamethadol.

Betaprodine.

Bezitramide.

**[Chlorodyne (Tincture of Chloroform and Morphine BP 1980) or any preparation or mixture thereof described as chlorodyne and containing morphine in any proportion, except mixtures containing 5,0 per cent or less chlorodyne in combination with other medicines in such a manner that it cannot be recovered by readily applicable means or in a yield that would constitute a risk to public health.]**

Chlorodyne (Chloroform and Morphine Tincture BP 1980) or any preparation or mixture thereof described as chlorodyne; except preparations and mixtures containing 5,0 per cent or less of chlorodyne in combination with other active medicinal substances. (S1)

**BYLAE 7**

Al die stowwe bedoel in hierdie Bylae sluit die volgende in (tensy uitdruklik uitgesluit of tensy in 'n ander Bylae gelys):

- (a) Die isomere van sodanige stowwe, waar die bestaan van sodanige isomere moontlik is binne die spesifieke chemiese benaming;
- (b) die esters en eters van sodanige stowwe en van die isomere bedoel in (a), sowel as die isomere van sodanige esters en eters, waar die bestaan van sodanige esters, eters en isomere moontlik is;
- (c) die soute van sodanige stowwe en van die isomere bedoel in (a), sowel as die soute van die esters, eters en isomere bedoel in (b), waar die bestaan van sodanige soute moontlik is;
- (d) die isomere van enige van die soute bedoel in (c), waar die bestaan van sodanige isomere moontlik is;
- (e) alle preparate en mengsels van enige van die boegemelde.

Alfameprodien.

Alfametadol.

Alfaprodien.

Alfasetielmetadol.

Alfentaniel.

Allielprodien.

Anilerdien.

Asetieldihidrokodeïen, uitgesonderd preparate wat hoogstens 2,5 persent asetieldihidrokodeïen bevat. (B1)

Asetielmetadol.

Asetorfien.

Bensetidien.

Bensfetamien.

Bensielmorfién.

Besitramied.

Betameprodien.

Betametadol.

Betaprodien.

Betasietielmetadol.

**[Chlorodien (Tinktuur van Chloroform en Morfien BP 1980) of enige preparaat of mengsel daarvan beskryf as chlorodien en wat morfien in enige verhouding bevat, uitgesonderd mengsels wat hoogstens 5,0 persent chlorodien in samestelling met ander medisinale bestanddele op so 'n wyse bevat dat dit nie maklik of in sodanige mate herwin kan word dat dit 'n gevaar vir die openbare gesondheid inhoud nie.]**

Chlorodien ("Chloroform and Morphine Tincture BP 1980") of enige preparaat of mengsel daarvan beskryf as chlorodien; uitgesonderd preparate en mengsels wat hoogstens 5,0 persent chlorodien in samestelling met ander aktiewe medisinale bestanddele bevat. (B1)

Clonitazene.

**[Cocaine; except mixtures containing 0,1 per cent or less cocaine, calculated as cocaine alkaloid.]**

Coca leaf and any salt, compound, derivative or preparation of coca leaf and any salt, compound, derivative or preparation thereof that is chemically equivalent or identical to any of these substances, whether obtained directly or indirectly by extraction from material or substances obtained from plants, or obtained independently by chemical synthesis, or by a combination of extraction and chemical synthesis, except decocainized coca leaf and extractions of coca leaf where such extractions contain no cocaine or ecgonine.

Codeine (methylmorphine), except mixtures containing 2,5 per cent or less of codeine. (S1)

Codoxime.

**[Concentrate of poppy straw.]**

Desomorphine.

Dextromoramide.

Dextropropoxyphene, except preparations and mixtures for oral use containing 135 milligrams or less of dextropropoxyphene, calculated as the base, per dosage unit or with a concentration of not more than 2,5 per cent in undivided preparations. (S5)

Diampromide.

Diethylthiambutene.

Difenoxin (or diphenoxyllic acid), except mixtures containing, per dosage unit, 0,5 milligrams or less of difenoxin, calculated as the base, and a quantity of atropine sulphate equal to at least 5,0 per cent of such quantity of difenoxin, calculated as the base, as is present in the mixture. (S2)

Dihydrocodeine, except mixtures containing not more than 2,5 per cent of dihydrocodeine. (S1)

Dihydromorphine.

Dimenoxadol.

Dimepheptanol.

Dimethylthiambutene.

Dioxaphethyl butyrate.

Diphenoxylate, except preparations containing not more than 2,5 milligrams of diphenoxylate, calculated as the base, and not less than 25 micrograms of atropine sulphate per dosage unit. (S2)

Dipipanone.

Drotebanol.

Ergonine and the esters and derivatives thereof that are convertible to ergonine and cocaine.

Ethylmethylthiambutene.

Ethylmorphine, except mixtures containing 2,5 per cent or less of ethylmorphine. (S1)

Etonitazene.

Etorphine.

Etoxeridine.

Dekstromoramide.

Dekstropropoksifeen, uitgesonderd preparate en mengsels vir mondlike gebruik wat hoogstens 135 milligram dekstropropoksifeen, as die basis bereken, per doseringseenheid bevat of met 'n konsentrasie van hoogstens 2,5 persent in onverdeelde preparate. (B5)

Desomorfien.

Diampromied.

Diëtieltiambuteen.

Difenoksien (of difenoksielsuur), uitgesonderd mengsels wat per doseringseenheid hoogstens 0,5 milligram difenoksien, as die basis bereken, bevat asook 'n hoeveelheid atropiensulfaat gelyk aan minstens 5,0 persent van die hoeveelheid difenoksien, as die basis bereken, in die mengsel. (B2)

Difenoksilaat, uitgesonderd preparate wat hoogstens 2,5 milligram difenoksilaat, as die basis bereken, en minstens 25 mikrogram atropiensulfaat per doseringseenheid bevat. (B2)

Dihidrokodeïen, uitgesonderd mengsels wat hoogstens 2,5 persent dihidrokodeïen bevat. (B1)

Dihidromorfien.

Dimefeptanol.

Dimenoksalol.

Dimetiliambuteen.

Dioksafetielbutiraat.

Dipipanoon.

Drotebanol.

Ekgonien en die esters en derivate daarvan wat veranderbaar is in ekgonien en kokaïen.

Etielmetiliambuteen.

Etielmorfien, uitgesonderd mengsels wat hoogstens 2,5 persent etielmorfien bevat. (B1)

Etokseridien.

Etonitaseen.

Etorfien.

Fenadoksoon.

Fenampromied.

Fenasosien.

Fendimetrasien.

Fenomorfaan.

Fenoperidien.

Fenproporeks.

Fentaniel. (B8)

Folkodien, uitgesonderd mengsels wat hoogstens 2,5 persent folkodien bevat. (B1)

Furetidien.

Hidrokodoon (dihidrokodeïnoon).

Hidrokspitetidien.

Hidromorfinol (14-hidroksidihidromorfien).

Hodromorfoon (dihidromorfinoon).

Isometadoon.

Fenproporex.	Ketobemidoon.
Fentanyl. (S8)	Klonitaseen.
Furethidine.	Kodeïen (metielmorphien), uitgesonderd mengsels wat hoogstens 2,5 persent kodeïen bevat. (B1)
Hydrocodone (dihydrocodeinone).	Kodoksiem.
Hydromorphenol (14-hydroxydihydromorphine).	[Kokaïen, uitgesonderd mengsels wat hoogstens 0,1 persent kokaïen, bereken as kokaïenalkaloïed, bevat.]
Hydromorphone (dihydromorphinone).	Kokablare en enige sout, verbinding, derivaat of preparaat van kokablare, en enige sout, verbindings, derivaat of preparaat daarvan wat chemies ekwivalent of identies is aan enige van hierdie stowwe, hetsy direk of indirek verkry deur ekstraksie uit materiaal of stowwe van plantaardige afkoms, of onafhanklik verkry deur middel van chemiese sintese, of deur 'n kombinasie van ekstraksie en chemiese sintese, uitgesonderd gedekokaïniseerde kokablare en ekstraksies van kokablare waar sodanige ekstraksies geen kokaïen of ekgoenien bevat nie.
Hydroxypethidine.	Levofenasielmorfaan.
Isomethadone.	Levomoramied.
Ketobemidone.	Levorfanol.
Levomoramide.	Mefenoreks.
Levophenacylmorphan.	Meklokaloon.
Levorphanol.	Metadoon.
Mecloqualone.	Metadoon-intermediêr.
Mefenorex.	Metasosien.
Metazocine.	Metieldesorfien.
Methadone.	Metieldihidromorfien.
Methadone-intermediate.	Metielfenidaat en die derivate daarvan, tensy in 'n ander Bylae gelys.
Methorphan, including levomethorphan and racemethorphan, but excluding dextromethorphan. (S1)	Metopoon.
Methyldesorphine.	Metorfaan, insluitende levometorfaan en rasemetorfaan, maar uitgesonderd dekstrometorfaan. (B)
Methyldihydromorphine.	Mirofien (miristielbensielmorfien).
Methylphenidate and its derivatives, unless listed in another Schedule.	Moramied-intermediêr.
Metopon.	Morferidien.
Moramide-intermediate.	[Morfien, uitgesonderd preparate en mengsels van morfien wat hoogstens 0,2 persent morfien, bereken as anhidriese morfien, bevat en uitgesonderd mengsels waaruit morfien nie maklik of in sodanige mate herwin kan word dat dit 'n gevaar vir die openbare gesondheid inhoud nie (sien ook chlorodien).]
Morpheridine.	Morfien, uitgesonderd preparate en mengsels van morfien wat hoogstens 0,2 persent morfien, bereken as anhidriese morfien, bevat. (B1)
[Morphine, except preparations and mixtures of morphine containing 0,2 per cent or less morphine, calculated as anhydrous morphine, and except mixtures from which morphine cannot be recovered by readily applicable means or in a yield that would constitute a risk to public health (see also Chlorodyne).]	Morfienmetobromied en ander pentavalente stikstofmorfiederivate.
Morphine, except preparations and mixtures of morphine containing 0,2 per cent or less of morphine, calculated as anhydrous morphine. (S1)	Morfien-N-oksied en die derivate daarvan.
Morphine methobromide and other pentavalent nitrogen morphine derivatives.	Nikodikodien.
Morphine-N-oxide and its derivatives.	Nikokodien.
Myrophine (myristylbenzylmorphine).	Nikomorfien.
Nicocodeine.	Norasimetadol.
Nicodicodine.	
Nicomorphine.	
Noracymethadol.	
Norcodeine, except mixtures containing 2,5 per cent or less of norcodeine. (S1)	
Norlevorphanol.	
Normethadone.	
Normorphine (demethylmorphine or N-demethylated morphine).	

Norpipanone.

**[Opium, except mixtures containing 0,2 per cent or less morphine calculated as anhydrous morphine (see also Chlorodyne).]**

Opium and opiates and any salt, compound, derivative or preparation of opium or opiates, whether obtained directly or indirectly by extraction from material or substances obtained from plants, or obtained independently by chemical synthesis, or by a combination of extraction and chemical synthesis, except mixtures containing 0,2 per cent or less of morphine, calculated as anhydrous morphine. (S1)

Opium-poppy and poppy straw, whether obtained directly or indirectly by extraction from material or substances obtained from plants, or whether obtained independently by chemical synthesis, or by a combination of extraction and chemical synthesis.

Oxycodone (14-hydroxydihydrocodeinone or dihydrohydroxycodeinone).

Oxymorphone (14-hydroxydihydromorphinone or dihydrohydroxymorphinone).

Pethidine, pethidine-intermediate A, pethidine-intermediate B and pethidine-intermediate C. (S8)

Phenadoxone.

Phenampromide.

Phenazocine.

Phendimetrazine.

Phenomorphan.

Phenoperidine.

Pholcodine, except mixtures containing 2,5 per cent or less of pholcodine. (S1)

Piminodine.

Piritramide.

Proheptazine.

Properidine.

Propiram.

Racemoramide.

Racemorphan.

Secobarbital.

Sufentanil.

Thebacon.

Thebaine.

Tilidine.

Tramadol.

Trimeperidine.

#### SCHEDULE 8

All substances referred to in this Schedule include the following (unless expressly excluded or unless listed in another Schedule):

- (a) The isomers of such substances, where the existence of such isomers is possible within the specific chemical designation;

Norkodeïen, uitgesonderd mengsels wat hoogstens 2,5 persent norkodeïen bevat. (B1)

Norlevorfanol.

Normetadoon.

Normorfien (demetielmorphien of N-gedemetileerde morfien).

Norpipanoon.

Oksikodoon (14-hidroksidihidrokodeïnoon of dihidrohidroksikodeïnoon.)

Oksimorfoon (14-hidroksidihidromorfinoon of dihidrohidroksimorfinoon).

**[Opium, uitgesonderd mengsels wat hoogstens 0,2 persent morfien, bereken as anhidriese morfien, bevat (sien ook chlorodien).]**

Opium en opiate en enige sout, verbinding, derivaat of preparaat van opium of opiate, hetsy direk of indirek verkry deur ekstraksie uit materiaal of stowwe van plantaardige afkoms, of onafhanklik verkry deur middel van chemiese sintese, of deur 'n kombinasie van ekstraksie en chemiese sintese, uitgesonderd mengsels wat hoogstens 0,2 persent morfien, bereken as anhidriese morfien, bevat. (B1)

Opiumpapawer en papawerstrooi, hetsy direk of indirek verkry deur ekstraksie uit materiaal of stowwe van plantaardige afkoms, of onafhanklik verkry deur middel van chemiese sintese, of deur 'n kombinasie ekstraksie en chemiese sintese.

#### [Papawerstrooikonsentraat.]

Petidien, petidien-intermediêr A, petidien-intermediêr B en petidien-intermediêr C. (B8)

Piminodien.

Piritramied.

Proheptasien.

Properidien.

Propiraam.

Rasemoramied.

Rasemorfaan.

Sekobarbital.

Sufentaniel.

Tebaïen.

Tebakon.

Tilidien.

Tramadol.

Trimeperidien.

#### BYLAE 8

Al die stowwe bedoel in hierdie Bylae sluit die volgende in (tensy uitdruklik uitgesluit of tensy in 'n ander Bylae gelys):

- (a) Die isomere van sodanige stowwe, waar die bestaan van sodanige isomere moontlik is binne die spesifieke chemiese benaming;

- (b) the esters and ethers of such substances and of the isomers referred to in (a), as well as the isomers of such esters and ethers, where the existence of such esters, ethers and isomers is possible;
- (c) the salts of such substances and of the isomers referred to in (a), as well as the salts of the esters, ethers and isomers referred to in (b), where the existence of such salts is possible;
- (d) the isomers of any of the salts referred to in (c), where the existence of such isomers is possible;
- (e) all preparations and mixtures of any of the above.

Amphetamine. (S9)

Bufotenine (N,N-dimethylserotonin).

Cannabis (dagga), the whole plant or any portion or product thereof.

**[Coca Leaf.]**

Dexamphetamine. (S9)

Diethyltryptamine [3-(2-(diethylamino)-ethyl)-indole].

Dimethyltryptamine [3-(2-(dimethylamino)-ethyl)-indole].

Fentanyl-analogues (unless listed in another Schedule):

acetyl-alpha-methyl-fentanyl,

alpha-methyl-fentanyl,

alpha-methyl-fentanyl-acetanilide,

alpha-methyl-thio-fentanyl,

benzyl-fentanyl,

beta-hydroxy-3-methyl-fentanyl,

3-methyl-fentanyl and its two isomeric forms:

cis-N-(3-methyl-1-(2-phenethyl)-4-piperidyl) propionanilide and trans-N-(3-methyl-1-(2-phenethyl)-4-piperidyl) propionanilide; and

para-fluoro-fentanyl. (S7)

Harmaline (3,4-dihydroharmine).

Harmine (7-methoxy-1-methyl-9H-pyrido (3,4-b)-indole).

Heroin (diacetylmorphine).

Lysergide (lysergic acid diethylamide).

Mescaline (3,4,5-trimethoxyphenethylamine).

Methamphetamine and methamphetamine racemate.

Methaqualone and any preparation containing methaqualone.

4-methyl-2,5-dimethoxyamphetamine (DOM) and its derivatives.

Pethidine-analogues:

1-methyl-4-phenyl-4-propionoxy-piperidine (MPPP);

1-methyl-4-phenyl-1,2,5,6-tetrahydro-piperidine (MPTP); and

1-phenylethyl-4-phenyl-4-acetoxy-piperidine (PEPAP).

Phencyclidine and its congeners N-ethyl-1-phenylcyclohexylamine (PCE), 1-(1-phenylcyclohexyl) pyrrolidine (PHP or PCPY) and 1-[1-(2-thienyl) cyclohexyl] piperidine (TCP).

- (b) die esters en eters van sodanige stowwe en van die isomere bedoel in (a), sowel as die isomere van sodanige esters en eters, waar die bestaan van sodanige esters, eters en isomere moontlik is;
- (c) die soute van sodanige stowwe en van die isomere bedoel in (a), sowel as die soute van die esters, eters en isomere bedoel in (b), waar die bestaan van sodanige soute moontlik is;
- (d) die isomere van enige van die soute bedoel in (c), waar die bestaan van sodanige isomere moontlik is;
- (e) alle preparate en mengsels van enige van die boegmelde.

Amfetamien. (9)

**[Bereide opium.]**

Bufotenien (N,N-dimetielserotonien).

Cannabis (dagga), die hele plant of enige gedeelte of produk daarvan.

Deksamfetamien. (B9)

Diëtieltriptamien [3-(2-(diëtielamino)-etiel)-indool].

Dimetieltriptamien [3-(2-(dimetielamino)-etiel)-indool].

Fenmetrasien.

Fensiklidien en die verwante stowwe daarvan, naamlik N-etiel-1-fenielsikloheksielamien (PCE), 1-(1-fenielsikloheksiel)-pirrolidien (PHP of PCPY) en 1(1-(2-tiëniet)-sikloheksiel)-piperidien (TCP).

Fentaniel-analoë (tensy in 'n ander Bylae gelys):

alfametielfentaniel;

alfametiefentanielasetanilied;

alfametieltofentaniel;

asetielalfametielfentaniel;

bensielfentaniel;

betahidroksi-3-metielfentaniel;

3-metielfentaniel en die twee isomeriese vorme daarvan, naamlik cis-N-(3-metiel-1-(2-fenetiel)-4-piperidiel)-propioonanilied en trans-N-(3-metiel-1-(2-fenetiel)-4-piperidiel)-propioonanlidied; en

parafluorfentaniel. (7)

Harmalien (3,4-dihidroharmien).

Harmien [7-metoksi-1-metiel-9H-pirido-(3,4-b)-indool].

Heroïen (diasetielmorphien).

**[Kokablaar.]**

Lisergied (lisergiensuurdiëtielamied).

Meskalien (3,4,5-trimetoksifenetielamien).

Metakaloen en enige prepaarat wat metakaloon bevat.

Metamfetamien en metamfetamienrasemaat.

4-metiel-2,5-dimetoksiamfetamien (DOM) en die derivative daarvan.

Petidien-analoë:

1-metiel-4-feniel-4-propioonoksipiperidien (MPPP);

1-metiel-4-feniel-1,2,5,6-tetrahidropiperidien (MPTP);

en

Phenmetrazine.  
**[Prepared opium.]**  
 Psilocin (4-hydroxydimethyltryptamine).  
 Psylocybin (4-phosphoryloxy-N, N-dimethyltryptamine).  
 Tetrahydrocannabinol.

**SCHEDULE 9**

Amphetamine and its salts; preparations thereof. (S8)  
 Dexamphetamine and its salts; preparations thereof. (S8)  
Nabilone.

1-fenieletiel-4-feniel-4-asetieloksipleridien. (PEPAP).  
 Psilosibien (4-fosforieloksi-N,N-dimetieltriptamien).  
 Psilosien (4-hidroksidimetieltriptamien).  
 Tetrahidrokannabinol.

**BYLAE 9**

Amfetamien en die soute daarvan; preparate daarvan.  
(B8)  
 Deksamfetamien en die soute daarvan; preparate daarvan. (B8)  
Nabiloon.

**Save a drop — and save a million**

Water conservation is very important to the community  
and industry to ensure their survival. So save water!

**Spaar 'n druppel — en vul die dam**

Indien almal van ons besparingsbewus optree, besnoei ons nie slegs uitgawes nie maar wen ook ten opsigte van ons kosbare water- en elektrisiteitsvoorraad

<b>CONTENTS</b>			<b>INHOUD</b>		
No.	Page No.	Gazette No.	No.	Bladsy No.	Staatskoerant No.
<b>GOVERNMENT NOTICE</b>					
<b>National Health and Population Development, Department of Government Notice</b>					
225 Medicines and Related Substances Control Act (101/1965): Amendment of Schedules 1 to 9 .....	1	11704	225 Wet op die Beheer van Medisyne en Verwante Stowwe (101/1965): Wysiging van Bylaes 1 tot 9 .....	1	11704