

REPUBLIEK
VAN
SUID-AFRIKA



REPUBLIC
OF
SOUTH AFRICA

Staatskoerant Government Gazette

Vol. 347

PRETORIA, 6 MEI 1994

No. 15729

GOEWERMENSKENNISGEWINGS

DEPARTEMENT VAN FINANSIES

No. 907

6 Mei 1994

WET OP DIE SUID-AFRIKAANSE RESERWEBANK,
1989

GROOTTE, ONTWERP EN SAMESTELLING VAN
DIE SPESIALE R5-MUNT, R1-SILWERMUNT EN
1OZ-GOUDMUNT

Kragtens die bevoegdheid my verleen by artikel 19
(1) (a) van die Wet op die Suid-Afrikaanse Reserwe-
bank (Wet No. 90 van 1989), verklaar ek hierby—

- (a) dat die spesiale R5-munt, R1-silwermunt en 1oz-
goudmunt wat in deel (a) en deel (b) van die
Tweede Bylae van bogenoemde Wet uiteengesit
word, en wat tans vervaardig word en uitgereik
sal word kragtens artikel 16 (1) van genoemde
Wet, vanaf 9 Mei 1994 'n wettige betaalmiddel
is; en
- (b) dat die ontwerp van die gemelde munte dié is
soos uiteengesit in Bylae A tot hierdie kennisge-
wing; en
- (c) dat die spesifikasies van die gemelde munte
soos volg is:

Denominasie	Deursnit	Toleransie (positief en negatief) op deursnit
R5	26 mm	$\pm 0,08$ mm
R1-silwer	32,69 mm	$\pm 0,05$ mm
1oz-goudmunt	32,69 mm	$\pm 0,05$ mm

D. L. KEYS,

Minister van Finansies.

98677—A

GOVERNMENT NOTICES

DEPARTMENT OF FINANCE

No. 907

6 May 1994

SOUTH AFRICAN RESERVE BANK ACT, 1989

THE DIMENSION OF, DESIGN FOR, AND COMPILA-
TION OF THE SPECIAL R5 COIN, R1 SILVER COIN
AND 1OZ GOLD COIN

By virtue of the powers vested in me by section 19
(1) (a) of the South African Reserve Bank Act (Act No.
90 of 1989), I hereby declare—

- (a) that the special R5 coin, R1 silver coin and 1oz
gold coin as set out in section (a) and section (b)
of the second schedule to the said Act, which is
being manufactured, and will be issued by virtue
of section 16 (1) of the said Act, will be legal
tender as from 9 May 1994; and
- (b) that the design of the said coins will be design as
shown in Annexure A which is attached to this
notice; and
- (c) that the specifications of the said coins are as
follows:

Denomination	Diameter	Tolerance (positive and negative) on diameter
R5	26 mm	$\pm 0,08$ mm
R1-silver	32,69 mm	$\pm 0,05$ mm
1oz-gold coin	32,69 mm	$\pm 0,05$ mm

D. L. KEYS,

Minister of Finance.

15729—1

BYLAE A • ANNEXURE A

Spesiale R5-sirkulasiemunt*Spesiale R1-silwermunt**Spesiale 1oz-goudmunt**Special R5 circulation coin**Special R1 silver coin**Special 1oz gold coin*

No. 908

6 Mei 1994

WET OP DIE SUID-AFRIKAANSE RESERWEBANK,
1989GROOTTE, ONTWERP EN SAMESTELLING VAN
DIE VOLGENDE MUNTE: 1 ONS GOUE-PROTEA,
1/10 ONS GOUE-PROTEA EN SILWER R1-PROTEAKragtens die bevoegdheid my verleen by artikel 19
(1) (a) van die Wet op die Suid-Afrikaanse Reserwe-
bank (Wet No. 90 van 1989), verklaar ek hierby —

- (a) dat die 1 ons goue-Protea-, 1/10 ons goue-Protea- en Silwerrandmunte wat indeel (a) van die Tweede Bylae van bogenoemde Wet uiteengesit word, wat tans vervaardig word en uitgereik sal word kragtens artikel 16 (1) van genoemde Wet, vanaf 1 Januarie 1994 'n wettige betaalmiddel is; en

- (b) dat die ontwerp van die gemelde munte dié is soos uiteengesit in Bylae A tot hierdie kennisgewing; en

No. 908

6 May 1994

SOUTH AFRICAN RESERVE BANK ACT, 1989

THE DIMENSION OF, DESIGN FOR, AND COMPILA-
TION OF THE FOLLOWING COINS: 1 OZ GOLD
PROTEA, 1/10 OZ GOLD PROTEA AND SILVER
ONE RAND PROTEABy virtue of the powers vested in me by section 19
(1) (a) of the South African Reserve Bank Act (Act No.
90 of 1989), I hereby declare —

- (a) that the 1 oz Protea, 1/10 Protea and Silver Rand coins as set out in section (a) of the Second Schedule to the said Act, which are being manufactured, and will be issued by virtue of section 16 (1) of the said Act, will be legal tender as from 1 January 1994; and
- (b) that the designs of the said coins will be the designs as shown in Annexure A which is attached to this notice; and

(c) dat die spesifikasies van die gemelde munte soos volg is:

Denominasie	Deursnit	Toleransie (positief en negatief) op deursnit
1 ons goue-Protea	32,69 mm	0,08 mm
1/10 ons goue-Protea	16,50 mm	0,05 mm
Silwer R1-Protea	32,69 mm	0,08 mm

D. L. KEYS,

Minister van Finansies.

(c) that the specifications of the said coins are as follows:

Denomination	Diameter	Tolerance (positive and negative) on diameter
1 oz gold Protea	32,69 mm	0,08 mm
1/10 oz gold Protea	16,50 mm	0,05 mm
Silver R1 Protea	32,69 mm	0,08 mm

D. L. KEYS,

Minister of Finance.

BYLAE A • ANNEXURE A

1 ons Protea-munt



1 ounce Protea coin



1/10 ons Protea-munt



1/10 ounce Protea coin



R1 silwer Protea-munt



R1 silver Protea coin



No. 909

6 Mei 1994

WET OP DIE SUID-AFRIKAANSE RESERWEBANK, 1989

DIE GROOTTE, ONTWERP EN SAMESTELLING VAN DIE KROONGROOTTE R2-MUNT

Kragtens die bevoegdheid my verleen by artikel 19 (1) (a) van die Wet op die Suid-Afrikaanse Reserwebank (Wet No. 90 van 1989), verklaar ek hierby—

- (a) dat die kroongrootte silwer R2-munt wat in deel (a) van die Tweede Bylae van bogenoemde Wet uiteengesit word, wat tans vervaardig word en uitgereik sal word kragtens artikel 16 (1) van genoemde Wet, vanaf 1 Januarie 1994 'n wettige betaalmiddel is; en

No. 909

6 May 1994

SOUTH AFRICAN RESERVE BANK ACT, 1989

THE DIMENSION OF, DESIGN FOR, AND COMPI- LATION OF THE CROWNSIZE SILVER R2-COIN

By virtue of the powers vested in me by section 19 (1) (a) of the South African Reserve Bank Act (Act No. 90 of 1989), I hereby declare—

- (a) that the crownsilver R2-coin as set out in section (a) of the Second Schedule to the said Act, which is being manufactured, and will be issued by virtue of section 16 (1) of the said Act, will be legal tender as from 1 January 1994; and

- (b) dat die ontwerp van die gemelde munt dié is soos uiteengesit in Bylae A tot hierdie kennisgewing; en
- (c) dat die spesifikasies van die gemelde munt soos volg is:

Denominasie	Deursnit	Toleransie (positief en negatief) op deursnit
Kroongrootte Silver R2	38,725 mm	0,08 mm

D. L. KEYS,
Minister van Finansies.

- (b) that the design of the said coin will be the design as shown in Annexure A which is attached to this notice; and
- (c) that the specifications of the said coin is as follows:

Denomination	Diameter	Tolerance (positive and negative) on diameter
Crownsize Silver R2	38,725 mm	0,08 mm


D. L. KEYS,
Minister of Finance.

BYLAE A • ANNEXURE A

Kroongrootte silwer R2-munt



Crown size silver R2 coin



No. 910

6 Mei 1994

WET OP DIE SUID-AFRIKAANSE RESERWEBANK, 1989

GROOTTE, ONTWERPE EN SAMESTELLING VAN DIE 999,9 GOUDMUNTE

Kragtens die bevoegdheid my verleen by artikel 19 (1) (a) van die Wet op die Suid-Afrikaanse Reserwebank (Wet No. 90 van 1989), verklaar ek hierby—

- (a) dat die 999,9 goudmunte wat in deel (b) van die Tweede Bylae van bogenoemde Wet uiteengesit word, wat tans vervaardig word en uitgereik sal word kragtens artikel 16 (1) van genoemde Wet, vanaf 1 Januarie 1994 'n wettige betaalmiddel is; en
- (b) dat die ontwerp van die gemelde munte dié is soos uiteengesit in Bylae A tot hierdie kennisgewing; en
- (c) dat die spesifikasies van die gemelde munte soos volg is:

Denominasie	Deursnit	Toleransie (positief en negatief) op deursnit
1 ons 999,9 goud	32,69 mm	± 0,08 mm
½ ons 999,9 goud	27 mm	± 0,07 mm
¼ ons 999,9 goud	22 mm	± 0,06 mm
1/10 ons 999,9 goud	16,5 mm	± 0,05 mm

D. L. KEYS,
Minister van Finansies.

No. 910

6 May 1994

SOUTH AFRICAN RESERVE BANK ACT, 1989

THE DIMENSION OF, DESIGNS FOR, AND COMPI-
LATION OF THE 999,9 GOLD COINS

By virtue of the powers vested in me by section 19 (1) (a) of the South African Reserve Bank Act (Act No. 90 of 1989), I hereby declare—



- (a) that the 999,9 gold coins as set out in section (b) of the Second Schedule to the said Act, which are being manufactured, and will be issued by virtue of section 16 (1) of the said Act, will be legal tender as from 1 January 1994; and
- (b) that the designs of the said coins will be the designs as shown in Annexure A which is attached to this notice; and
- (c) that the specifications of the said coins are as follows:

Denomination	Diameter	Tolerance (positive and negative) on diameter
1 oz 999,9 gold	32,69 mm	± 0,08 mm
½ oz 999,9 gold	27 mm	± 0,07 mm
¼ oz 999,9 gold	22 mm	± 0,06 mm
1/10 oz 999,9 gold	16,5 mm	± 0,05 mm

D. L. KEYS,
Minister of Finance.

BYLAE A • ANNEXURE A

1 ons 999,9 goudmunt

 $\frac{1}{2}$ ons 999,9 goudmunt $\frac{1}{4}$ ons 999,9 goudmunt $\frac{1}{10}$ ons 999,9 goudmunt

No. 911

6 Mei 1994

WET OP DIE SUID-AFRIKAANSE RESERWEBANK,
1989

(WET No. 90 VAN 1989)


WYSIGING VAN BYLAE 2

Kragtens artikel 16 (2) van die Wet op die Suid-Afrikaanse Reserwebank, 1989 (Wet No. 90 van 1989), wysig ek, Derek Lyle Keys, Minister van Finansies, hierby Bylae 2 by genoemde Wet soos uiteengesit in die Bylae.

Die bepalings van hierdie kennisgewing tree in werking op 1 Januarie 1994.

D. L. KEYS,
Minister van Finansies.

1 oz 999,9 gold coin

 $\frac{1}{2}$ oz 999,9 gold coin $\frac{1}{4}$ oz 999,9 gold coin $\frac{1}{10}$ oz 999,9 gold coin

No. 911

6 May 1994

SOUTH AFRICAN RESERVE BANK ACT, 1989
(ACT No. 90 OF 1989)

AMENDMENT OF SCHEDULE 2

Under section 16 (2) of the South African Reserve Bank Act, 1989 (Act No. 90 of 1989), I, Derek Lyle Keys, Minister of Finance, hereby amend Schedule 2 of the said Act as set forth in the Schedule.

The provisions of this notice shall come into operation on 1 January 1994.

D. L. KEYS,
Minister of Finance.

BYLAE • SCHEDULE

1. Bylae 2 by die Wet op die Suid-Afrikaanse Reserwebank, 1989 (Wet No. 90 van 1989), word hierby gewysig.

“(a) Standaardmassa en -fynheid van edelmetaalmunte en -gedenkmunte”

1. Schedule 2 to the South African Reserve Bank Act, 1989 (Act No. 90 of 1989), is hereby amended.

“(a) Standard mass and fineness of precious metal coins and commemorative coins”

metaalmunte en -gedenkmunte					
Denominasie van munt	Standaard massa (Gram)	Geringste gangbare massa (Gram)	Standaard fynheid gebaseer op minimum massa	Toelaatbare remedie	
				Massa per muntstuk (Gram)	Edelmetaal fynheid per duisend dele
GOUD					
NATURA					
(1 oz fyn goud).....	31,107	31,103	999,9 dele elementale goud per duisend, balans spoor elemente	+0,07	+0,05
1/2-NATURA					
(1/2 oz fyn goud).....	15,553	15,552		+0,035	+0,05
1/4-NATURA					
(1/4 oz fyn goud).....	7,777	7,776		+0,02	+0,05
1/10-NATURA					
(1/10 oz fyn goud).....	3,110	3,110	+0,01	+0,05	
HERDENKING					
(1 oz fyn goud).....	31,107	31,103	+0,07	+0,05	
KRUGERRAND					
(1 oz fyn goud).....	33,930	33,930	+0,07	+0,04	
1/2-KRUGERRAND					
(1/2 oz fyn goud).....	16,965	16,965	916,7 dele elementale goud per duisend, balans koper insluitend spoor elemente	+0,035	+0,04
1/4-KRUGERRAND					
(1/4 oz fyn goud).....	8,482	8,482	+0,02	+0,04	
1/10-KRUGERRAND					
(1/10 oz fyn goud).....	3,393	3,393	+0,01	+0,04	
TWEE RAND	7,988	7,988	+0,02	+0,04	
EEN RAND	3,994	3,994	+0,01	+0,04	
PROTEA					
(1 oz fyn goud).....	33,930	33,930	+0,07	+0,04	
1/10-PROTEA					
(1/10 oz fyn goud).....	3,393	3,393	+0,01	+0,04	
SILWER					
TWEE RAND					
(1 oz fyn silwer)	33,626	33,626	925,0 dele elementale silwer per duisend, balans koper insluitend spoor elemente	+0,2	+5
EEN RAND	15,000	15,000	+0,1	+5	

Denomination of coin	Standard mass (Gram)	Least current mass (Gram)	Standard fineness based on minimum mass	Remedy allowable	
				Mass per coin (Gram)	Precious metal fineness per thousand parts
GOLD					
NATURA (1 oz fine gold).....	31,107	31,103	999,9 parts elemental gold per thousand, balance trace elements	+0,07	+0,05
1/2-NATURA (1/2 oz fine gold).....	15,553	15,552		+0,035	+0,05
1/4-NATURA (1/4 oz fine gold).....	7,777	7,776		+0,02	+0,05
1/10-NATURA (1/10 oz fine gold).....	3,110	3,110		+0,01	+0,05
COMMEMORATIVE (1 oz fine gold).....	31,107	31,103		+0,07	+0,05

Denomination of coin	Standard mass (Gram)	Least current mass (Gram)	Standard fineness based on minimum mass	Remedy allowable	
				Mass per coin (Gram)	Precious metal fineness per thousand parts
KRUGERRAND					
(1 oz fine gold).....	33,930	33,930	916,7 parts elemental gold per thousand, balance copper including trace elements	+0,07	+0,04
1/2-KRUGERRAND (1/2 oz fine gold).....	16,965	16,965		+0,035	+0,04
1/4-KRUGERRAND (1/4 oz fine gold).....	8,482	8,482		+0,02	+0,04
1/10-KRUGERRAND (1/10 oz fine gold).....	3,393	3,393		+0,01	+0,04
TWO RAND.....	7,988	7,988		+0,02	+0,04
ONE RAND.....	3,994	3,994		+0,01	+0,04
PROTEA					
(1 oz fine gold).....	33,930	33,930		+0,07	+0,04
1/10-PROTEA (1/10 oz fine gold).....	3,393	3,393		+0,01	+0,04
SILVER					
TWO RAND			925,0 parts elemental silver per thousand, balance copper including trace elements		
(1 oz fine silver).....	33,626	33,626		+0,2	+5
ONE RAND	15,000	15,000		+0,1	+5

INHOUD			CONTENTS				
No.		Bladsy No.	No.	No.	Page No.	Gazette No.	
GOEWERMENSKENNISGEWINGS			GOVERNMENT NOTICES				
Finansies, Departement van			Finance, Department of				
Goewermentskennisgewings			Government Notices				
907	Wet op die Suid-Afrikaanse Reserwe- bank (90/1989): Grootte, ontwerp en samestelling: Spesiale R5-munt, R1- silwermunt en 1 oz-goudmunt.....	1	15729	907	South African Reserve Bank Act (90/1989): Dimension of, design for, and compilation: Special R5 coin, R1 silver coin and 1 oz gold coin.....	1	15729
908	do.: do.: 1 ons goue-Protea, 1/10 ons goue-Protea- en silwer R1-Protea-munte	2	15729	908	do.: do.: 1 oz gold Protea, 1/10 oz gold Protea and silver one Rand Protea coins .	2	15729
909	do.: do.: Kroongrootte R2-munt.....	3	15729	909	do.: do.: Crownsize silver R2-coin.....	3	15729
910	do.: do.: Die 999,9 goudmunte.....	4	15729	910	do.: do.: The 999,9 gold coins	4	15729
911	do.: Wysiging van Bylae 2	5	15729	911	do.: Amendment of Schedule 2	5	15729