



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Vol. 444

Pretoria, 7 June
Junie 2002

No. 23491



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

CONTENTS • INHOUD

No.

Page
No. Gazette
No.**GENERAL NOTICE****Independent Communications Authority of South Africa***General Notice*

- | | | | |
|-----|--|---|-------|
| 930 | Telecommunications Act (103/1996): Intention to make regulations regarding the use or possession of certain radio apparatus without a radio frequency spectrum licence, certificate, authority or permit | 3 | 23491 |
|-----|--|---|-------|
-

GENERAL NOTICE

NOTICE 930 OF 2002



INDEPENDENT COMMUNICATIONS AUTHORITY OF SOUTH AFRICA (ICASA)

NOTICE OF INTENTION TO MAKE REGULATIONS REGARDING THE USE OR POSSESSION OF CERTAIN RADIO APPARATUS WITHOUT A RADIO FREQUENCY SPECTRUM LICENCE, CERTIFICATE, AUTHORITY OR PERMIT

The Independent Communications Authority of South Africa hereby gives notice that it intends making the regulations in the Schedule in terms of section 95 read with section 30(9) of the Telecommunications Act, 1996 (Act No. 103 of 1996).

Interested persons are hereby invited to submit written comments or written representations with regard to the proposed regulations, to be received **by no later than 16h00 on 12 July 2002** by post, hand delivery, facsimile transmission or by an electronic version in Microsoft Word, for the attention of Mr Mandla Mchunu, ICASA, Private Bag X10002, Sandton, 2146; Block A, ICASA, Pin Mill Farm, 164 Katherine Street, Sandton; Facsimile (011) 321 8577. E-mail : mmchunu@icasa.org.za

Mandla Langa

**Chairperson
ICASA**

SCHEDULE

Amendment of Ministerial Declaration

1. The Declaration by the Minister of certain apparatus not to be radio apparatus for the purposes of the now repealed Radio Act, 1952, (Act 3 of 1952), published in Government Notice 1790 of 1995, is hereby amended by the substitution for paragraph (1) of the following regulations.

Definitions

2. In these regulations all words or expressions shall have the meaning assigned to them in the Telecommunications Act, 1996 (Act No. 103 of 1996), unless the context indicates otherwise.

2.1 "Inductive Loop Systems" means radio apparatus which operate by producing a controlled magnetic field within which a predetermined recognisable signal is formed. Examples include shop anti-theft tagging systems, car immobiliser keys and door access tokens.

2.2 "Non specific Short Range Devices" means radio apparatus used for general telemetry, telecommand, alarms and data with a low duty cycle.

2.3 "Telemetry" means the transmission of remotely measured data.

2.4 "Telecommand" means the use of radiocommunication for the transmission of signals to initiate, modify or terminate functions of equipment at a distance.

2.5 "Low Power Radio" means radio apparatus used for short range two-way voice communications e.g. toy walkie talkies.

2.6 "Model Control apparatus" means radio apparatus used to control the movement of the model in the air, on land or over or under the water surface.

2.7 "Baby Monitors" means radio apparatus used to transmit sound to a remote receiver to monitor the sound or movement of infants.

2.8 "Wireless Microphones" means radio apparatus used to transmit speech or music over short distances to a remote receiver in studios, theatres etc.

2.9 "Wireless Audio Systems" means radio apparatus used to replace the wired headphones or speakers in hi-fi systems.

2.10 "Wideband Wireless Systems" means radio apparatus that are general-purpose high bit rate spread spectrum radio systems.

2.11 "Field Disturbance and Doppler Apparatus (FDDA)" means radio apparatus which operates by producing a radiated field and responding to any disturbance of that field caused by an intrusion or movement within the field by other devices, objects or persons. In this way it can detect or monitor the movement of objects or persons. Alarm systems sometimes use this type of equipment for intruder detection.

2.12 "Video Surveillance Equipment" means radio apparatus used for security camera purposes to replace the cable between a camera and a monitor.

2.13 "Road Transport and Traffic Telematics (RTTT)" means radio apparatus used for traffic management. Applications include automatic road toll collection, route guidance systems, vehicle or container identification, instant traffic information, parking management, advance incident warning and on-vehicle anti-collision radar.

2.14 "High Performance Radio Local Area Network (Hiperlan)" means radio apparatus intended for indoor use, utilising spread-spectrum modulation techniques, to link computer nodes within a network.

Categories of radio apparatus the use or possession of which shall not require a radio frequency spectrum licence, certificate, authority or permit

3 The radio apparatus listed in column B of the Appendix are radio apparatus the use or possession of which shall not require a radio frequency spectrum licence, certificate, authority or permit.

Circumstances in which the use or possession of certain radio apparatus shall not require a radio frequency spectrum licence, certificate, authority or permit

4 The circumstances in which the use or possession of the radio apparatus referred to in regulation 3 shall not require a radio frequency spectrum licence, certificate, authority or permit shall be as follows:

4.1 The apparatus must be operated within and must not exceed the technical parameters set out in each of the applicable columns of the Appendix with respect to:

4.1.1 The frequency band.

4.1.2 Maximum Radiated Power or Field Strength Limits and Channel Spacing.

4.1.3 Relevant Standard.

- 4.2 The apparatus must be type-approved by the Authority in accordance with Sec 54 of the Act.**
- 4.3 The frequencies, the transmitting power and external high-gain antenna of the apparatus may not be altered without the prior written approval of the Authority.**
- 4.4 The antenna of the apparatus may not be higher above average ground level than the lowest point of the place where the apparatus operates effectively. ****
- 4.5 The apparatus may not cause harmful interference to other radio communication services.**
- 4.6 The apparatus may not be used to provide a telecommunication service to another person without a telecommunication service licence.**
- 4.7 The apparatus may not be used to provide a telecommunication network operation.**

APPENDIX

COLUMN A

COLUMN B

COLUMN C

COLUMN D

COLUMN E

Frequency Bands K=kHz M=MHz G=GHz	Type of Device	Max Radiated Power or Field Strength Limits & Channel spacing	Relevant Standard	Additional Requirements
9 – 59.75K	Inductive Loop System	72 dB μ A/m @ 10 m	EN 300 330 EN 301 489-1,3	CEPT/ERC/REC 70-03
59.75-60.25K	Inductive Loop System	42 dB μ A/m @ 10 m	EN 300 330 EN 301 489-1,3	CEPT/ERC/REC 70-03
60.25-70K	Inductive Loop System	72 dB μ A/m @ 10 m	EN 300 330 EN 301 489-1,3	CEPT/ERC/REC 70-03
70-119K	Inductive Loop System	42 dB μ A/m @ 10 m	EN 300 330 EN 301 489-1,3	CEPT/ERC/REC 70-03
119-135K	Inductive Loop System including RFID's	72 dB μ A/m @ 10 m	EN 300 330 EN 301 489-1,3	CEPT/ERC/REC 70-03
6.765 – 6.795 M	Inductive Loop System	42 dB μ A/m @ 10 m	EN 300 330 EN 301 489-1,3	CEPT/ERC/REC 70-03
7400 – 8900 K	Inductive Loop System	9 dB μ A/m @ 10 m	EN 300 330 EN 301 489-1,3	CEPT/ERC/REC 70-03
1606.5– 1610 K	Baby Alarms, Wireless Record Players	1W		
13.553 – 13.567 M	Inductive Loop System including RFID's.	42 dB μ A/m @ 10 m	EN 300 330 EN 301 489-1,3	CEPT/ERC/REC 70-03
26.957 – 27.283 M	Inductive Loop System	42 dB μ A/m @ 10 m	EN 300 330 EN 301 489-1,3	CEPT/ERC/REC 70-03

Frequency Bands K=kHz M=MHz G=GHz	Type of Device	Max Radiated Power or Field Strength Limits & Channel spacing	Relevant Standard	Additional Requirements
26.957 – 27.283 M	Non-specific SRD	10 mW eirp	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
26.99 – 27.20 M	Surface Model Control	100 mW eirp	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
34.99 – 35.25 M	Aircraft Model Control Only	100 mW eirp	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
36.65 – 36.75 M	Wireless Microphones.	100 mW eirp	EN 300 422	
40.65 – 40.7 M	Wireless Microphones.	100 mW eirp	EN 300 422	
40.66 – 40.7 M	Non-specific SRD	10 mW eirp	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
46.61 – 46.97M 49.67 – 49.97M	CT0 Cordless Phones.		ICASA TE-013	
49.82 – 49.98 M	Baby Monitors	10 mW eirp	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
53 – 54 M	Wireless Microphones	100 mW eirp		

Frequency Bands K=kHz M=MHz G=GHz	Type of Device	Max Radiated Power or Field Strength Limits & Channel spacing	Relevant Standard	Additional Requirements
54.4500; 54.4625; 54.4750; 54.4875; 54.500; 54.5125; 54.5250; 54.5375; 54.5500; 60.0250; 60.0375; 60.0500; 60.0625; 60.0750; 60.0875; 60.1000; 60.1125 and 60.1250MHz	Model Control.	5W	EN 300 220-1	
60.1375 – 60.3750MHz	Aircraft Model Control Only	5W	EN 300 220-1	CEPT/ERC/REC 70-03
173.2125 – 173.2375M	Non-specific SRD - telecommand only	10 mW eirp : 25 kHz	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
173.2375 – 173.2875M	Non-specific SRD	10 mW eirp : 25 kHz	EN 300 220 EN 301 489-1,3	
173.7 – 175.1 M	Wireless Microphones	10 mW eirp	EN 300 422	CEPT/ERC/REC 70-03
402 – 405 M	Medical Implants	25 mW eirp	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03

Frequency Bands K=kHz M=MHz G=GHz	Type of Device	Max Radiated Power or Field Strength Limits & Channel spacing	Relevant Standard	Additional Requirements
402 – 406 M	Doppler shift movement detectors, wireless microphones ,garage door openers, motor car alarm systems	10 mW eirp	EN 300 220 EN 301 489-1,3	
433.05 – 434.79 M	Non-specific SRD	10 mW eirp	EN 300 220	CEPT/ERC/REC 70-03
463.975 M, 464.125 M, 464.175M, 464.325M 464.375M	Low Power Radio .	500mW, 12.5KHz		
863 – 865 M	Wireless Audio Systems	10 mW eirp	EN 301 357	CEPT/ERC/REC 70-03
863 – 865 M	Wireless Microphones	10 mW eirp	EN 300 422	CEPT/ERC/REC 70-03
864.1 – 868.1M	CT2 cordless phones	10 mW eirp	I-ETS 300 131 EN 301 489-1,10 ICASA TE - 012	
868 – 868.6 M	Non-specific SRD	25 mW eirp	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
868.6 – 868.7 M	Alarms	10 mW eirp : 25 kHz	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
868.7 – 869.2 M	Non-specific SRD	25 mW eirp	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
869.25 – 869.3 M	Alarms	10 mW eirp : 25 kHz	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03

Frequency Bands K=kHz M=MHz G=GHz	Type of Device	Max Radiated Power or Field Strength Limits & Channel spacing	Relevant Standard	Additional Requirements
869.4 – 869.65 M	Non-specific SRD	500 mW eirp : 25 kHz	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
869.65 – 869.7 M	Alarms	25 mW eirp : 25 kHz	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
869.7 – 870.0 M	Non-specific SRD	5 mW eirp	EN 300 220 EN 301 489-1,3	CEPT/ERC/REC 70-03
915.2 – 915.4 M	Passive Tags	-		
1880 – 1900 M	DECT cordless phones	250 mW eirp (peak)	EN 300 175 EN 301 489-1,6	
2400 – 2483.5 M	Non-specific SRD	10 mW eirp	EN 300 440 EN 301 489-1,3	CEPT/ERC/REC 70-03
2400 – 2483.5 M	Wideband Wireless Systems. WLAN.	100 mW eirp	EN 300 328 EN 301 489-1,17	CEPT/ERC/REC 70-03
2400 – 2483.5 M	FDDA	25 mW eirp	EN 300 440 EN 301 489-1,3	CEPT/ERC/REC 70-03
2400 – 2483.5 M	Low Power Video Surveillance.	100 mW eirp	EN 300 440 EN 301 489-1,3	CEPT/ERC/REC 70-03
5150 – 5350M	Hiperlan: indoor use only	200 mW eirp	EN 300 836 EN 301 489-1,17	CEPT/ERC/REC 70-03
5470 – 5725M	Hiperlan: indoor and outdoor use	1 W eirp	EN 300 836 EN 301 489-1,17	CEPT/ERC/DEC (99)23
5725 – 5875 M	Non-specific SRD	25 mW eirp	EN 300 440 EN 301 489-1,3	CEPT/ERC/REC 70-03

Frequency Bands K=kHz M=MHz G=GHz	Type of Device	Max Radiated Power or Field Strength Limits & Channel spacing	Relevant Standard	Additional Requirements
5795 – 5805 M	RTTT data	2 W eirp	EN 300 674 EN 201 674	CEPT/ERC/REC 70-03
5805 – 5815 M	RTTT data	2 W eirp	EN 300 674 EN 201 674	CEPT/ERC/REC 70-03
9200 – 9500 M	FDDA	25 mW eirp	EN 300 440	CEPT/ERC/REC 70-03
9500 – 9975 M	FDDA	25 mW eirp	EN 300 440	CEPT/ERC/REC 70-03
10.5 – 10.6 G	FDDA	500 mW eirp	EN 300 440	CEPT/ERC/REC 70-03
13.4 – 14 G	FDDA	25 mW eirp	EN 300 440	CEPT/ERC/REC 70-03
17.1 – 17.3 G	Hiperlan	100 mW eirp		CEPT/ERC/REC 70-03
24.00 – 24.25 G	Non-specific SRD	100 mW eirp	EN 300 440	CEPT/ERC/REC 70-03
24.05 – 24.25 G	FDDA	100 mW eirp	EN 300 440	CEPT/ERC/REC 70-03
76 – 77 G	RTTT radar	55dBm peak eirp	EN 301 091	CEPT/ERC/REC 70-03

Dog ate your Gazette? ... read it online



www.SA Gazettes.co.za
.....

A new information Portal keeping you up to date with news, legislation, the Parliamentary programme and which is the largest pool of SA Gazette information available on the Web.

- Easily accessible through the www!
 - Government Gazettes - from January 1994
 - Compilations of all Indexes pertaining to the past week's Government Gazettes
 - All Provincial Gazettes - from September 1995
 - Parliamentary Bills - as of January 1999
- Available in full-text, with keyword searching
- Sabinet Online scans, formats, edits and organize information for you. Diagrams and forms included as images.
- No stacks of printed gazettes - all on computer. Think of the storage space you save.
- Offer Bill Tracker - complementing the SA Gazettes products.

For easy electronic access to full-text gazette info, subscribe to the SA Gazettes from Sabinet Online. Please visit us at www.sagazettes.co.za





*Looking for back copies and out of print issues of
the Government Gazette and Provincial Gazettes?*

The National Library of SA has them!

Let us make your day with the information you need ...

National Library of SA, Pretoria Division

PO Box 397

0001 PRETORIA

Tel.:(012) 321-8931, Fax: (012) 325-5984

E-mail: infodesk@nlsa.ac.za



*Soek u ou kopieë en uit druk uitgawes van die
Staatskoerant en Provinsiale Koerante?*

Die Nasionale Biblioteek van SA het hulle!

Met ons hoef u nie te sukkel om inligting te bekom nie ...

Nasionale Biblioteek van SA, Pretoria Divisie




Posbus 397

0001 PRETORIA




Tel.:(012) 321-8931, Faks: (012) 325-5984

E-pos: infodesk@nlsa.ac.za

SA WEATHER BUREAU SA WEERBURO



**W
E
A
T
H
E
R
·
S
E
R
V
I
C
E
S
·
W
E
E
R
D
I
E
N
S
T
E**



Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Publications: Tel: (012) 334-4508, 334-4509, 334-4510
Advertisements: Tel: (012) 334-4673, 334-4674, 334-4504
Subscriptions: Tel: (012) 334-4735, 334-4736, 334-4737
Cape Town Branch: Tel: (021) 465-7531

Gedruk deur en verkrygbaar by die Staatsdrukker, Bosmanstraat, Privaatsak X85, Pretoria, 0001
Publikasies: Tel: (012) 334-4508, 334-4509, 334-4510
Advertensies: Tel: (012) 334-4673, 334-4674, 334-4504
Subskripsies: Tel: (012) 334-4735, 334-4736, 334-4737
Kaapstad-tak: Tel: (021) 465-7531