

# Government Gazette

# Staatskoerant

REPUBLIC OF SOUTH AFRICA  
REPUBLIEK VAN SUID-AFRIKA

Vol. 512

Pretoria, 8 February  
Februarie 2008

No. 30748

**CONTENTS**

No.	Page No.	Gazette No.
<b>GOVERNMENT NOTICE</b>		
<b>Transport, Department of</b>		
<i>Government Notice</i>		
146 South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration Amendment of National Road N4 Section 3: Amendment of Declaration No.'s 116 of 1985 and 190 of 1985.....	3	30748

**INHOUD**

No.	Bladsy No.	Koerant No.
<b>GOEWERMENTSKENNISGEWING</b>		
<b>Vervoer, Departement van</b>		
<i>Goewermentskennisgewing</i>		
146 Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring van Nasionale Pad N4 Seksie 3: Wysiging van Verklaring No.'s 116 van 1985 en 190 van 1985 .....	4	30748

# GOVERNMENT NOTICE GOEWERMENSKENNISGEWING

## DEPARTMENT OF TRANSPORT DEPARTEMENT VAN Vervoer

No. 146

8 February 2008

### THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED

Registration No: 98/09584/06

#### DECLARATION AMENDMENT OF NATIONAL ROAD N4 SECTION 3

##### AMENDMENT OF DECLARATION NO'S. 116 OF 1985 AND 190 OF 1985.

By virtue of section 40 (1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend the following declarations by substituting (I) Declaration No. 116 of 1985 and (II) Declaration No. 190 of 1985, the section from sheet 1 up to the common boundary between farms Rhenosterfontein 318 –JS and Rietfontein 314 –JS on sheet 7 of Plan No. P341/84 and the applicable co-ordinates, with the subjoined sheets 1 to 18 of Plan No. P635/07.

(National Road N4 Section 3: Spitskop – Rhenosterfontein)

  
J. Radh  
MINISTER OF TRANSPORT


**No. 146****8 Februarie 2008****DIE SUID-AFRIKAANSE NASIONALE  
PADAGENTSKAP BEPERK**

Registrasie No: 98/09584/06

**VERKLARING WYSIGING VAN NASIONALE PAD N4 SEKSIE 3****WYSIGING VAN VERKLARING NO'S. 116 VAN 1985 EN 190 VAN 1985**

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet No.7 van 1998), wysig ek hiermee die volgende verklarings deur (I) Verklaring no. 116 van 1985 en (II) Verklaring no.190 van 1985 die gedeelte vanaf vel 1 tot die gemeenskaplike grens tussen plase Rhenosterfontein 318 – JS en Rietfontein 314 – JS op vel 7 van Plan no. P341/84 en die toepaslike koordinate, te vervang met meegaande velle 1 tot 18 van Plan no. P635/07.

**(Nasionale Pad N4 Seksie 3: Spitskop – Rhenosterfontein)**  
J. Radby  
**MINISTER VAN VERVOER**



Die Suid Afrikaanse Nasionale Padagentskap Beperk  
The South African National Roads Agency Limited


Die figuur getoon  
The figure shown



stel die padreservé voor van 'n gedeelte  
represents the road reserve of a portion  
van Nasionale Roete N4 Seksie  
of National Route Section 3

Vel Sheet 1 van 18  
Plan P635/07

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk  
The South African National Roads Agency Limited


Die figuur getoon  
The figure shown




stel die padreservé voor van 'n gedeelte  
represents the road reserve of a portion  
van Nasionale Roete  
of National Route

N4 Seksie  
Section 3

Vel Sheet 2 von 18  
Plan P635/07



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreservé voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 Seksie of National Route N4 Section	Vel Sheet 3 van of 18 Plan P635/07
--	---------------------------------------	---	---	---



Die Suid Afrikaanse Nasionale Padagentskap Beperk

The South African National Roads Agency Limited

Die figuur getoon

The figure shown




stel die padreservé voor van 'n gedeelte  
represents the road reserve of a portion  
van Nasionale Roete N4  
of National Route

Seksie

Section 3

Vel Sheet 4 von 18

Plan P635/07



Die Suid Afrikaanse Nasionale Padagentskap Beperk  
The South African National Roads Agency Limited

Die figuur getoon  
The figure shown



stel die padreservé voor van 'n gedeelte  
represents the road reserve of a portion  
van Nasionale Roete  
of National Route


N4

Seksie  
Section


3

Vel  
Sheet 5 van 18  
Plan P635/07

D.O.9.A




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreservé voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 Seksie of National Route N4 Section 3	Vel Sheet 6 van of 18 Plan P635/07
--	---------------------------------------	---	---	---




Die Suid Afrikaanse Nasionale Padagentskap Beperk  
The South African National Roads Agency Limited

Die figuur getoon  
The figure shown




stel die padreserwe voor van 'n gedeelte  
represents the road reserve of a portion  
van Nasionale Roete N4 Seksie  
of National Route N4 Section 3

Vel Sheet 7 van 18  
Plan P635/07




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoan The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route N4 Seksie Section 3	Vel Sheet 8 van of 18
				Plan P635/07



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreservé voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 Seksie of National Route N4 Section 3	Vel Sheet 9 van 18 Plan P635/07
--	---------------------------------------	---	---	------------------------------------

### D.0.9.A



Die Suid Afrikaanse Nasionale Padagentskaf Beperk  
The South African National Roads Agency Limited


Die figuur getoon  
The figure shown



stel die padreservé voor van 'n gedeelte  
represents the road reserve of a portion  
van Nasionale Roete N4 Seksie  
of National Route Section


Vel Sheet 10 van 18  
Plan P635/07

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskaf Beperk  
The South African National Roads Agency Limited

Die figuur getoon  
The figure shown



stel die padreservé voor van 'n gedeelte  
represents the road reserve of a portion  
van Nasionale Roete  
of National Route


N4

Seksie  
Section

3


Vel  
Sheet 11 van 18  
Plan P635/07

D.O.9.A




Die Suid Afrikaanse Nasionale Padagentskaf Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreservé voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Seksie Section	3	Vel Sheet 12 van of 18
				Plan	P635/07	

### D.0.9.A



Die Suid Afrikoense Nasionale Padagentskap Beperk  
The South African National Roads Agency Limited

Die figuur getoon  
The figure shown



stel die padreservé voor van 'n gedeelte  
represents the road reserve of a portion  
van Nasionale Roete  
of National Route

N4

Seksie  
Section

3

Vel Sheet 13 von 18  
Plan P635/07

D.O.9.A

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG	29°		Y	X	
L1	5 920.25	2 863 222.61		R1	5 935.05	2 863 291.06		
L2	5 875.37	2 863 238.96		R2	5 900.03	2 863 304.48		
L3	5 818.97	2 863 258.46		R3	5 840.10	2 863 325.14		
L4	5 762.17	2 863 274.96		R4	5 718.84	2 863 357.05		
L5	5 704.47	2 863 288.66		R5	5 657.11	2 863 368.56		
L6	5 646.37	2 863 299.46		R6	5 594.72	2 863 375.26		
L7	5 587.87	2 863 308.86		R7	5 532.52	2 863 378.78		
L8	5 531.62	2 863 315.14		R8	5 469.84	2 863 380.98		
L9	5 472.04	2 863 317.06		R9	5 407.20	2 863 379.82		
L10	5 414.55	2 863 316.31		R10	5 344.80	2 863 375.53		
L11	5 353.71	2 863 312.30		R11	5 282.87	2 863 368.12		
L12	5 291.80	2 863 305.25		R12	5 221.34	2 863 357.86		
L13	5 233.43	2 863 295.26		R13	5 160.27	2 863 344.34		
L14	5 175.31	2 863 282.60		R14	5 072.18	2 863 319.09		
L15	5 089.78	2 863 257.92		R15	4 792.39	2 863 230.66		
L16	4 873.35	2 863 187.44		R16	4 791.76	2 863 227.74		
L17	4 776.20	2 863 155.76		R17	4 546.03	2 863 147.61		
L18	4 530.47	2 863 075.63		R18	4 287.64	2 863 063.35		
L19	4 307.36	2 863 002.88		R19	4 170.23	2 863 030.10		
L20	4 194.36	2 862 956.17		R20	4 054.06	2 862 990.78		
L21	4 046.50	2 862 917.74		R21	4 026.70	2 862 978.16		
L22	4 030.08	2 862 912.40		R22	3 736.65	2 862 883.60		
L23	3 365.09	2 862 695.50		R23	3 274.06	2 862 739.73		
L24	3 173.84	2 862 618.79		R24	3 159.75	2 862 713.33		
L25	3 058.83	2 862 557.27		R25	3 006.43	2 862 704.97		
L26	2 896.55	2 862 442.25		R26	2 943.60	2 862 701.45		
L27	2 884.32	2 862 426.44		R27	2 933.43	2 862 711.24		
L28	2 882.39	2 862 417.38		R28	2 952.08	2 862 839.73		
L29	2 836.62	2 862 195.70		R29	2 914.81	2 862 846.14		
L30	2 803.84	2 862 197.37		R30	2 889.02	2 862 719.15		
L31	2 839.17	2 862 434.64		R31	2 876.88	2 862 702.73		
L32	2 829.69	2 862 443.81		R32	2 725.22	2 862 595.17		
L33	2 736.08	2 862 436.41		R33	2 677.81	2 862 570.32		
L34	2 559.18	2 862 422.46		R34	2 579.85	2 862 518.81		
L35	2 432.09	2 862 396.18		R35	2 418.17	2 862 464.02		
L36	2 385.77	2 862 388.48		R36	2 374.19	2 862 455.96		
L37	2 339.45	2 862 382.13		R37	2 330.01	2 862 449.07		
L38	2 292.95	2 862 377.70		R38	2 285.52	2 862 443.49		
L39	2 244.70	2 862 374.73		R39	2 240.88	2 862 439.28		
L40	2 199.40	2 862 372.91		R40	2 229.51	2 862 438.55		
L41	2 152.77	2 862 371.35		R41	2 196.17	2 862 436.40		
L42	2 124.71	2 862 371.11		R42	2 151.48	2 862 434.85		
L43	1 860.81	2 862 370.81		R43	2 124.65	2 862 434.57		
L44	1 551.43	2 862 370.45		R44	1 534.62	2 862 434.02		
L45	1 531.95	2 862 370.43		R45	1 514.02	2 862 434.00		
L46	889.38	2 862 369.82		R46	909.30	2 862 433.43		
L47	617.26	2 862 369.27		R47	874.82	2 862 433.38		
L48	368.79	2 862 362.84		R48	617.08	2 862 432.87		
L49	311.41	2 862 361.03		R49	312.27	2 862 440.23		
L50	7.07	2 862 368.49		R50	7.03	2 862 432.24		
L51	-1 134.02	2 862 367.66		R51	-1 021.33	2 862 431.23		

Vel Sheet	14 of	Van 18	P635/07
--------------	----------	-----------	---------

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°		Y	X		
L52	-2 576.32	2 862 365.64	R52	-5 008.43	2 862 426.63			
L53	-3 384.69	2 862 364.64	R53	-5 701.57	2 862 425.83			
L54	-6 041.20	2 862 361.77	R54	-6 048.08	2 862 425.52			
L55	-6 392.76	2 862 361.22	R55	-6 392.73	2 862 424.81			
L56	-6 482.86	2 862 361.16	R56	-6 571.01	2 862 427.02			
L57	-6 573.27	2 862 363.56	R57	-6 660.01	2 862 431.01			
L58	-6 663.43	2 862 367.50	R58	-6 998.03	2 862 455.64			
L59	-6 753.64	2 862 374.15	R59	-7 297.96	2 862 490.46			
L60	-7 002.75	2 862 392.22	R60	-7 417.36	2 862 527.58			
L61	-7 329.04	2 862 397.63	R61	-7 534.35	2 862 607.43			
L62	-7 458.17	2 862 368.70	R62	-7 597.79	2 862 667.43			
L63	-7 728.75	2 862 242.09	R63	-7 655.85	2 862 723.40			
L64	-7 787.97	2 862 214.25	R64	-7 663.40	2 862 752.18			
L65	-7 804.37	2 862 194.18	R65	-7 637.90	2 862 871.59			
L66	-7 838.76	2 862 076.93	R66	-7 673.35	2 862 880.46			
L67	-7 874.18	2 862 086.20	R67	-7 707.64	2 862 763.48			
L68	-7 848.71	2 862 205.36	R68	-7 723.99	2 862 743.46			
L69	-7 853.97	2 862 234.05	R69	-7 742.70	2 862 735.94			
L70	-7 904.49	2 862 281.23	R70	-7 808.68	2 862 702.79			
L71	-7 979.18	2 862 351.39	R71	-8 053.58	2 862 588.39			
L72	-8 095.28	2 862 432.69	R72	-8 182.78	2 862 559.59			
L73	-8 213.48	2 862 470.39	R73	-8 365.68	2 862 555.09			
L74	-8 370.28	2 862 491.49	R74	-8 803.28	2 862 587.20			
L75	-8 715.48	2 862 516.60	R75	-9 522.00	2 862 639.92			
L76	-8 736.19	2 862 518.10	R76	-9 625.00	2 862 648.42			
L77	-8 755.09	2 862 397.30	R77	-9 779.61	2 862 660.12			
L78	-8 764.19	2 862 397.90	R78	-9 923.41	2 862 668.92			
L79	-8 745.39	2 862 518.70	R79	-10 364.11	2 862 700.72			
L80	-9 526.70	2 862 575.52	R80	-11 010.22	2 862 747.35			
L81	-9 630.20	2 862 581.82	R81	-11 102.62	2 862 758.65			
L82	-9 784.21	2 862 593.32	R82	-11 861.71	2 862 817.28			
L83	-9 927.71	2 862 604.72	R83	-12 046.19	2 862 830.28			
L84	-10 150.41	2 862 620.36	R84	-12 166.71	2 862 838.78			
L85	-10 076.31	2 862 535.42	R85	-12 469.92	2 862 857.78			
L86	-10 083.21	2 862 529.42	R86	-12 835.11	2 862 899.59			
L87	-10 162.91	2 862 621.73	R87	-13 185.11	2 862 919.00			
L88	-10 390.51	2 862 638.22	R88	-13 299.11	2 862 935.70			
L89	-11 017.02	2 862 683.75	R89	-13 354.21	2 862 954.40			
L90	-11 107.22	2 862 685.75	R90	-13 334.81	2 863 002.10			
L91	-11 866.31	2 862 737.38	R91	-14 090.75	2 862 963.98			
L92	-12 171.21	2 862 759.58	R92	-14 089.58	2 862 971.46			
L93	-12 231.81	2 862 764.62	R93	-14 117.14	2 862 973.71			
L94	-12 475.61	2 862 784.89	R94	-14 213.63	2 862 981.59			
L95	-12 840.11	2 862 795.79	R95	-14 335.90	2 862 993.88			
L96	-12 864.25	2 862 797.91	R96	-14 398.00	2 863 000.12			
L97	-13 196.22	2 862 826.71	R97	-14 504.23	2 863 012.81			
L98	-13 315.92	2 862 821.41	R98	-14 605.51	2 863 024.91			
L99	-13 448.82	2 862 804.71	R99	-14 843.90	2 863 082.34			
L100	-13 270.32	2 862 586.11	R100	-15 120.66	2 863 165.48			
L101	-13 016.02	2 862 485.21	R101	-15 269.05	2 863 203.32			
L102	-12 971.82	2 862 458.21	R102	-15 325.28	2 863 225.27			

Vel Sheet	15	Van of	18	P635/07
--------------	----	-----------	----	---------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X	
L103	-12	988.62	2 862 423.01	R103	-15 338.83	2 863 229.14
L104	-13	060.32	2 862 469.31	R104	-15 908.44	2 863 401.53
L105	-13	305.22	2 862 566.11	R105	-16 165.84	2 863 485.83
L106	-13	329.82	2 862 580.71	R106	-16 273.94	2 863 535.53
L107	-13	338.12	2 862 564.71	R107	-16 362.84	2 863 586.23
L108	-13	360.42	2 862 560.71	R108	-16 397.45	2 863 605.97
L109	-13	637.32	2 862 789.02	R109	-16 434.57	2 863 646.00
L110	-13	693.72	2 862 846.32	R110	-16 432.75	2 863 702.99
L111	-13	843.30	2 862 884.22	R111	-16 421.04	2 863 779.04
L112	-14	098.91	2 862 905.61	R112	-16 456.14	2 863 788.23
L113	-14	315.03	2 862 921.97	R113	-16 468.44	2 863 709.09
L114	-14	496.15	2 862 936.64	R114	-16 482.70	2 863 654.17
L115	-14	620.19	2 862 946.69	R115	-16 504.62	2 863 642.99
L116	-14	924.82	2 863 037.41	R116	-16 524.74	2 863 632.73
L117	-15	023.27	2 863 066.83	R117	-16 549.44	2 863 627.24
L118	-15	257.44	2 863 134.18	R118	-16 611.14	2 863 613.24
L119	-15	332.31	2 863 155.67	R119	-16 800.74	2 863 619.24
L120	-15	399.89	2 863 175.13	R120	-17 070.55	2 863 660.23
L121	-15	928.17	2 863 337.23	R121	-17 252.15	2 863 684.33
L122	-16	219.77	2 863 421.84	R122	-17 555.85	2 863 728.74
L123	-16	383.74	2 863 435.90	R123	-17 773.35	2 863 757.94
L124	-16	441.07	2 863 428.46	R124	-18 095.96	2 863 801.52
L125	-16	475.45	2 863 395.97	R125	-18 304.34	2 863 827.34
L126	-16	484.07	2 863 365.19	R126	-18 425.80	2 863 842.40
L127	-16	501.22	2 863 250.22	R127	-18 472.30	2 863 848.16
L128	-16	537.91	2 863 256.73	R128	-18 762.79	2 863 882.34
L129	-16	520.62	2 863 370.89	R129	-19 026.73	2 863 922.22
L130	-16	535.89	2 863 444.59	R130	-19 149.17	2 863 948.15
L131	-16	608.24	2 863 479.04	R131	-19 189.65	2 863 956.37
L132	-16	671.04	2 863 508.44	R132	-19 209.27	2 863 960.37
L133	-16	749.24	2 863 533.24	R133	-19 375.13	2 863 990.75
L134	-16	784.04	2 863 544.04	R134	-19 406.00	2 863 997.72
L135	-17	731.97	2 863 675.53	R135	-19 627.82	2 864 047.73
L136	-17	738.65	2 863 688.74	R136	-19 688.36	2 864 062.10
L137	-18	105.14	2 863 738.42	R137	-19 806.11	2 864 090.16
L138	-18	177.46	2 863 747.20	R138	-20 021.60	2 864 124.19
L139	-18	412.29	2 863 775.72	R139	-20 159.79	2 864 129.33
L140	-19	233.89	2 863 895.06	R140	-20 198.55	2 864 129.74
L141	-19	282.72	2 863 902.15	R141	-20 413.52	2 864 132.18
L142	-19	642.33	2 863 981.25	R142	-20 516.79	2 864 147.71
L143	-19	820.12	2 864 020.86	R143	-20 589.77	2 864 154.33
L144	-20	028.15	2 864 054.71	R144	-20 575.98	2 864 246.31
L145	-20	157.65	2 864 060.66	R145	-20 689.47	2 864 296.73
L146	-20	257.05	2 864 058.17	R146	-20 726.87	2 864 308.21
L147	-20	296.71	2 864 057.26	R147	-20 762.69	2 864 214.32
L148	-20	444.88	2 864 049.26	R148	-20 792.88	2 864 189.84
L149	-20	541.69	2 864 036.55	R149	-20 947.92	2 864 140.75
L150	-20	605.08	2 864 028.33	R150	-21 009.13	2 864 134.61
L151	-20	661.19	2 864 009.34	R151	-21 063.70	2 864 130.59
L152	-20	756.44	2 863 978.63	R152	-21 146.23	2 864 124.44
L153	-20	817.58	2 863 890.66	R153	-21 158.28	2 864 124.13

Vel Sheet	16 of	Van 18	P635/07
--------------	----------	-----------	---------

PADRESERWE KOÖRDINATE					/	ROAD RESERVE CO-ORDINATES					
	LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE					
	Y	X	WG	29°	Y	X					
L154	-20	836.37	2	863	831.11	R154	-21	226.12	2	864	122.20
L155	-20	849.87	2	863	788.33	R155	-21	332.46	2	864	128.82
L156	-20	879.86	2	863	798.42	R156	-21	483.55	2	864	144.33
L157	-20	872.05	2	863	831.96	R157	-21	572.61	2	864	151.99
L158	-20	864.80	2	863	863.13	R158	-21	660.69	2	864	162.36
L159	-20	844.93	2	863	945.64	R159	-21	706.10	2	864	169.37
L160	-20	860.21	2	863	979.74	R160	-21	725.11	2	864	174.61
L161	-20	993.79	2	864	032.61	R161	-21	796.68	2	864	194.35
L162	-21	091.95	2	864	049.55	R162	-21	866.31	2	864	215.25
L163	-21	159.86	2	864	061.53	R163	-21	885.50	2	864	221.89
L164	-21	724.76	2	864	112.82	R164	-22	210.29	2	864	334.24
L165	-21	812.01	2	864	129.43	R165	-22	210.75	2	864	332.13
L166	-21	896.92	2	864	154.92	R166	-22	312.67	2	864	366.68
L167	-21	915.03	2	864	161.28	R167	-22	346.18	2	864	378.05
L168	-21	973.05	2	864	181.36	R168	-22	435.67	2	864	408.39
L169	-22	083.47	2	864	231.32	R169	-22	456.21	2	864	407.73
L170	-22	443.45	2	864	356.52	R170	-22	790.66	2	864	522.58
L171	-22	451.91	2	864	354.34	R171	-22	919.25	2	864	568.96
L172	-22	463.27	2	864	351.41	R172	-22	943.83	2	864	586.52
L173	-22	807.23	2	864	471.63	R173	-22	956.45	2	864	595.53
L174	-22	918.89	2	864	505.05	R174	-23	119.41	2	864	700.06
L175	-23	063.91	2	864	534.36	R175	-23	148.73	2	864	754.13
L176	-23	196.98	2	864	527.53	R176	-23	122.74	2	864	859.15
L177	-23	241.03	2	864	515.68	R177	-23	156.33	2	864	869.47
L178	-23	302.64	2	864	379.10	R178	-23	193.54	2	864	789.22
L179	-23	349.03	2	864	360.04	R179	-23	247.80	2	864	765.47
L180	-23	304.47	2	864	512.55	R180	-23	356.64	2	864	768.31
L181	-23	303.63	2	864	519.93	R181	-23	475.35	2	864	785.69
L182	-23	332.05	2	864	574.46	R182	-23	590.81	2	864	815.04
L183	-23	429.75	2	864	659.22	R183	-23	694.46	2	864	851.14
L184	-23	539.61	2	864	723.84	R184	-23	793.87	2	864	881.51
L185	-23	720.05	2	864	786.69	R185	-24	428.77	2	865	102.87
L186	-24	454.37	2	865	044.50	R186	-24	685.79	2	865	192.39
L187	-24	893.54	2	865	197.40	R187	-25	163.84	2	865	358.42
L188	-25	066.19	2	865	245.98	R188	-25	265.83	2	865	394.50
L189	-25	209.35	2	865	265.59	R189	-25	260.84	2	865	408.90
L190	-25	244.76	2	865	270.34	R190	-25	416.48	2	865	463.06
L191	-25	424.82	2	865	270.84	R191	-25	279.12	2	865	721.88
L192	-25	603.34	2	865	247.36	R192	-25	195.90	2	865	861.41
L193	-25	748.11	2	865	209.96	R193	-25	115.12	2	865	965.20
L194	-25	877.60	2	865	168.68	R194	-25	104.57	2	865	977.65
L195	-26	034.41	2	865	110.33	R195	-25	170.32	2	865	998.54
L196	-26	169.98	2	865	045.12	R196	-25	387.99	2	865	743.72
L197	-26	287.25	2	864	977.21	R197	-25	477.29	2	865	646.51
L198	-26	392.33	2	864	909.78	R198	-25	606.60	2	865	528.51
L199	-26	685.50	2	864	721.65	R199	-25	623.73	2	865	534.48
L200	-26	735.95	2	864	689.29	R200	-25	694.64	2	865	479.16
L201	-26	908.71	2	864	562.15	R201	-25	841.08	2	865	372.51
L202	-26	940.33	2	864	531.98	R202	-25	832.10	2	865	360.18
L203	-26	965.37	2	864	495.97	R203	-25	958.02	2	865	268.51
L204	-26	991.66	2	864	444.52	R204	-26	044.88	2	865	209.07

Vel Sheet	17	Van of	18	P635/07
--------------	----	-----------	----	---------

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°		Y	X		
L205	-27 037.46	2 864 360.11	R205	-26 310.82	2 865 037.76			
L206	-27 055.73	2 864 326.43	R206	-26 321.60	2 865 030.74			
L207	-27 133.46	2 864 271.52	R207	-26 693.40	2 864 792.29			
L208	-27 173.87	2 864 265.73	R208	-26 766.51	2 864 748.19			
L209	-27 351.26	2 864 256.83	R209	-27 036.71	2 864 585.16			
L210	-27 397.94	2 864 246.76	R210	-27 079.05	2 864 565.12			
L211	-27 439.95	2 864 226.85	R211	-27 123.06	2 864 556.00			
L212	-27 665.32	2 864 089.18	R212	-27 300.83	2 864 545.99			
L213	-28 183.91	2 863 760.75	R213	-27 338.03	2 864 543.98			
L214	-28 227.09	2 863 731.85	R214	-27 416.84	2 864 484.77			
L215	-28 248.28	2 863 698.50	R215	-27 435.30	2 864 451.11			
L216	-28 359.78	2 863 623.60	R216	-27 481.41	2 864 366.87			
L217	-28 610.77	2 863 476.50	R217	-27 511.57	2 864 311.76			
L218	-28 689.67	2 863 439.30	R218	-27 534.11	2 864 279.54			
L219	-28 724.47	2 863 423.40	R219	-27 565.77	2 864 250.05			
L220	-28 807.07	2 863 392.81	R220	-27 748.41	2 864 116.48			
L221	-28 799.19	2 863 412.50	R221	-28 144.38	2 863 862.04			
L222	-28 847.27	2 863 394.51	R222	-28 124.58	2 863 893.20			
L223	-28 966.97	2 863 360.61	R223	-28 226.77	2 863 827.60			
L224	-29 089.07	2 863 336.41	R224	-28 422.27	2 863 709.60			
L225	-29 158.07	2 863 328.31	R225	-28 534.78	2 863 629.90			
L226	-29 212.67	2 863 321.91	R226	-28 654.38	2 863 561.01			
L227	-29 336.97	2 863 317.51	R227	-28 759.38	2 863 512.01			
L228	-29 495.17	2 863 325.91	R228	-28 871.87	2 863 469.91			
L229	-30 309.97	2 863 411.92	R229	-28 985.57	2 863 437.81			
L230	-30 371.57	2 863 413.32	R230	-29 101.37	2 863 414.81			
L231	-30 425.37	2 863 414.52	R231	-29 165.97	2 863 407.31			
L232	-30 642.77	2 863 429.13	R232	-29 164.40	2 863 391.61			
L233	-30 762.17	2 863 449.53	R233	-29 217.57	2 863 385.41			
L234	-30 912.77	2 863 449.33	R234	-29 336.77	2 863 381.11			
L235	-31 071.47	2 863 440.83	R235	-29 488.47	2 863 389.41			
L236	-33 243.07	2 863 267.33	R236	-30 303.27	2 863 475.22			
L237	-33 487.82	2 863 247.94	R237	-30 305.37	2 863 475.52			
L238	-33 878.92	2 863 216.93	R238	-30 367.67	2 863 487.82			
L239	-34 330.34	2 863 181.15	R239	-30 507.37	2 863 507.22			
L240	-34 431.44	2 863 169.35	R240	-30 760.67	2 863 512.93			
L241	-34 577.74	2 863 140.35	R241	-30 914.47	2 863 512.93			
L242	-34 692.14	2 863 106.56	R242	-31 076.57	2 863 504.33			
L243	-34 765.54	2 863 078.36	R243	-33 225.57	2 863 332.63			
			R244	-33 587.81	2 863 303.89			
			R245	-33 976.82	2 863 273.02			
			R246	-34 335.44	2 863 244.55			
			R247	-34 440.94	2 863 232.85			
			R248	-34 530.96	2 863 214.72			
			R249	-34 593.50	2 863 202.09			
			R250	-34 712.72	2 863 166.92			
			R251	-34 775.81	2 863 142.64			

Vel Sheet	18 of	P635/07
--------------	----------	---------