

Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Vol. 522

Pretoria, 17 December 2008
Desember

No. 31704

CONTENTS

<i>No.</i>	<i>Page No.</i>	<i>Gazette No.</i>
GOVERNMENT NOTICE		
Transport, Department of		
<i>Government Notice</i>		
1355 South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration amendment of National Road N9 Section 7: Amendment of Declaration No. 2136 of 1992	3	31704

INHOUD

<i>No.</i>	<i>Bladsy No.</i>	<i>Koerant No.</i>
GOEWERMENTSKENNISGEWING		
Vervoer, Departement van		
<i>Goewermentskennisgewing</i>		
1355 Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring wysiging van Nasionale Pad N9 Seksie 7: Wysiging van Verklaring No. 2136 van 1992	4	31704

**GOVERNMENT NOTICE
GOEWERMENSKENNISGEWING**

**DEPARTMENT OF TRANSPORT
DEPARTEMENT VAN VERVOER**

No. 1355

17 December 2008

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY LIMITED**

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N9 SECTION 7

AMENDMENT OF DECLARATION No. 2136 OF 1992

By virtue of section 40 (1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend declaration No. 2136 of 1992, Schedule A paragraph (5), by substituting the descriptive wording from "at the Middelburg South Interchange" up to "near the town of Colesberg", with the subjoined sheets 1 to 29 of Plan No. P651/08.

(National Road N9 Section 7: Middelburg – Colesberg)



MINISTER OF TRANSPORT

No. 1355

17 Desember 2008

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP BEPERK**

Registrasie No: 98/09584/06

VERKLARING WYSIGING VAN NASIONALE PAD N9 SEKSIE 7.


WYSIGING VAN VERKLARING NO. 2136 VAN 1992

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet no. 7 van 1998), wysig ek hiermee verklaring no.2136 van 1992, Bylae A paragraaf (5) deur die beskrywende bewoording vanaf "by die Middelburg-Suidwisselaar" tot by "naby die dorp Colesberg", te vervang met meegaande velle 1 tot 29 van Plan no. P651/08.

(Nasionale Pad N9 Seksie 7: Middelburg – Colesberg)



MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padogenskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown





steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N9
of National Route N9
Seksie 7
Section 7


Vel
Sheet 2 van 29
Plan P651/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 3 van 29 Plan P651/08
--	---------------------------------------	--	---------------------------------------








Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N9 Sektie
of National Route Section 7

Vel
Sheet 10 van 29
Plan P651/08



Die Suid Afrikaanse Nasionale Padagentskop Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N9

Seksie
Section


7

Vel
Sheet 11 van 29
Plan P651/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N9
of National Route N9
Seksie 7
Section

Vel Sheet 12 van 29

Plan P651/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route N9 Seksie 7	Vel Sheet 13 van 29 Plan P651/08
---	---	--	--




Die Suid Afrikaanse Nasionale Padagentskop Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N9 Seksie Section
of National Route 7

Vel van
Sheet 14 of 29
Plan P651/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N9	Seksie Section	7	Vel Sheet	15 of	29	Plan P651/08
--	---	---	-----------	---------------------------	----------	----------------------	------------------	-----------	-------------------------



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steld die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N9
of National Route


N9

Seksie
Section

7

Vel.
Sheet 16 van 29

Plan P651/08




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N9
of National Route Section 7

Vel
Sheet 17 van 29
Plan P651/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N9 of National Route Seksie 7	Vel Sheet 19 van 29 Plan P651/08
---	--	---	--



Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N9 Seksie
of National Route Section

Vel Sheet	20	von of	29
Plan	P651/08		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
WG 25°						X					
AL1	-1	696.121	3	488	281.096	AR1	-1	932.302	3	488	356.822
AL2	-1	710.366	3	488	253.582	AR2	-1	894.268	3	488	263.313
AL3	-1	747.516	3	488	184.672	AR3	-1	870.118	3	488	201.032
AL4	-1	798.998	3	488	066.713	AR4	-1	849.429	3	488	033.222
AL5	-1	836.838	3	487	929.401	AR5	-1	846.049	3	488	032.522
AL6	-1	898.818	3	487	695.697	AR6	-1	870.469	3	487	938.401
AL7	-1	948.527	3	487	504.935	AR7	-1	927.878	3	487	712.408
AL8	-1	990.737	3	487	337.302	AR8	-1	970.938	3	487	543.705
AL9	-2	046.196	3	487	118.859	AR9	-2	021.577	3	487	344.192
AL10	-2	083.276	3	486	980.817	AR10	-2	087.162	3	487	095.228
AL11	-2	098.445	3	486	916.776	AR11	-2	130.742	3	486	927.178
AL12	-2	105.145	3	486	879.525	AR12	-2	142.993	3	486	805.637
AL13	-2	109.425	3	486	834.515	AR13	-2	136.563	3	486	702.697
AL14	-2	109.105	3	486	786.874	AR14	-2	127.473	3	486	666.256
AL15	-2	105.484	3	486	743.223	AR15	-2	086.863	3	486	537.110
AL16	-2	099.894	3	486	705.613	AR16	-2	032.002	3	486	435.140
AL17	-2	069.263	3	486	592.422	AR17	-1	873.758	3	486	157.507
AL18	-2	023.192	3	486	489.090	AR18	-1	809.329	3	486	041.265
AL19	-1	913.869	3	486	296.378	AR19	-1	705.042	3	485	853.111
AL20	-1	787.586	3	486	075.616	AR20	-1	693.755	3	485	832.746
AL21	-1	769.912	3	486	045.889	AR21	-1	584.152	3	485	651.561
AL22	-1	669.184	3	485	876.474	AR22	-1	534.843	3	485	566.754
AL23	-1	657.069	3	485	855.218	R1	-1	457.460	3	485	431.500
AL24	-1	596.921	3	485	742.737	R2	-1	216.100	3	485	010.310
AL25	-1	582.262	3	485	716.228	R3	-1	153.910	3	484	902.170
AL26	-1	573.607	3	485	700.233	R4	-1	123.500	3	484	846.160
AL27	-1	546.121	3	485	648.956	R5	-1	096.950	3	484	791.250
AL28	-1	491.425	3	485	557.352	R6	-1	072.920	3	484	735.300
AL29	-1	471.011	3	485	523.164	R7	-1	051.350	3	484	678.260
AL30	-1	413.450	3	485	420.623	R8	-1	032.510	3	484	620.360
L1	-1	395.070	3	485	389.830	R9	-1	016.210	3	484	561.700
L2	-	989.360	3	484	682.310	R10	-1	002.660	3	484	502.380
L3	-	963.530	3	484	629.210	R11	-	997.280	3	484	472.470
L4	-	943.600	3	484	573.910	R12	-1	012.680	3	484	437.980
L5	-	929.280	3	484	517.120	R13	-1	003.100	3	484	424.220
L6	-	868.280	3	484	357.490	R14	-	987.230	3	484	419.570
L7	-	930.510	3	484	025.860	R15	-	973.110	3	484	279.380
L8	-	981.320	3	483	777.920	R16	-	975.790	3	484	148.350
L9	-1	029.290	3	483	540.220	R17	-	991.360	3	484	017.580
L10	-1	083.910	3	483	352.120	R18	-1	046.810	3	483	739.390
L11	-1	160.990	3	483	179.390	R19	-1	034.550	3	483	713.180
L12	-1	247.030	3	483	057.900	R20	-1	084.220	3	483	475.090
L13	-1	339.810	3	482	980.010	R21	-1	145.390	3	483	300.200
L14	-1	531.670	3	482	819.520	R22	-1	200.610	3	483	193.730
L15	-1	562.700	3	482	794.310	R23	-1	301.290	3	483	059.080
L16	-1	610.650	3	482	756.410	R24	-1	372.220	3	483	004.830
L17	-1	651.570	3	482	709.660	R25	-1	566.060	3	482	846.350
L18	-1	728.630	3	482	562.630	R26	-1	672.060	3	482	736.090
L19	-1	763.680	3	482	424.510	R27	-1	745.230	3	482	609.040
L20	-1	803.110	3	482	035.800	R28	-1	779.240	3	482	488.270
L21	-1	805.840	3	482	006.370	R29	-1	800.840	3	482	370.850
						Vel	22	Van	29	P651/08	
						Sheet		of			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 25°					X				
L22	-1	834.030	3	481 726.690	R30	-1	832.710	3	482 040.300
L23	-1	844.660	3	481 459.580	R31	-1	891.130	3	481 470.190
L24	-1	850.490	3	481 445.550	R32	-1	921.600	3	481 172.450
L25	-1	915.120	3	480 915.120	R33	-1	955.570	3	480 840.050
L26	-1	946.260	3	480 602.630	R34	-1	988.570	3	480 508.390
L27	-1	996.830	3	480 094.240	R35	-2	040.440	3	479 982.770
L28	-2	038.350	3	479 675.890	R36	-2	082.610	3	479 553.640
L29	-2	084.640	3	479 208.540	R37	-2	357.920	3	479 529.350
L30	-2	116.010	3	478 892.880	R38	-2	356.280	3	479 499.130
L31	-2	180.800	3	478 458.080	R39	-2	085.790	3	479 522.880
L32	-2	225.420	3	478 158.870	R40	-2	117.260	3	479 200.120
L33	-2	306.200	3	477 617.410	R41	-2	147.060	3	478 899.170
L34	-2	351.090	3	477 317.860	R42	-2	192.070	3	478 597.420
L35	-2	382.100	3	477 109.240	R43	-2	238.610	3	478 284.710
L36	-2	439.400	3	476 723.350	R44	-2	283.090	3	477 987.280
L37	-2	439.450	3	476 723.050	R45	-2	332.520	3	477 654.980
L38	-2	480.480	3	476 444.500	R45X	-2	469.650	3	476 733.490
L39	-2	540.690	3	476 033.580	R46	-2	469.650	3	476 733.490
L40	-2	527.970	3	476 017.040	R47	-2	518.370	3	476 405.920
L41	-2	528.960	3	476 012.650	R48	-2	553.750	3	476 168.550
L42	-2	545.310	3	476 001.960	R49	-2	602.680	3	475 837.370
L43	-2	586.670	3	475 722.000	R50	-2	677.270	3	475 336.110
L44	-2	628.010	3	475 445.260	R51	-2	697.160	3	475 195.720
L45	-2	689.270	3	475 033.480	R52	-2	720.270	3	475 041.920
L46	-2	689.580	3	475 031.400	R53	-2	720.550	3	475 040.080
L47	-2	706.500	3	474 922.650	R54	-2	750.390	3	474 841.210
L48	-2	734.630	3	474 741.880	R55	-2	751.280	3	474 836.110
L49	-2	772.480	3	474 560.810	R56	-2	768.880	3	474 734.750
L50	-2	896.790	3	474 086.670	R57	-2	802.380	3	474 573.920
L51	-3	043.540	3	473 528.850	R58	-2	905.690	3	474 178.260
L52	-3	083.510	3	473 406.660	R59	-3	033.200	3	473 693.610
L53	-3	147.960	3	473 240.390	R60	-3	074.960	3	473 535.070
L54	-3	234.100	3	473 164.430	R61	-3	098.110	3	473 465.860
L55	-3	272.510	3	473 106.920	R62	-3	112.480	3	473 424.810
L56	-3	285.220	3	473 086.640	R63	-3	116.490	3	473 414.530
L57	-3	322.280	3	473 026.320	R64	-3	153.120	3	473 349.390
L58	-3	331.780	3	473 001.670	R65	-3	298.390	3	473 136.200
L59	-3	341.570	3	472 973.690	R66	-3	307.710	3	473 122.430
L60	-3	352.540	3	472 897.540	R67	-3	372.280	3	473 027.040
L61	-3	354.430	3	472 884.400	R68	-3	394.280	3	472 939.910
L62	-3	350.110	3	472 844.450	R69	-3	384.160	3	472 850.530
L63	-3	332.450	3	472 778.870	R70	-3	371.270	3	472 803.530
L64	-3	299.100	3	472 719.550	R71	-3	362.520	3	472 771.600
L65	-3	251.460	3	472 668.730	R72	-3	324.730	3	472 701.850
L66	-3	192.620	3	472 630.550	R73	-3	268.390	3	472 641.870
L67	-3	125.200	3	472 605.840	R74	-3	246.860	3	472 627.550
L68	-2	847.870	3	472 566.350	R75	-3	255.410	3	472 616.420
L69	-2	819.180	3	472 562.190	R76	-3	250.800	3	472 611.200
L70	-2	744.930	3	472 546.000	R77	-3	240.900	3	472 623.470
L71	-2	645.010	3	472 515.070	R78	-3	211.410	3	472 603.860
L72	-2	569.340	3	472 483.310	R79	-3	114.830	3	472 577.290
					Vel 23 Van 29 P651/08 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 25°					X				
L73	-2	480.780	3	472 434.160	R80	-2	917.140	3	472 547.880
L74	-2	378.790	3	472 366.720	R81	-2	893.380	3	472 548.260
L75	-2	297.570	3	472 284.220	R82	-2	857.320	3	472 541.700
L76	-2	266.520	3	472 248.850	R83	-2	752.660	3	472 520.460
L77	-2	259.850	3	472 240.160	R84	-2	748.190	3	472 519.280
L78	-2	206.740	3	472 170.920	R85	-2	657.630	3	472 489.360
L79	-2	197.820	3	472 159.060	R86	-2	582.670	3	472 457.560
L80	-2	136.240	3	472 056.080	R87	-2	483.400	3	472 398.060
L81	-2	125.690	3	472 036.950	R88	-2	397.370	3	472 339.600
L82	-1	985.720	3	471 793.130	R89	-2	293.220	3	472 232.060
L83	-1	811.800	3	471 490.680	R90	-2	293.150	3	472 231.960
L84	-1	641.090	3	471 193.630	R91	-2	231.410	3	472 150.460
L85	-1	580.000	3	471 087.330	R92	-2	222.880	3	472 136.790
L86	-1	453.490	3	470 909.080	R93	-2	166.340	3	472 059.780
L87	-1	341.190	3	470 794.930	R94	-2	162.090	3	472 026.110
L88	-1	186.520	3	470 675.390	R95	-2	153.030	3	472 021.460
L89	-1	048.620	3	470 603.440	R96	-2	015.030	3	471 782.250
L90	-	666.420	3	470 397.440	R97	-1	845.290	3	471 486.690
L91	-	426.960	3	470 254.810	R98	-1	672.880	3	471 185.190
L92	-	304.930	3	470 174.370	R99	-1	609.430	3	471 074.230
L93	-	177.860	3	470 083.960	R100	-1	490.990	3	470 905.510
L94	-	53.960	3	469 990.210	R101	-1	344.520	3	470 757.130
L95		30.840	3	469 919.890	R102	-1	234.310	3	470 671.660
L96		57.840	3	469 897.590	R103	-1	129.290	3	470 612.480
L97		64.220	3	469 893.280	R104	-1	094.730	3	470 593.010
L98		122.410	3	469 844.740	R105	-1	029.970	3	470 557.620
L99		333.000	3	469 652.150	R106	-	740.480	3	470 403.950
L100		650.970	3	469 344.080	R107	-	454.270	3	470 236.010
L101	1	029.070	3	468 976.770	R108	-	248.410	3	470 097.020
L102	1	128.260	3	468 880.480	R109	-69.240	3	469 963.400	
L103	1	282.900	3	468 730.350	R110	40.990	3	469 876.270	
L104	1	618.570	3	468 403.460	R111	263.390	3	469 676.590	
L105	1	687.630	3	468 335.780	R112	629.550	3	469 320.900	
L106	1	713.080	3	468 310.370	R113	968.410	3	468 991.860	
L107	1	876.810	3	468 150.690	R114	1 101.220	3	468 862.730	
L108	2	164.650	3	467 870.490	R115	1 101.570	3	468 862.390	
L109	2	658.410	3	467 390.980	R116	1 507.690	3	468 467.700	
L110	2	849.010	3	467 203.180	R117	1 586.770	3	468 391.080	
L111	3	058.980	3	466 972.590	R118	1 617.440	3	468 343.420	
L112	3	237.320	3	466 754.520	R119	1 667.310	3	468 313.510	
L113	3	241.640	3	466 749.210	R120	2 049.160	3	467 940.450	
L114	3	433.210	3	466 513.680	R121	2 396.080	3	467 602.390	
L115	3	764.750	3	466 105.180	R122	2 634.960	3	467 370.020	
L116	3	926.240	3	465 906.670	R123	2 843.330	3	467 169.080	
L117	4	113.190	3	465 676.460	R124	3 004.180	3	466 993.110	
L118	4	283.630	3	465 467.290	R125	3 176.710	3	466 788.490	
L119	4	360.570	3	465 356.280	R126	3 222.230	3	466 730.190	
L120	4	430.530	3	465 239.310	R127	3 336.190	3	466 584.240	
L121	4	506.110	3	465 076.240	R128	3 304.390	3	466 558.690	
L122	4	556.870	3	464 927.010	R129	3 316.740	3	466 542.890	
L123	4	589.470	3	464 784.520	R130	3 348.660	3	466 567.980	

Vel	24	Van	29	P651/08
Sheet		of		

Vel
Sheet

24

Van
of

29

P651/08

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 25°					X				
L124	4	600.450	3	464 702.090	R131	3	544.190	3	466 326.890
L125	4	606.530	3	464 639.580	R132	3	728.710	3	466 099.860
L126	4	578.410	3	464 402.140	R133	3	897.260	3	465 894.330
L127	4	561.070	3	464 255.750	R134	4	195.460	3	465 530.600
L128	4	587.260	3	464 083.510	R135	4	321.930	3	465 359.660
L129	4	587.980	3	464 082.440	R136	4	400.480	3	465 229.090
L130	4	599.720	3	464 065.080	R137	4	452.450	3	465 121.080
L131	4	608.510	3	463 919.340	R138	4	517.360	3	464 963.380
L132	4	613.450	3	463 883.670	R139	4	557.600	3	464 801.260
L133	4	655.200	3	463 785.720	R140	4	572.550	3	464 601.400
L134	4	675.890	3	463 735.890	R141	4	521.270	3	464 298.230
L135	4	689.450	3	463 696.150	R142	4	517.850	3	464 190.290
L136	4	689.500	3	463 695.990	R143	4	532.850	3	464 099.530
L137	4	695.510	3	463 674.550	R144	4	533.090	3	464 098.460
L138	4	708.410	3	463 594.940	R145	4	548.470	3	464 029.430
L139	4	711.160	3	463 528.810	R146	4	557.860	3	464 017.580
L140	4	627.450	3	463 357.430	R147	4	567.270	3	463 985.280
L141	4	605.920	3	463 337.130	R148	4	567.190	3	463 969.070
L142	4	604.160	3	463 334.420	R149	4	610.550	3	463 781.070
L143	4	511.650	3	463 191.850	R150	4	612.890	3	463 691.020
L144	4	527.610	3	463 035.950	R151	4	629.510	3	463 622.090
L145	4	572.780	3	462 966.690	R152	4	634.980	3	463 599.400
L146	4	825.110	3	462 812.130	R153	4	658.440	3	463 587.970
L147	5	020.710	3	462 702.790	R154	4	662.470	3	463 527.310
L148	5	198.360	3	462 566.140	R155	4	645.910	3	463 468.030
L149	5	270.550	3	462 501.460	R156	4	587.630	3	463 437.630
L150	5	309.730	3	462 461.210	R157	4	574.720	3	463 374.330
L151	5	362.070	3	462 392.080	R158	4	519.040	3	463 309.080
L152	5	395.840	3	462 334.260	R159	4	482.850	3	463 228.430
L153	5	506.580	3	462 119.000	R160	4	480.250	3	463 222.620
L154	5	637.080	3	461 865.040	R161	4	469.310	3	463 169.120
L155	5	767.960	3	461 610.240	R162	4	481.860	3	463 060.400
L156	5	796.300	3	461 538.000	R163	4	502.980	3	463 008.850
L157	5	816.160	3	461 463.300	R164	4	540.850	3	462 952.990
L158	5	825.890	3	461 382.910	R165	4	598.570	3	462 902.620
L159	5	824.920	3	461 297.890	R166	4	696.850	3	462 846.410
L160	5	816.460	3	461 232.100	R167	4	999.720	3	462 680.190
L161	5	818.360	3	461 221.980	R168	5	225.710	3	462 506.020
L162	5	767.060	3	461 078.020	R169	5	314.820	3	462 407.500
L163	5	703.380	3	460 969.930	R170	5	338.670	3	462 375.320
L164	5	692.320	3	460 951.150	R171	5	440.830	3	462 178.170
L165	5	524.830	3	460 671.340	R172	5	543.320	3	461 979.690
L166	5	469.970	3	460 579.160	R173	5	657.180	3	461 757.720
L167	5	359.390	3	460 379.900	R174	5	736.100	3	461 605.400
L168	5	346.610	3	460 295.520	R175	5	765.680	3	461 530.110
L169	5	351.180	3	460 277.690	R176	5	785.030	3	461 453.150
L170	5	395.500	3	460 139.260	R177	5	793.960	3	461 385.350
L171	5	534.640	3	460 021.400	R178	5	795.040	3	461 308.400
L172	5	589.070	3	459 980.840	R179	5	777.940	3	461 194.280
L173	5	586.310	3	459 968.570	R180	5	737.860	3	461 090.940
L174	5	670.740	3	459 814.850	R181	5	678.760	3	460 991.040
					Vel	25	Van	29	P651/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 25°					X				
L175	5	669.990	3	459 811.610	R182	5	666.610	3	460 970.510
L176	5	653.790	3	459 741.600	R183	5	500.460	3	460 691.790
L177	5	643.760	3	459 612.970	R184	5	370.010	3	460 474.010
L178	5	634.540	3	459 499.530	R185	5	329.230	3	460 390.480
L179	5	628.848	3	459 432.491	R186	5	317.810	3	460 332.360
L180	5	613.760	3	459 244.540	R187	5	305.640	3	460 335.310
L181	5	534.360	3	458 266.430	R188	5	296.710	3	460 326.700
L182	5	533.830	3	458 265.380	R189	5	313.020	3	460 297.580
L183	5	487.600	3	458 078.200	R190	5	336.950	3	460 197.370
L184	5	473.120	3	458 017.320	R191	5	366.260	3	460 129.300
L185	5	389.480	3	457 683.820	R192	5	406.490	3	460 076.470
L186	5	291.290	3	457 294.720	R193	5	463.440	3	460 049.140
L187	5	262.380	3	457 179.430	R194	5	490.550	3	460 032.110
L188	5	193.040	3	457 091.660	R195	5	531.110	3	459 999.360
L189	5	014.450	3	456 381.870	R196	5	574.900	3	459 953.330
L190	4	975.110	3	456 383.540	R197	5	596.250	3	459 917.280
L191	4	949.010	3	456 318.770	R198	5	619.800	3	459 858.780
L192	4	984.210	3	455 796.530	R199	5	628.900	3	459 802.550
L193	4	838.060	3	455 636.730	R200	5	612.550	3	459 641.000
L194	4	774.390	3	455 543.530	R201	5	597.898	3	459 440.291
L195	4	754.520	3	455 505.300	R202	5	578.787	3	459 203.638
L196	4	717.270	3	455 402.860	R203	5	561.357	3	458 989.855
L197	4	558.370	3	454 946.220	R204	5	538.857	3	458 703.182
L198	4	433.630	3	454 598.760	R205	5	530.957	3	458 644.181
L199	4	346.240	3	454 346.720	R206	5	519.637	3	458 578.041
L200	4	238.550	3	454 037.800	R207	5	497.907	3	458 483.720
L201	4	140.170	3	453 754.580	R208	5	474.827	3	458 396.859
L202	4	083.890	3	453 591.270	R209	5	421.542	3	458 196.067
L203	3	940.300	3	453 178.880	R210	5	415.030	3	458 172.070
L204	3	901.180	3	453 074.750	R211	5	301.910	3	457 749.200
L205	3	891.030	3	453 036.850	R212	5	183.930	3	457 307.540
L206	3	620.970	3	452 248.080	R213	5	069.710	3	456 879.580
L207	3	606.130	3	452 196.580	R214	4	967.350	3	456 497.720
L208	3	583.990	3	452 144.990	R215	4	943.030	3	456 406.990
L209	3	555.860	3	452 018.940	R216	4	889.990	3	456 209.120
L210	3	550.400	3	452 008.650	R217	4	771.010	3	455 764.390
L211	3	520.130	3	451 804.990	R218	4	656.640	3	455 339.230
L212	3	517.930	3	451 779.300	R219	4	622.700	3	455 232.150
L213	3	508.890	3	451 674.050	R220	4	574.660	3	455 099.880
L214	3	507.210	3	451 646.030	R221	4	537.190	3	454 989.150
L215	3	509.200	3	451 361.680	R222	4	536.520	3	454 990.330
L216	3	511.550	3	451 215.230	R223	3	591.250	3	452 259.000
L217	3	517.590	3	450 682.840	R224	3	532.540	3	452 042.450
L218	3	519.090	3	450 339.070	R225	3	491.310	3	451 828.830
L219	3	519.570	3	450 288.330	R226	3	488.270	3	451 805.110
L220	3	522.510	3	449 978.930	R227	3	476.730	3	451 662.680
L221	3	534.780	3	448 811.710	R228	3	476.070	3	451 490.580
L222	3	538.880	3	448 474.380	R229	3	478.690	3	451 198.320
L223	3	552.520	3	447 123.520	R230	3	484.660	3	450 671.460
L224	3	570.810	3	446 872.810	R231	3	488.390	3	450 265.580
L225	3	597.580	3	446 725.700	R232	3	507.230	3	448 454.070
					Vel 26 Van 29 Sheet of P651/08				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 25°					X				
L226	3	650.690	3	446 538.450	R233	3	521.470	3	447 131.440
L227	3	703.760	3	446 388.930	R234	3	528.860	3	446 943.810
L228	3	808.430	3	446 094.230	R235	3	566.790	3	446 721.340
L229	3	858.540	3	445 917.240	R236	3	621.210	3	446 530.130
L230	3	890.700	3	445 738.290	R237	3	700.310	3	446 307.250
L231	3	926.110	3	445 519.710	R238	3	720.780	3	446 253.680
L232	4	077.610	3	444 568.570	R239	3	696.190	3	446 233.460
L233	4	364.740	3	442 773.850	R240	3	730.080	3	446 140.590
L234	4	389.290	3	442 586.490	R241	3	748.430	3	446 139.420
L235	4	404.260	3	442 342.600	R242	3	781.200	3	446 086.880
L236	4	398.410	3	442 084.150	R243	3	827.920	3	445 911.800
L237	4	384.160	3	441 916.600	R244	3	860.530	3	445 732.050
L238	4	349.150	3	441 703.320	R245	4	040.390	3	444 603.700
L239	4	284.190	3	441 440.480	R246	4	333.770	3	442 768.950
L240	4	225.020	3	441 262.270	R247	4	358.260	3	442 582.080
L241	4	133.760	3	441 040.930	R248	4	372.810	3	442 341.970
L242	4	071.680	3	440 909.840	R249	4	368.660	3	442 102.120
L243	3	866.370	3	440 475.430	R250	4	353.070	3	441 921.180
L244	3	759.850	3	440 250.250	R251	4	318.030	3	441 708.120
L245	3	614.590	3	439 943.190	R252	4	254.490	3	441 450.020
L246	3	537.640	3	439 775.780	R253	4	195.330	3	441 272.580
L247	3	479.400	3	439 606.710	R254	4	101.060	3	441 045.760
L248	3	435.080	3	439 372.540	R255	3	729.910	3	440 260.560
L249	3	425.290	3	439 163.560	R256	3	585.800	3	439 955.070
L250	3	429.170	3	438 941.170	R257	3	508.500	3	439 787.540
L251	3	423.730	3	438 726.110	R258	3	433.620	3	439 545.490
L252	3	419.000	3	438 600.820	R259	3	403.760	3	439 376.370
L253	3	388.430	3	438 399.030	R260	3	394.200	3	439 162.370
L254	3	305.980	3	438 180.530	R261	3	393.510	3	438 978.790
L255	3	282.300	3	438 136.180	R262	3	392.620	3	438 798.600
L256	3	256.170	3	438 087.810	R263	3	389.220	3	438 603.060
L257	3	226.890	3	438 042.280	R264	3	367.100	3	438 460.130
L258	3	156.800	3	437 933.500	R265	3	336.570	3	438 345.260
L259	2	648.110	3	437 168.820	R266	3	271.410	3	438 177.440
L260	2	468.410	3	436 885.180	R267	3	184.680	3	438 031.230
L261	2	310.630	3	436 604.570	R268	2	603.710	3	437 158.310
L262	2	137.100	3	436 245.670	R269	2	441.460	3	436 901.790
L263	2	024.510	3	435 972.720	R270	2	283.020	3	436 619.800
L264	1	970.420	3	435 828.630	R271	2	109.150	3	436 259.830
L265	1	593.630	3	434 759.130	R272	2	002.620	3	436 003.570
L266	1	234.950	3	433 743.200	R273	1	938.230	3	435 831.340
L267	1	212.790	3	433 680.430	R274	1	762.360	3	435 332.360
L268	1	016.050	3	433 121.640	R275	1	555.520	3	434 745.690
L269		725.820	3	432 299.830	R276	1	345.980	3	434 151.360
L270		609.210	3	431 969.340	R277	1	227.500	3	433 816.080
L271		515.510	3	431 703.990	R278	1	180.950	3	433 684.320
L272		448.560	3	431 517.260	R279	1	084.920	3	433 410.840
L273		389.600	3	431 375.660	R280		869.320	3	432 801.150
L274		305.870	3	431 206.200	R281		654.100	3	432 190.510
L275		260.480	3	431 129.720	R282		490.840	3	431 727.000
L276	-	194.330	3	430 368.530	R283		418.700	3	431 527.050
					Vel	27	Van	29	P651/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE						
WG 25°					X						
L277	-	893.290	3	429	197.060	R284	361.720	3	431	389.950	
L278	-1	430.960	3	428	295.070	R285	279.340	3	431	222.640	
L279	-1	726.630	3	427	799.060	R286	226.610	3	431	133.560	
L280	-2	555.420	3	426	408.900	R287	-	534.060	3	429	859.960
L281	-2	775.240	3	426	036.780	R288	-1	458.790	3	428	309.360
L282	-2	853.710	3	425	886.650	R289	-1	469.570	3	428	291.280
L283	-2	934.280	3	425	705.850	R290	-2	666.040	3	426	284.730
L284	-2	994.470	3	425	549.250	R291	-2	807.180	3	426	044.210
L285	-3	050.320	3	425	372.320	R292	-2	874.600	3	425	916.950
L286	-3	036.420	3	425	282.380	R293	-2	961.080	3	425	723.120
L287	-3	015.940	3	425	246.760	R294	-3	026.020	3	425	552.500
L288	-3	066.360	3	425	237.500	R295	-3	083.980	3	425	369.490
L289	-3	097.350	3	425	216.400	R296	-3	140.620	3	425	315.000
L290	-3	457.160	3	424	025.520	R297	-3	171.090	3	425	081.360
L291	-4	318.390	3	421	172.650	R298	-3	267.560	3	424	760.230
L292	-4	340.000	3	421	090.210	R299	-3	487.720	3	424	031.660
L293	-4	360.680	3	421	008.130	R300	-4	347.900	3	421	181.720
L294	-4	429.150	3	420	801.840	R301	-4	405.440	3	421	015.780
L295	-4	459.990	3	420	703.480	R302	-4	435.490	3	420	918.480
L296	-4	559.310	3	420	374.330	R303	-4	511.210	3	420	645.350
L297	-4	595.100	3	420	255.740	R304	-4	573.320	3	420	440.450
L298	-4	726.070	3	419	820.730	R305	-4	591.830	3	420	379.320
L299	-4	810.800	3	419	541.390	R306	-4	644.780	3	420	204.460
L300	-4	980.720	3	418	978.580	R307	-4	958.930	3	419	163.180
L301	-5	043.520	3	418	745.250	R308	-5	021.120	3	418	952.730
L302	-5	199.900	3	418	153.600	R309	-5	055.480	3	418	823.840
L303	-5	301.040	3	417	768.810	R310	-5	094.290	3	418	765.940
L304	-5	316.160	3	417	720.960	R311	-5	135.990	3	418	516.990
L305	-5	396.100	3	417	483.560	R312	-5	337.160	3	417	756.490
L306	-5	581.560	3	416	934.410	R313	-5	430.630	3	417	481.180
L307	-5	745.990	3	416	447.080	R314	-5	613.070	3	416	939.810
L308	-6	320.210	3	414	747.780	R315	-5	870.780	3	416	176.390
L309	-6	628.020	3	413	838.820	R316	-6	385.960	3	414	651.150
L310	-6	672.810	3	413	666.920	R317	-6	662.100	3	413	833.930
L311	-6	686.650	3	413	520.680	R318	-6	709.460	3	413	723.510
L312	-6	770.460	3	413	229.100	R319	-6	774.910	3	413	623.340
L313	-6	954.290	3	412	406.570	R320	-6	743.360	3	413	586.650
L314	-7	117.930	3	411	672.070	R321	-6	806.250	3	413	305.870
L315	-7	154.050	3	411	511.650	R322	-6	853.480	3	413	092.720
L316	-7	202.570	3	411	279.120	R323	-6	869.040	3	413	022.500
L317	-7	215.190	3	411	208.430	R324	-6	927.370	3	412	764.520
L318	-7	237.790	3	411	082.840	R325	-6	933.110	3	412	739.160
L319	-7	330.860	3	410	466.050	R326	-6	995.650	3	412	454.730
L320	-7	407.110	3	409	957.240	R327	-7	013.480	3	412	379.770
L321	-7	566.860	3	408	894.540	R328	-7	051.020	3	412	235.820
L322	-7	664.170	3	408	244.100	R329	-7	077.950	3	412	089.720
L323	-7	762.810	3	407	586.600	R330	-7	144.990	3	411	785.370
L324	-7	928.090	3	406	487.900	R331	-7	173.100	3	411	676.460
L325	-8	059.020	3	405	619.570	R332	-7	209.130	3	411	513.680
L326	-8	110.790	3	405	275.240	R333	-7	259.100	3	411	253.030
L327	-8	132.560	3	405	132.050	R334	-7	307.290	3	410	974.440
						Vel	28	Van	29	P651/08	
						Sheet		of			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
WG 25°					X				
L328	-8	148.580	3	404 963.780	R335	-7	334.690	3	410 787.820
L329	-8	158.160	3	404 614.030	R336	-7	365.640	3	410 582.300
L330	-8	165.380	3	404 334.290	R337	-7	393.240	3	410 404.430
L331	-8	167.180	3	404 084.250	R338	-7	458.970	3	409 966.570
L332	-8	171.610	3	403 508.030	R339	-7	532.060	3	409 474.110
L333	-8	175.570	3	403 041.180	R340	-7	611.590	3	408 942.970
L334	-8	179.560	3	402 511.100	R341	-7	660.440	3	408 621.280
L335	-8	183.790	3	402 061.150	R342	-7	763.660	3	407 935.790
L336	-8	186.320	3	401 738.520	R343	-7	858.900	3	407 300.800
					R344	-7	939.830	3	406 765.720
					R345	-8	024.850	3	406 193.590
					R346	-8	112.620	3	405 629.110
					R347	-8	160.850	3	405 286.790
					R348	-8	172.660	3	405 200.360
					R349	-8	196.840	3	404 979.730
					R350	-8	201.010	3	404 940.820
					R351	-8	213.220	3	404 700.510
					R352	-8	229.620	3	404 239.780
					R353	-8	223.320	3	404 083.900
					R354	-8	224.930	3	403 473.250
					R355	-8	231.490	3	402 747.550
					R356	-8	231.840	3	402 241.450
					R357	-8	229.310	3	402 076.720
					R358	-8	228.880	3	402 048.720
					R359	-8	223.820	3	401 886.480
					R360	-8	223.720	3	401 705.370