

Innenti Gam batskoeran

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Vol. 524

Pretoria, 27 February 2009
Februarie

No. 31939

CONTENTS**INHOUD**

<i>No.</i>	<i>Page No.</i>	<i>Gazette No.</i>	<i>No.</i>	<i>Bladsy No.</i>	<i>Koerant No.</i>
GOVERNMENT NOTICE			GOEWERMENTSKENNISGEWING		
Transport, Department of			Vervoer, Departement van		
<i>Government Notice</i>			<i>Goewermentskennisgewing</i>		
187			187		
South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration amendment of National Road N4 Section 5X: Amendment of Declaration No. 652 of 1997			Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring wysiging van Nasionale Pad N4 Seksie 5X: Wysiging van Verklaring No. 652 van 1997		
	3	31939		4	31939

GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 187

27 February 2009

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N4 SECTION 5X

AMENDMENT OF DECLARATION No. 652 OF 1997

By virtue of section 40 (1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 652 of 1997, by substituting sheets 1 to 15 of Plan P401 of 1996 thereof, with the subjoined sheets 1 to 16 of Plan P709/08.

(National Road N4 Section 5X: Wonderfontein – Schoongezicht)



MINISTER OF TRANSPORT

GOEWERMENTSKENNISGEWING

DEPARTEMENT VAN VERVOER

No. 187

27 Februarie 2009

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK

Registrasie No: 98/09584/06

VERKLARING WYSIGING VAN NASIONALE PAD N4 SEKSIE 5X.


WYSIGING VAN VERKLARING NO. 652 VAN 1997

Kragtens Artikel 40(1)(b) van die Suid Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet No.7 van 1998), wysig ek hiermee Verklaring no. 652 van 1997, deur velle 1 tot 15 van Plan P401 van 1996 daarvan, te vervang met meegaande velle 1 tot 16 van Plan No. P709/08.

(Nasionale Pad N4 Seksie 5X: Wonderfontein – Schoongezicht)



MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4 Seksie 5X
of National Route

Vel
Sheet 1 van 16
Plan P709/08




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4
of National Route N4
Seksie 5X
Section

Vel Sheet 2 van 16
Plan P709/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route N4 Seksie 5X	Vel Sheet 3 van 16 Plan P709/08
---	---	---	---



Die Suid Afrikaanse Nasionale Podagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon

The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4 Seksie
of National Route Section


N4

Seksie
Section

5X

Vel	4	van	16
Sheet		of	

Plan P709/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4 Sektie
of National Route N4 Section

5X

Vel
Sheet 5 van
of 16
Plan P709/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


N4

Seksie
Section

5X


Vel
Sheet 6 van
of 16

Plan
P709/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


N4

Seksie
Section

5X


Vel
Sheet 7 van 16

Plan P709/08




Die Suid Afrikaanse Nasionale Padagentskop Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte		
represents the road reserve of a portion		
van Nasionale Roete	N4	Seksie
of National Route		Section

Vel Sheet	8	van of	16
Plan	P709/08		



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N4

Seksie

5X

Vel
Sheet 10 van 16

Plan P709/08

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L1	-89 766.940	2 855 887.020		R1	-89 794.970	2 855 931.850			
L2	-89 863.840	2 855 815.450		R2	-90 100.300	2 855 700.300			
L3	-89 942.570	2 855 755.740		R3	-90 145.160	2 855 684.990			
L4	-90 044.260	2 855 678.640		R4	-90 165.550	2 855 669.370			
L5	-90 305.960	2 855 480.770		R5	-90 192.340	2 855 630.350			
L6	-91 056.340	2 854 912.400		R6	-90 211.330	2 855 610.970			
L7	-91 538.510	2 854 546.820		R7	-90 237.560	2 855 595.910			
L8	-91 585.970	2 854 508.670		R8	-90 355.170	2 855 505.950			
L9	-92 095.100	2 854 150.150		R9	-90 514.110	2 855 371.100			
L10	-92 305.850	2 854 001.680		R10	-90 609.520	2 855 298.620			
L11	-92 580.970	2 853 808.080		R11	-90 703.610	2 855 223.810			
L12	-93 206.370	2 853 367.820		R12	-91 564.050	2 854 573.020			
L13	-94 268.860	2 852 619.860		R13	-92 100.060	2 854 195.420			
L14	-95 394.740	2 851 827.290		R14	-92 258.710	2 854 083.660			
L15	-95 592.460	2 851 688.100		R15	-92 891.770	2 853 638.080			
L16	-96 066.010	2 851 354.440		R16	-93 219.640	2 853 407.300			
L17	-96 181.680	2 851 280.540		R17	-94 278.380	2 852 662.070			
L18	-96 193.230	2 851 273.160		R18	-95 401.150	2 851 871.780			
L19	-96 354.140	2 851 198.450		R19	-95 670.770	2 851 681.340			
L20	-96 524.030	2 851 147.240		R20	-96 180.190	2 851 326.800			
L21	-96 583.370	2 851 136.630		R21	-96 250.710	2 851 287.540			
L22	-96 647.200	2 851 128.170		R22	-96 319.210	2 851 255.780			
L23	-96 678.810	2 851 124.710		R23	-96 364.910	2 851 237.150			
L24	-96 845.640	2 851 110.070		R24	-96 371.930	2 851 234.290			
L25	-96 933.510	2 851 102.530		R25	-96 428.740	2 851 215.020			
L26	-97 199.770	2 851 079.690		R26	-96 585.690	2 851 176.570			
L27	-97 474.580	2 851 052.820		R27	-96 663.350	2 851 166.490			
L28	-97 482.320	2 851 051.610		R28	-96 682.590	2 851 164.000			
L29	-97 564.030	2 851 031.400		R29	-96 825.450	2 851 151.960			
L30	-97 698.350	2 850 996.090		R30	-97 206.470	2 851 118.950			
L31	-97 711.690	2 850 994.050		R31	-97 399.990	2 851 102.190			
L32	-97 769.130	2 850 975.870		R32	-97 542.550	2 851 080.850			
L33	-97 805.170	2 850 958.960		R33	-97 599.110	2 851 067.890			
L34	-98 054.490	2 850 827.080		R34	-97 676.170	2 851 045.520			
L35	-98 090.540	2 850 809.380		R35	-97 791.360	2 851 001.760			
L36	-98 136.900	2 850 789.840		R36	-97 890.280	2 850 953.640			
L37	-98 193.410	2 850 769.070		R37	-98 068.760	2 850 859.860			
L38	-98 241.710	2 850 754.490		R38	-98 148.600	2 850 824.590			
L39	-98 292.080	2 850 741.050		R39	-98 256.060	2 850 787.160			
L40	-98 292.540	2 850 735.930		R40	-99 058.330	2 850 580.990			
L41	-98 318.970	2 850 734.300		R41	-99 390.600	2 850 495.600			
L42	-98 366.500	2 850 722.370		R42	-99 487.730	2 850 465.270			
L43	-98 939.650	2 850 574.850		R43	-99 537.220	2 850 442.840			
L44	-99 175.920	2 850 513.760		R44	-99 598.380	2 850 413.360			
L45	-99 371.760	2 850 467.100		R45	-99 667.610	2 850 372.130			
L46	-99 429.870	2 850 449.560		R46	-99 684.210	2 850 362.550			
L47	-99 495.940	2 850 420.590		R47	-99 751.560	2 850 312.040			
L48	-99 536.850	2 850 395.480		R48	-99 813.670	2 850 256.180			
L49	-99 540.500	2 850 400.030		R49	-99 870.770	2 850 193.810			
L50	-99 639.020	2 850 345.370		R50	-99 909.950	2 850 143.580			
L51	-99 778.310	2 850 234.710		R51	-100 260.680	2 849 665.560			
					Vel	11	Van	16	P709/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L51	-99	778.310	2 850	234.710					
L52	-99	851.530	2 850	152.610					
L53	-99	899.190	2 850	089.730					
L54	-100	246.270	2 849	617.320					
	Y		X	WG 31°		Y		X	
L55	100	277.110	2 849	423.480	R52	100	061.050	2 849	187.240
L56	100	129.110	2 849	216.490	R53	100	039.250	2 849	156.000
L57	100	126.340	2 849	212.320	R54	100	002.310	2 849	103.020
L58	100	087.220	2 849	153.450	R55	99	958.020	2 849	026.030
L59	99	999.850	2 849	028.850	R56	99	919.600	2 848	952.720
L60	99	731.660	2 848	506.880	R57	99	731.210	2 848	585.180
L61	99	655.640	2 848	392.210	R58	99	703.010	2 848	534.930
L62	99	561.190	2 848	302.890	R59	99	690.840	2 848	515.460
L63	99	321.960	2 848	122.290	R60	99	645.700	2 848	450.400
L64	98	954.550	2 847	844.910	R61	99	636.460	2 848	437.940
L65	98	676.240	2 847	634.800	R62	99	627.960	2 848	427.470
L66	98	442.060	2 847	458.010	R63	99	584.330	2 848	379.400
L67	98	211.130	2 847	283.670	R64	99	571.880	2 848	366.800
L68	98	131.350	2 847	229.930	R65	99	528.300	2 848	325.800
L69	98	043.650	2 847	190.240	R66	99	481.880	2 848	287.790
L70	97	834.080	2 847	110.980	R67	99	302.600	2 848	152.770
L71	97	443.890	2 846	965.910	R68	98	937.840	2 847	878.050
L72	97	046.450	2 846	818.150	R69	98	652.500	2 847	663.150
L73	96	869.560	2 846	732.990	R70	98	408.410	2 847	479.320
L74	96	186.990	2 846	396.260	R71	98	351.730	2 847	436.640
L75	95	961.000	2 846	282.270	R72	98	280.190	2 847	381.650
L76	95	530.070	2 846	064.910	R73	98	214.910	2 847	333.780
L77	95	381.730	2 845	992.410	R74	98	171.070	2 847	302.800
L78	95	006.690	2 845	776.580	R75	98	111.750	2 847	267.180
L79	94	884.690	2 845	681.720	R76	98	086.190	2 847	253.510
L80	94	846.480	2 845	634.480	R77	98	015.790	2 847	218.360
L81	94	845.960	2 845	601.850	R78	97	938.130	2 847	186.570
L82	94	920.070	2 845	513.700	R79	97	820.260	2 847	143.120
L83	94	996.790	2 845	431.480	R80	97	424.240	2 846	997.160
L84	94	973.660	2 845	404.010	R81	97	062.830	2 846	863.950
L85	94	930.690	2 845	443.790	R82	96	956.000	2 846	819.200
L86	94	877.150	2 845	501.160	R83	96	853.920	2 846	768.310
L87	94	799.300	2 845	576.750	R84	96	662.700	2 846	672.990
L88	94	765.790	2 845	586.290	R85	96	628.650	2 846	656.610
L89	94	528.200	2 845	531.720	R86	96	229.810	2 846	458.060
L90	94	425.180	2 845	495.390	R87	96	162.210	2 846	424.420
L91	94	374.470	2 845	473.910	R88	95	955.470	2 846	321.540
L92	94	309.150	2 845	448.350	R89	95	939.980	2 846	313.280
L93	94	223.650	2 845	423.760	R90	95	594.520	2 846	141.450
L94	94	154.220	2 845	409.990	R91	95	465.740	2 846	078.470
L95	94	106.540	2 845	400.540	R92	95	451.190	2 846	076.510
L96	94	036.630	2 845	394.140	R93	95	042.900	2 845	889.930
					Vel	12	Van	16	P709/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L97	93 996.700	2 845 395.090		R94	95 023.780	2 845 881.450			
L98	93 649.190	2 845 416.900		R95	94 920.040	2 845 867.230			
L99	93 633.100	2 845 415.690		R96	94 770.200	2 845 898.960			
L100	93 411.800	2 845 441.880		R97	94 689.120	2 845 885.760			
L101	93 296.710	2 845 465.990		R98	94 644.380	2 845 846.550			
L102	93 190.710	2 845 498.720		R99	94 479.820	2 845 978.430			
L103	93 069.710	2 845 549.560		R100	94 467.710	2 845 967.040			
L104	92 977.350	2 845 599.220		R101	94 455.990	2 845 956.000			
L105	92 947.680	2 845 575.720		R102	94 484.060	2 845 924.260			
L106	92 168.360	2 846 319.040		R103	94 567.530	2 845 829.890			
L107	92 131.060	2 846 350.390		R104	94 581.240	2 845 800.880			
L108	92 026.600	2 846 422.950		R105	94 629.030	2 845 761.940			
L109	91 833.090	2 846 542.210		R106	94 674.680	2 845 713.960			
L110	91 386.020	2 846 817.750		R107	94 670.730	2 845 690.060			
L111	91 193.740	2 846 936.210		R108	94 352.970	2 845 526.620			
L112	91 129.820	2 846 965.880		R109	94 236.080	2 845 478.740			
L113	91 049.180	2 846 999.540		R110	94 218.610	2 845 473.750			
L114	90 828.770	2 847 082.890		R111	94 148.760	2 845 453.780			
L115	90 657.240	2 847 147.760		R112	93 988.330	2 845 428.640			
L116	90 411.320	2 847 239.950		R113	93 737.820	2 845 444.590			
L117	89 882.090	2 847 436.290		R114	93 431.550	2 845 470.370			
L118	89 851.800	2 847 447.470		R115	93 241.220	2 845 517.920			
L119	89 730.570	2 847 493.150		R116	93 202.970	2 845 532.260			
L120	89 731.710	2 847 499.090		R117	93 077.390	2 845 585.750			
L121	89 733.600	2 847 508.890		R118	92 984.410	2 845 637.260			
L122	89 729.160	2 847 510.380		R119	92 924.620	2 845 677.560			
L123	89 692.470	2 847 522.630		R120	92 836.850	2 845 742.250			
L124	89 662.790	2 847 528.970		R121	92 779.950	2 845 793.220			
L125	89 459.650	2 847 551.980		R122	92 188.350	2 846 355.500			
L126	89 455.190	2 847 609.000		R123	92 133.400	2 846 398.960			
L127	89 317.720	2 847 634.180		R124	92 003.560	2 846 485.780			
L128	89 240.820	2 847 642.310		R125	91 846.040	2 846 586.020			
L129	89 151.750	2 847 646.150		R126	91 381.730	2 846 881.460			
L130	88 877.410	2 847 630.160		R127	91 381.050	2 846 891.670			
L131	88 752.300	2 847 620.700		R128	91 359.860	2 846 903.810			
L132	88 591.000	2 847 608.520		R129	91 348.050	2 846 901.250			
L133	88 568.890	2 847 607.780		R130	91 194.120	2 846 973.320			
L134	88 328.850	2 847 590.150		R131	90 752.590	2 847 145.610			
L135	88 109.160	2 847 561.940		R132	90 415.040	2 847 277.740			
L136	87 971.120	2 847 534.060		R133	89 904.350	2 847 477.650			
L137	87 782.780	2 847 480.990		R134	89 908.680	2 847 489.460			
L138	87 760.800	2 847 474.800		R135	89 901.680	2 847 501.320			
L139	87 724.910	2 847 451.400		R136	89 894.210	2 847 503.920			
L140	87 550.970	2 847 377.940		R137	89 864.690	2 847 492.930			
L141	87 453.240	2 847 332.390		R138	89 591.860	2 847 600.150			
L142	87 287.380	2 847 255.080		R139	89 545.060	2 847 617.130			
L143	87 166.590	2 847 221.160		R140	89 390.750	2 847 658.990			
L144	86 543.460	2 846 945.280		R141	89 311.680	2 847 672.030			
L145	86 254.860	2 846 818.210		R142	89 152.700	2 847 684.750			
L146	86 145.150	2 846 759.770		R143	89 072.630	2 847 682.140			
L147	86 087.530	2 846 716.920		R144	88 586.240	2 847 645.960			
					Vel	13	Van	16	P709/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y	X	WG 31°				Y	X			
L148	86 030.160	2 846 666.380		R145		88 561.830	2 847 644.360				
L149	86 009.520	2 846 649.220		R146		88 541.420	2 847 643.010				
L150	86 003.160	2 846 642.320		R147		88 463.270	2 847 636.610				
L151	85 934.160	2 846 550.150		R148		88 202.050	2 847 617.700				
L152	85 597.920	2 846 025.820		R149		88 062.480	2 847 596.200				
L153	85 535.870	2 845 918.310		R150		87 919.240	2 847 564.010				
L154	85 448.750	2 845 743.710		R151		87 848.200	2 847 545.450				
L155	85 335.640	2 845 516.990		R152		87 786.110	2 847 525.850				
L156	85 330.640	2 845 507.050		R153		87 707.170	2 847 500.920				
L157	85 290.250	2 845 447.690		R154		87 695.610	2 847 497.270				
L158	85 224.460	2 845 367.530		R155		87 647.380	2 847 483.940				
L159	85 134.710	2 845 284.930		R156		87 477.020	2 847 409.130				
L160	85 093.200	2 845 257.060		R157		87 461.830	2 847 396.120				
L161	85 041.160	2 845 236.440		R158		87 219.090	2 847 288.330				
L162	85 000.270	2 845 215.380		R159		87 012.650	2 847 194.240				
L163	84 914.660	2 845 183.430		R160		86 192.780	2 846 830.310				
L164	84 810.910	2 845 158.100		R161		86 124.980	2 846 791.510				
L165	84 673.120	2 845 149.730		R162		86 068.630	2 846 751.650				
L166	84 590.410	2 845 155.770		R163		86 026.750	2 846 716.480				
L167	84 456.960	2 845 185.890		R164		85 983.040	2 846 675.020				
L168	83 910.270	2 845 434.880		R165		85 976.250	2 846 667.160				
L169	83 788.160	2 845 485.430		R166		85 960.900	2 846 648.390				
L170	83 718.440	2 845 504.270		R167		85 904.320	2 846 572.370				
L171	83 672.760	2 845 512.900		R168		85 702.630	2 846 256.890				
L172	83 544.830	2 845 520.330		R169		85 551.880	2 846 021.090				
L173	83 389.640	2 845 497.460		R170		85 434.950	2 845 799.810				
L174	83 350.210	2 845 485.990		R171		85 376.480	2 845 679.500				
L175	83 268.080	2 845 454.040		R172		85 322.440	2 845 568.270				
L176	83 255.960	2 845 448.410		R173		85 279.800	2 845 496.250				
L177	83 219.880	2 845 431.630		R174		85 207.520	2 845 407.330				
L178	83 178.070	2 845 410.820		R175		85 164.510	2 845 364.320				
L179	82 866.160	2 845 255.550		R176		85 118.560	2 845 327.660				
L180	82 127.030	2 844 887.620		R177		85 079.810	2 845 301.780				
L181	81 873.610	2 844 757.840		R178		85 056.540	2 845 286.170				
L182	81 714.900	2 844 642.270		R179		85 018.540	2 845 264.270				
L183	81 580.220	2 844 515.190		R180		84 966.360	2 845 240.030				
L184	81 423.350	2 844 364.400		R181		84 861.880	2 845 204.680				
L185	81 343.820	2 844 301.460		R182		84 858.620	2 845 204.200				
L186	81 207.850	2 844 204.410		R183		84 808.090	2 845 196.760				
L187	81 009.420	2 844 062.770		R184		84 755.810	2 845 189.050				
L188	80 591.540	2 843 764.480		R185		84 676.520	2 845 185.520				
L189	80 586.000	2 843 760.540		R186		84 622.370	2 845 189.640				
L190	79 725.560	2 843 147.700		R187		84 556.060	2 845 198.280				
L191	79 306.270	2 842 848.850		R188		84 488.290	2 845 214.900				
L192	79 228.790	2 842 792.370		R189		84 440.670	2 845 230.730				
L193	79 066.260	2 842 677.370		R190		83 870.810	2 845 494.050				
L194	78 914.100	2 842 569.720		R191		83 798.030	2 845 521.560				
L195	78 886.590	2 842 549.330		R192		83 731.730	2 845 538.510				
L196	78 765.650	2 842 459.650		R193		83 657.340	2 845 552.880				
L197	78 643.660	2 842 362.840		R194		83 602.380	2 845 556.570				
L198	78 202.710	2 841 975.170		R195		83 521.350	2 845 556.840				
						Vel	14	Van	16	P709/08	
						Sheet		of			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L198	78 202.710	2	841	975.170	R196	83 435.930	2	845	546.520
L199	78 137.530	2	841	917.860	R197	83 341.410	2	845	525.660
L200	77 738.190	2	841	565.020	R198	83 246.540	2	845	490.620
L201	77 703.760	2	841	534.600	R199	83 244.340	2	845	489.810
L202	77 644.090	2	841	481.880	R200	83 234.350	2	845	480.090
L203	77 094.550	2	840	999.170	R201	83 051.690	2	845	389.040
L204	76 723.850	2	840	673.560	R202	82 873.850	2	845	300.390
L205	76 725.220	2	840	660.630	R203	81 919.110	2	844	824.500
L206	76 721.060	2	840	656.700	R204	81 759.220	2	844	724.760
L207	76 633.400	2	840	573.920	R205	81 638.690	2	844	622.850
L208	76 531.400	2	840	497.120	R206	81 568.070	2	844	554.090
L209	76 506.000	2	840	480.070	R207	81 389.020	2	844	384.640
L210	76 485.060	2	840	457.370	R208	81 264.530	2	844	290.130
L211	76 426.840	2	840	394.250	R209	81 191.560	2	844	238.080
L212	76 365.820	2	840	301.520	R210	81 008.790	2	844	107.710
L213	76 352.910	2	840	281.890	R211	80 658.870	2	843	858.100
L214	76 329.090	2	840	203.070	R212	80 569.450	2	843	794.310
L215	76 254.650	2	840	031.540	R213	79 723.480	2	843	190.850
L216	76 184.560	2	839	870.050	R214	79 717.540	2	843	186.620
L217	76 160.690	2	839	782.990	R215	79 236.420	2	842	844.190
L218	76 116.650	2	839	665.950	R216	78 927.550	2	842	624.360
L219	76 093.020	2	839	594.510	R217	78 621.220	2	842	392.330
L220	76 028.940	2	839	435.120	R218	78 253.650	2	842	069.600
L221	76 000.460	2	839	354.470	R219	78 140.310	2	841	969.630
L222	75 947.260	2	839	157.730	R220	77 747.740	2	841	623.390
L223	75 891.080	2	838	939.110	R221	77 649.170	2	841	536.450
L224	75 881.690	2	838	902.560	R222	77 333.060	2	841	257.640
L225	75 871.680	2	838	863.930	R223	77 076.260	2	841	032.100
L226	75 836.650	2	838	728.790	R224	76 684.270	2	840	687.820
L227	75 796.620	2	838	572.890	R225	76 598.960	2	840	612.890
L228	75 743.470	2	838	343.440	R226	76 471.080	2	840	496.470
L229	75 704.810	2	838	222.950	R227	76 428.490	2	840	448.980
L230	75 637.690	2	838	107.410	R228	76 414.650	2	840	431.390
L231	75 578.580	2	838	039.550	R229	76 350.110	2	840	349.350
L232	75 477.320	2	837	938.130	R230	76 342.680	2	840	338.890
L233	75 445.560	2	837	902.060	R231	76 329.970	2	840	317.440
L234	75 334.660	2	837	783.470	R232	76 329.710	2	840	317.610
L235	75 261.370	2	837	709.040	R233	76 328.020	2	840	314.130
L236	75 222.410	2	837	673.760	R234	76 277.490	2	840	245.000
L237	75 200.140	2	837	640.870	R235	76 263.650	2	840	193.600
L238	75 181.500	2	837	607.870	R236	76 258.990	2	840	187.950
L239	75 148.050	2	837	493.190	R237	76 225.150	2	840	102.290
L240	75 128.470	2	837	426.040	R238	76 214.890	2	840	073.210
L241	75 128.190	2	837	370.170	R239	76 205.930	2	840	047.820
L242	75 106.060	2	837	226.550	R240	76 204.500	2	840	043.720
L243	75 095.890	2	837	111.430	R241	76 180.330	2	839	984.300
L244	75 089.410	2	837	038.160	R242	76 095.360	2	839	757.170
L245	75 085.900	2	837	038.380	R243	76 030.050	2	839	577.200
L246	75 072.240	2	836	938.420	R244	75 997.530	2	839	481.200
L247	75 067.330	2	836	888.120	R245	75 971.060	2	839	388.050
L248	75 049.210	2	836	806.650	R246	75 854.910	2	838	939.920
					Vel 15 Van 16 P709/08 Sheet of				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE						
WG 31°					Y		X				
L249	75	028.220	2	836	728.710	R247	75	849.890	2	838	909.970
L250	74	996.770	2	836	633.310	R248	75	846.630	2	838	890.510
L251	74	947.820	2	836	500.230	R249	75	726.900	2	838	435.990
L252	74	892.930	2	836	393.840	R250	75	667.160	2	838	259.430
L253	74	854.860	2	836	321.710	R251	75	590.130	2	838	119.890
L254	74	764.670	2	836	179.160	R252	75	470.630	2	837	991.630
L255	74	704.570	2	836	093.690	R253	75	348.573	2	837	859.373
L256	74	564.300	2	835	809.460	R254	75	228.410	2	837	747.060
L257	74	633.750	2	835	760.300	R255	75	200.720	2	837	711.860
L258	74	570.110	2	835	670.550	R256	75	143.540	2	837	629.800
L259	74	509.670	2	835	713.190	R257	75	124.270	2	837	591.190
L260	74	479.150	2	835	691.330	R258	75	104.980	2	837	528.040
L261	74	406.770	2	835	637.660	R259	75	101.060	2	837	524.560
L262	74	338.390	2	835	652.030	R260	75	064.280	2	837	541.550
						R261	75	049.560	2	837	475.790
						R262	75	067.200	2	837	414.590
						R263	75	070.140	2	837	368.760
						R264	75	068.850	2	837	277.110
						R265	75	050.200	2	837	030.340
						R266	75	034.150	2	836	926.830
						R267	75	011.250	2	836	817.020
						R268	74	990.660	2	836	741.490
						R269	74	960.380	2	836	646.590
						R270	74	909.110	2	836	517.370
						R271	74	884.120	2	836	462.880
						R272	74	857.530	2	836	409.540
						R273	74	819.930	2	836	340.730
						R274	74	731.480	2	836	202.710
						R275	74	709.170	2	836	171.240
						R276	74	671.610	2	836	116.870
						R277	74	457.300	2	835	944.030
						R278	74	344.530	2	835	783.000
						R279	74	283.650	2	835	663.530