

Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Vol. 525

Pretoria, 2 March
Maart 2009

No. 31941

CONTENTS**INHOUD**

<i>No.</i>	<i>Page No.</i>	<i>Gazette No.</i>	<i>No.</i>	<i>Bladsy No.</i>	<i>Koerant No.</i>
GOVERNMENT NOTICE			GOEWERMENTSKENNISGEWING		
Transport, Department of			Vervoer, Departement van		
<i>Government Notice</i>			<i>Goewermentskennisgewing</i>		
189 South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration amendment of National Road N14 Section 10: Amendment of Declaration No. 217 of 2006.....	3	31941	189 Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring wysiging van Nasionale Pad N14 Seksie 10: Wysiging van Verklaring No. 217 van 2006	4	31941

GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 189

2 March 2009

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N14 SECTION 10

AMENDMENT OF DECLARATION NO. 217 OF 2006

By virtue of section 40 (1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 217 of 2006 by substituting the Annexure paragraph (IV), with the subjoined sheets 1 to 9 of Plan No. P717/08.

(National Road N14 Section 10: Delareyville - Sannieshof)



MINISTER OF TRANSPORT

GOEWERMENTSKENNISGEWING

DEPARTEMENT VAN VERVOER

No. 189

2 Maart 2009

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK


Registrasie No: 98/09584/06

VERKLARING WYSIGING VAN NASIONALE PAD N14 SEKSIE 10.


WYSIGING VAN VERKLARING NO. 217 VAN 2006

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet no.7 van 1998), wysig ek hiermee Verklaring no. 217 van 2006 deur die Bylae paragraaf (IV), te vervang met meegaande velle 1 tot 9 van Plan no. P717/08.

(Nasionale Pad N14 Seksie 10 Delareyville - Sannieshof)




MINISTER VAN VERVOER




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N14 Seksie Section 10
of National Route

Vel Sheet 2 van 9
Plan P717/08




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N14 Seksie 10 of National Route	Vel Sheet 3 van 9 Plan P717/08
--	---------------------------------------	--	--	--------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


N14

Seksie
Section

10

Vel
Sheet 4 van
of 9

Plan
P717/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N14 Seksie
of National Route Section

10

Vel
Sheet 6 van
of 9

Plan P717/08

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L1	-45 927.960	2	951 776.070		R1	-45 954.350	2	951 808.490	
L2	-45 977.190	2	951 736.490		R2	-46 045.920	2	951 733.940	
L3	-46 140.340	2	951 627.510		R3	-46 134.430	2	951 684.060	
L4	-46 322.060	2	951 589.340		R4	-46 236.980	2	951 643.980	
L5	-46 893.680	2	951 470.790		R5	-46 364.700	2	951 615.640	
L6	-47 038.850	2	951 440.680		R6	-46 661.890	2	951 556.900	
L7	-47 096.880	2	951 433.030		R7	-46 882.480	2	951 513.230	
L8	-47 398.530	2	951 373.930		R8	-47 045.670	2	951 480.930	
L9	-47 854.710	2	951 284.310		R9	-47 403.770	2	951 410.290	
L10	-48 627.940	2	951 133.240		R10	-47 832.710	2	951 325.510	
L11	-48 846.040	2	951 090.670		R11	-48 714.560	2	951 151.380	
L12	-49 264.820	2	950 929.060		R12	-49 162.230	2	951 062.940	
L12X	-49 437.750	2	950 774.970		R13	-49 299.450	2	950 940.620	
L13	-49 723.200	2	950 520.620		R14	-49 353.710	2	950 892.230	
L14	-49 728.200	2	950 516.130		R15	-49 753.570	2	950 535.690	
L15	-50 317.120	2	949 987.770		R16	-49 802.130	2	950 492.390	
L16	-50 332.970	2	949 974.140		R17	-50 248.580	2	950 093.750	
L17	-50 402.350	2	949 914.460		R18	-50 315.150	2	950 034.370	
L18	-50 571.710	2	949 763.010		R19	-50 431.910	2	949 930.210	
L19	-50 782.530	2	949 574.480		R20	-50 605.580	2	949 775.290	
L20	-51 181.230	2	949 217.520		R21	-50 816.840	2	949 586.840	
L21	-51 304.190	2	949 143.560		R22	-51 156.060	2	949 284.260	
L22	-51 408.690	2	949 080.690		R23	-51 260.140	2	949 206.020	
L23	-51 522.160	2	949 012.430		R24	-51 425.520	2	949 108.840	
L24	-51 856.010	2	948 813.940		R25	-51 424.530	2	949 107.100	
L25	-52 037.610	2	948 705.960		R26	-51 902.020	2	948 822.990	
L26	-52 575.370	2	948 385.800		R27	-51 976.320	2	948 778.780	
L27	-52 687.090	2	948 319.320		R28	-52 569.670	2	948 425.730	
L28	-53 177.770	2	948 027.350		R29	-52 733.280	2	948 326.550	
L29	-53 571.630	2	947 792.880		R30	-53 121.320	2	948 091.320	
L30	-54 003.600	2	947 535.870		R31	-53 187.690	2	948 052.850	
L31	-54 330.930	2	947 340.940		R32	-53 528.210	2	947 855.450	
L31X	-54 333.870	2	947 339.190		R33	-54 048.460	2	947 545.780	
L32	-54 725.660	2	947 106.120		R34	-54 345.470	2	947 369.000	
L33	-55 349.130	2	946 735.450		R35	-54 394.880	2	947 339.600	
L34	-55 914.240	2	946 399.150		R36	-54 741.430	2	947 133.290	
L35	-56 284.660	2	946 178.480		R37	-55 434.910	2	946 720.910	
L36	-56 396.350	2	946 085.110		R38	-55 951.960	2	946 413.060	
L37	-56 455.000	2	946 037.450		R39	-56 301.370	2	946 205.180	
L38	-56 578.570	2	945 937.050		R40	-56 413.770	2	946 114.410	
L39	-56 615.650	2	945 911.670		R41	-56 472.540	2	946 066.950	
L40	-56 643.340	2	945 885.080		R42	-56 632.310	2	945 937.940	
L41	-56 657.960	2	945 876.280		R43	-56 663.580	2	945 919.240	
L42	-57 222.460	2	945 540.400		R44	-57 286.490	2	945 548.540	
L43	-57 405.580	2	945 459.910		R45	-57 384.340	2	945 506.140	
L44	-57 583.460	2	945 381.730		R46	-57 535.200	2	945 440.770	
L45	-57 653.740	2	945 350.840		R47	-57 720.350	2	945 360.540	
L46	-57 799.230	2	945 270.070		R48	-57 788.210	2	945 320.190	
L47	-57 805.240	2	945 274.860		R49	-58 266.630	2	945 035.500	
L48	-58 271.230	2	945 001.360		R50	-58 470.390	2	944 914.200	
L49	-58 428.060	2	944 891.890		R51	-58 482.100	2	944 907.230	
					Vel 7 Van 9 P717/08 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L50	-58 702.550	2	944	729.820	R52	-58 741.190	2	944	753.030
L51	-59 338.540	2	944	352.130	R53	-59 263.950	2	944	441.930
L52	-60 035.820	2	943	936.140	R54	-59 960.140	2	944	027.770
L53	-60 387.780	2	943	725.660	R55	-60 344.210	2	943	799.190
L54	-60 605.500	2	943	595.420	R56	-60 655.490	2	943	613.930
L55	-60 636.770	2	943	586.020	R57	-61 182.430	2	943	300.690
L56	-60 646.290	2	943	584.580	R58	-61 530.570	2	943	093.680
L57	-61 068.590	2	943	332.380	R59	-62 200.300	2	942	695.500
L58	-61 514.700	2	943	066.770	R60	-62 227.770	2	942	679.170
L59	-62 181.060	2	942	670.500	R61	-62 575.010	2	942	472.560
L60	-62 616.160	2	942	412.210	R62	-63 097.470	2	942	161.880
L61	-63 059.220	2	942	149.100	R63	-63 435.770	2	941	960.410
L62	-63 460.310	2	941	910.500	R64	-63 497.690	2	941	923.600
L63	-63 463.530	2	941	907.710	R65	-63 956.310	2	941	650.890
L64	-63 481.810	2	941	896.870	R66	-64 473.850	2	941	343.060
L65	-63 836.710	2	941	686.320	R67	-65 201.480	2	940	910.630
L66	-64 468.700	2	941	310.210	R68	-65 637.120	2	940	651.560
L67	-65 161.150	2	940	899.290	R69	-67 490.950	2	939	549.530
L68	-65 621.210	2	940	625.560	R70	-68 280.190	2	939	080.360
L69	-65 625.670	2	940	622.910	R71	-68 272.640	2	939	067.640
L70	-66 082.840	2	940	351.300	R72	-68 584.080	2	938	882.370
L71	-67 456.870	2	939	530.830	R73	-68 796.530	2	938	755.990
L72	-67 478.320	2	939	518.120	R74	-68 803.940	2	938	768.490
L73	-67 883.700	2	939	278.060	R75	-69 322.980	2	938	460.370
L74	-68 111.500	2	939	142.960	R76	-69 498.850	2	938	362.800
L75	-68 575.260	2	938	860.610	R77	-69 681.750	2	938	281.770
L76	-68 769.090	2	938	745.590	R78	-69 942.270	2	938	168.160
L77	-69 382.860	2	938	381.230	R79	-71 316.510	2	937	572.420
L78	-69 413.280	2	938	366.130	R80	-71 450.740	2	937	514.060
L79	-69 669.190	2	938	255.130	R81	-71 820.640	2	937	353.120
L80	-70 404.500	2	937	935.290	R82	-72 008.200	2	937	278.920
L81	-70 631.720	2	937	836.110	R83	-72 214.800	2	937	238.710
L82	-70 944.920	2	937	699.850	R84	-72 591.780	2	937	182.560
L83	-71 304.570	2	937	543.320	R85	-72 604.300	2	937	180.690
L84	-71 319.120	2	937	536.990	R86	-72 983.180	2	937	124.380
L85	-71 999.810	2	937	241.410	R87	-73 203.590	2	937	091.630
L86	-72 199.000	2	937	211.130	R88	-73 445.010	2	937	055.710
L87	-72 575.880	2	937	153.760	R89	-73 609.220	2	937	031.280
L87X	-72 580.900	2	937	153.000	R90	-73 801.190	2	937	002.710
L88	-72 967.940	2	937	094.370	R91	-74 320.480	2	936	925.500
L89	-73 140.040	2	937	068.300	R92	-74 402.440	2	936	913.320
L90	-73 434.730	2	937	023.840	R93	-74 868.940	2	936	844.120
L91	-73 598.840	2	936	999.080	R94	-75 001.740	2	936	824.420
L92	-73 801.940	2	936	968.440	R95	-75 467.140	2	936	755.240
L93	-74 314.530	2	936	891.170	R96	-76 000.280	2	936	675.960
L94	-74 863.530	2	936	813.070	R97	-76 070.340	2	936	665.540
L95	-74 879.170	2	936	810.840	R98	-76 101.690	2	936	654.720
L96	-75 444.000	2	936	727.200	R99	-76 197.000	2	936	619.770
L97	-75 995.610	2	936	644.610	R100	-77 047.070	2	936	258.390
L98	-76 032.600	2	936	639.130	R101	-77 596.500	2	936	028.040
L99	-76 131.530	2	936	607.820	R102	-79 123.790	2	935	387.750
					Vel	8	Van	9	P717/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE						
	Y		X	WG 25°		Y		X			
L100	-76	559.030	2	936	428.470	R103	-79	209.590	2	935	351.780
L101	-77	043.510	2	936	224.000						
L101X	-77	045.010	2	936	223.370						
L102	-77	583.460	2	935	996.810						
L103	-78	008.220	2	935	820.030						
L104	-78	432.370	2	935	643.300						
L105	-78	707.880	2	935	527.700						
L106	-79	143.740	2	935	345.580						
L107	-79	173.170	2	935	333.360						
</											