Government Gazette Staatskoerant

REPUBLIEK VAN SUID AFRIKA

Vol. 525

Pretoria, 16 March 2009

No. 32029

GOVERNMENT GAZETTE, 16 MARCH 2009

2 No. 32029

GENERAL NOTICES

NOTICE 304 OF 2009

INDEPENDENT COMMUNICATIONS AUTHORITY OF SOUTH AFRICA



PURSUANT TO SECTION 4 (1) OF THE ELECTRONIC COMMUNICATIONS ACT 2005,

HEREBY ISSUES A NOTICE INVITING COMMENTS REGARDING DRAFT RADIO FREQUENCY SPECTRUM FEE REGULATIONS

- 1. The Independent Communications Authority of South Africa ("the Authority') hereby gives notice and invites comments on the revision of radio spectrum fee regulations.
- 2. Electronic copies of the Draft Radio Spectrum Fee Regulations are available on the Authority's website (www.icasa.org.za).
- 3. Interested persons are hereby invited to submit written representations, including an electronic version of the representation in Microsoft Word, of their views on the Draft revised fees by no later than 16h00 on Friday, **30 April 2009**.
- 4. Persons making representations are further invited to indicate whether they are requesting an opportunity to make oral representations (and the estimated duration there of, which shall not exceed one hour). The Authority may decide to hold public hearings and should it decide to do so, the date, time and venue will be published by notice in the Government Gazette.
- 5. Written representations or enquiries may be directed to:

Mr. Mandla Mchunu Manager: Spectrum Management Pinmill Farm Block A 164 Katherine Street South Africa

Private Bag X 10002 Sandton 2146

Tel: +27 I 1-566 3291 Fax: +27 1 1-566 3292

Email: mmchunu@icasa.org.za

- 6. All written representations submitted to the Authority pursuant to this notice shall be made available for inspection by interested persons at the ICASA Library and copies of such representations and documents will be obtainable on payment of a fee.
- 7. Written representations will be made publicly available except where respondents indicate that their responses or parts thereof are confidential. Respondents are requested to separate any confidential material into a clearly marked confidential annexure. Unconditional permission to use such confidential material will be assumed unless the author expressly states otherwise. If, however, the request for non-disclosure to the public is refused, the person making the request will be allowed to withdraw the representation or document in question. Any copyright attached to responses will be assumed to have been relinquished unless it is expressly reserved.

PARIS MASHILE CHAIRPERSON ICASA

5

Draft Radio Frequency Spectrum Licence Fees Discussion Document and Regulations

DISCUSSION DOCUMENT

Introduction

The Authority intends to publish a regulation revising the annual Radio Frequency Spectrum Licence Fees currently specified under E1 Licence Fees in Chapter 6 of the Radio Regulations (G.N.R. 2862 of 1979).

The regulation will not change the fees covered by E2 Examination and certificate fees and E3 Application Fees, which will remain in force until reviewed.

The change to the fees is due to the following shortcomings of the existing Radio Frequency Spectrum Licence Fees:

- The fees have not been adjusted for many years and are clearly out of date.
- International comparisons show that the fees are generally lower than comparable fees in other countries.
- Some fees are so low that the cost of processing the annual fee is higher than the fee itself.
- There is no consistency on what is charged per unit if/of bandwidth.
- The system is manifestly unfair with wide differences between the fees paid by different users for comparable services.
- Some fee structures encourage spectrum hoarding.
- The fees do not give any incentive for efficient use of the spectrum at a time when there is increasing pressure on limited spectrum resources.

In addition to the fees set by the Authority (Administrative Pricing) which are the subject of this document, it is envisaged that the fees for parts of the spectrum where demand exceeds supply may be set by an Auction process.

2 Role of Spectrum Pricing

Spectrum prices are intended to fulfil a range of purposes:

- They should cover the administrative costs required to plan and manage the relevant part of the spectrum, and the amount of frequency that is used. As more frequency is used the greater the problems of monitoring and managing interference and the cost of spectrum management and monitoring rises over time accordingly.
- They should encourage efficient and effective utilization of spectrum, encouraging, on an incentive basis, migration to lesser populated and low-demand bands. This amongst other things includes a variable factor that is built-in to encourage the use of higher frequencies in order to reduce the crowding at lower frequencies.
- They may also reflect the economic value of the spectrum in terms of the potential price users are prepared to pay.

At the same time, the spectrum fees should not be a barrier to economic development, innovation, historically disadvantaged groups and the dispersal of economic activity over the whole country.

3 Methods of Spectrum Pricing

There are various methods of spectrum pricing employed worldwide – the definitions below are intended to clearly distinguish between the different methods.

Spectrum pricing is a generic term currently used to denote the denoting of the use of pricing as a spectrum management tool. It covers both *administrative incentive pricing* and *auctions* of either *apparatus licences* or *spectrum rights*.

Administrative pricing: is a form of *spectrum pricing* in which *equipment licence* fees or charges for *spectrum rights* are set by the spectrum manager (i.e. ICASA). Administrative pricing may include such variants as:

- Shadow pricing (A form of administrative pricing in which the price is set according to a
 predetermined formula intended to mimic the effect of market forces)
- Administrative incentive pricing, where fees are set with the intention of promoting efficient spectrum use;
- Regulatory pricing, where fees are set unrelated to market considerations, for example, to recover spectrum management costs.

Auctions are a form of *spectrum pricing* – as well as a spectrum assignment mechanism¹ – in which *apparatus licences* or *spectrum rights* are assigned to the winner(s) of a competitive process selected on the basis of price.

The focus of this discussion and the regulation is primarily on Administrative Pricing.

- The initial one-off Application fees should continue to reflect the costs to the Authority of making an assignment and issuing a licence.
- For the annual Radio Frequency Spectrum Licence Fees, the Authority considers that the appropriate method setting these fees is 'Administrative Incentive Pricing (AIP), the essential features of which are described below.

Although the spectrum fees are not intended to raise extra revenue for national treasury, there is a general principle that the application and annual fees in total should at least cover the cost of spectrum management and monitoring activities.

¹Competitive Spectrum assignment methods such as Beauty Contests may be on the basis of Administrative Prices. Even where the assignment is based on an Auction, the Auction price may be a one-off fee and the licensees pay annual spectrum fees according to Administrative Prices.

4 Administrative Incentive Pricing

Administrative Incentive Prices (AIP) are a major tool of spectrum management and aim to reflect the relative value of spectrum bands and bring Demand in line with Supply:

- Promote efficient use of spectrum.
- Prevent stockpiling of spectrum.
- Provide incentives to move to less congested spectrum.
- Provide incentives to hand back spectrum that is not needed.
- Encourage users to switch to spectrally efficient technologies.

In AIP the general method is to calculate the spectrum fee by taking into account a range of factors, including but not limited to:

Frequency Band

- · Charges vary with band (spectrum location
- As AIP is intended to encourage efficient use of the spectrum, the relative pricing of frequency bands will encourage users to choose the most cost efficient spectrum location.
 - All things being equal, the lower the frequency band, the higher the value due to better propagation and scarcity.
 - In some methodologies, commercial frequency bands especially those used for cellular such as GSM and 3G - are priced higher than lower frequency bands due to their commercial value².

Power Output or Area Sterilized

- Charges vary according to Power Output.
- Alternatively, the charges can increase with the area sterilized.

Bandwidth used

Charges vary according to bandwidth use. The more bandwidth used, the higher the
price although international practice varies from increasing the price per KHz of
bandwidth with the volume used, to applying an effective discount per KHz with the
volume used.

² It is not the intention to do this in the proposed methodology as GSM and other cellular technologies make very efficient use of spectrum and have been instrumental in bringing telecommunications to all areas of South Africa.

Geographical Area

- There are different charges per Geographic Area
- In most large countries, the spectrum is congested in the high density metropolitan areas and almost empty in remote rural areas. As a result, the spectrum charges differ according to whether the geographical area although this factor is not applicable for very low frequencies.

Exclusive Rights or Sharing

The spectrum charge varies according to whether the spectrum is exclusive or shared.

Supply and Demand

The spectrum charge reflects the demand for the frequency band.

Duration

 The spectrum charge varies according to the length of time in which the licence is in force. In the case of annual spectrum fees, common practice is to give a discount where the annual fee is paid in advance.

Services (value of)

 Where the spectrum fee reflects the perceived value of the services that use the spectrum. This is practiced for Cellular (GSM, 3G etc.) services in some countries, but the Authority does not intend to include a specific factor to reflect the value of the service in the spectrum fee.

Specific Factors

- Includes government usage, where the spectrum fee may be lower or waived altogether, although certain administrations such as the United Kingdom require that
- Includes aeronautical and maritime exclusive international assignments that are used only for specific applications and where pricing incentives have no role as there will be no changes in the frequency allocation.

5 The current Licence fee structure

The fees are currently in Chapter 6 of the Radio Regulations (G.N.R. 2862 of 1979) as amended.

The spectrum pricing currently includes a one-off application fee and Radio Frequency Spectrum Licence Fees that are levied on a yearly basis. There are also fees levied for examinations and certificates.

The scope of this document is to lay out the new structure of annual Radio Frequency Spectrum Licence Fees.

5.1 Examination and Certificate Fees

Examination and Certificate Fees (E2 in the Radio Regulations) are not covered by this document or the new regulation.

5.2 Application fees

The Application Fees (E3 in the radio regulations) are levied on applicants for radio frequency spectrum licences. The level of the fees is set to recover the costs to the Authority of making an assignment and issuing the licence.

The Application fees were imposed in 2002 and there are no current plans to change the application fee structure.

However, the Application fees may be adjusted periodically to reflect significant changes in the cost of processing applications or in response to expected changes in the cost of processing applications or in response to expected changes in nominal costs reflected in the Consumer Price Index.

5.3 Annual Radio Spectrum Licence Fees

5.3.1 Status

The annual Radio Frequency Spectrum Licence Fees (E1 in the radio regulations) are levied on an annual basis and the level of the fees has not been changed for some years.

The present Radio Frequency Spectrum Licence Fees are stated according to the service being offered and are based on a range of criteria:

- For services below 1 GHz the fees are largely based on the stations / equipment.
 - For commercial services such as Alarms and Community Repeaters, the licence fees are based on a minimum number of stations in a system.
- For services above 1 GHz, charges are mainly based on the bandwidth used, notably for microwave.
 - Bulk users (SADF, SAPS, Telkom, Transnet and Eskom) have been charged on the basis of R1,540 per MHz, and these users are not charged for any reuse of the spectrum.
 - Other users are charged on the basis of R770 per link and are charged for every link, whether they occur in the same frequency band or not.
- GSM licensees, (including 1800) are charged R20,000 per kHz paired (i.e. R100,000 per paired MHz) for a nationwide assignment. These are essentially spectrum assignments. GSM licensees are also charged a fixed fee which is set at R5 million for national operators.

- In E1 the GSM operators are also subject to "A further annual licence fee of 5% of the net operational income of the licensee".
- Satellite Operators are charged R50,000 for a ground station, with a charge of R2,500 being levied on subordinate VSAT stations other than the controlling hub.
- Some service categories in the existing E1 of the Radio Regulations are redundant.

5.3.2 Problems with the Present Licence Fee Structure

- The fees have not been adjusted for many years and are clearly out of date.
- International comparisons show that the fees are generally lower than comparable fees in other countries.
- Some fees are so low that the cost of processing the annual fee is higher than the fee itself.
- There is no consistency on what is charged per unit of bandwidth even where bandwidth is the basis of the charges.
- The system is manifestly unfair with wide differences between the fees paid by different users for comparable services.
- Some fee structures encourage spectrum hoarding.
- The fees do not give any incentive for efficient use of the spectrum at a time when there is increasing pressure on limited spectrum resources.
- The present E1 is not compatible with the ECA as it includes elements (such as levies on net income) that should be part of the Electronic Communications Service or Electronic Communications Network Services Licences.

6 Intentions of the Authority

The intention of the Authority is to revise the structure of the annual Radio Frequency Spectrum Licence Fees in order to:

- encourage efficient and effective utilization of spectrum, encouraging, on an incentive basis, migration to lesser populated and low-demand bands and
- At least cover the costs to ICASA for monitoring, interference investigations, international coordination, ITU membership and policy development.

The Authority is minded to move to Administrative Incentive Prices that reflect the relative value of the spectrum in view of the growing scarcity of the spectrum resource in certain frequencies and geographical areas.

Where there is perceived to be competition for a given frequency and the demand is greater than the supply, the Authority may choose to assign the frequency on a competitive basis where the annual Radio Frequency Spectrum Licence Fee is determined in an Auction process.

This provides a transparent and objective basis for allocating the resource among users. Generally, consumers and third-party commercial providers that place the greatest value on the resource (typically those that can be expected to either use it most efficiently or maximise its commercial value to the benefit of consumers) will pay a value-based rate. For exclusive frequencies, this may be a rate above what all other service providers are willing to pay; and value-based pricing provides a mechanism for compensating the public for the resource that has been rented out to consumers or service providers.

7 Proposals for Revised Radio Frequency Spectrum Licence Fees

7.1 General

The Present Application Fees (E3) will remain in Force.

The Radio Frequency Spectrum Licence Fees will move from a pricing system based on both apparatus and spectrum to one centred around spectrum, and more specifically on the extent of spectrum denied to others by a given licensee.

While most of the radio frequency spectrum will be priced according to spectrum, a large proportion of smaller individual licensees will be charged the minimum fee.

The new system also intends that all users of spectrum should in principle pay for spectrum on an equitable basis and (amongst other things) this will result in the difference between bulk and other users being removed.

The new pricing process will mean that some licensees will pay more for their use of spectrum while some will pay less. These prices, especially the Minimum Prices, are much lower than those levied in other administrations such as Kenya.

7.2 Parameters

The following parameters have been identified and are used to calculate the Radio Frequency Spectrum Licence Fees to be levied:

- Bandwidth (BW)
- Frequency factor (FREQ)
- Geographic factor (GEO)
- Congestion factor (CG)
- Degree of sharing (SHR)
- Area sterilized (ASTER)
- Minimum Hop Length (HOPMINI)
- Single link factor (UNIBI)

These parameters will be termed factors and are applied within formulae.

In addition, there will be a minimum fee and a discount scheme extended to licensees who wish to pay for several years in advance.

A Unit Price (UNIT) is applied to these factors to derive the price,

7.2.1 Bandwidth (BW)

While a radio signal is said to be transmitted at a given frequency, the information carried spreads around that frequency. Bandwidth is a measure of the band over which the information spreads around a given carrier frequency. The lesser the spread is, the smaller the bandwidth occupied and denied to others.

Hence, the scarcity of radio resources in a frequency band is a direct implication of more bandwidth being used, whether it is a large band spread around one frequency or spaced-out frequencies with contiguous band spreads. In either case, the more bandwidth is assigned to licensees in a frequency band, the less is available for new assignments.

Of the many conceivable ways of factoring bandwidth into the price of spectrum, regulators usually adopt one of the following:

- A linear approach: all else being equal, spectrum price is proportionate to amount of bandwidth used.
- A discount for large bandwidth approach: the more the bandwidth, the less the price per unit: this approach does little to encourage spectrum efficiency, especially in conditions of scarcity.
- A premium for large bandwidth approach: licensees requesting large bandwidths pay a premium. This approach discourages licensees to hoard spectrum, but may raise transparency and objectivity questions as to the amount of the appropriate premium

The **linear approach** is proposed by the Authority, with the clear advantage of fairness. Spectrum hoarding can be avoided by setting appropriate price levels or by implementing market competition rules when demand rises dramatically.

7.2.2 Frequency factor (FREQ)

How far a signal goes is determined by several factors, the most universal of which are the frequency, transmit power and propagation environment. All other things being equal, the higher the frequency, the shorter the wave length and the more difficult it is at the receiving end to pick the signal up due to the smaller aperture area.


At low frequencies, larger areas can be covered (longer ranges can be achieved for fixed links) than at high frequencies. As a consequence, deploying a system at a low frequency could require fewer infrastructures than at high frequencies. This property makes the low frequencies more attractive.

Since range is the advantage here, quantifying the frequency factor requires knowledge of what affects range and how. For universality and simplicity, free space propagation is assumed:

Path Loss = Constant + 20*Log (Distance) +20*Log (Frequency).

The frequency factor can then be assumed to be a normalized version of the receive power.

Note that the Decibel function is chosen here rather than the linear formula to smooth out the effect of signal variation at high frequencies.



Assuming a transmit power reference and a static distance, different frequencies will result in different path losses from which the received signal levels can be derived.

For convenience of use, ranges have been defined. The main challenge is to select the ranges so as to contain bands allocated for the same purpose. By doing so, there will be only minimal disparity between licensees using different frequency bands to deliver the same services. However, when the difference in frequency band locations is significant (e.g. alarms in UHF band and also in VHF), the frequency factor should not be used as a levelling tool and different FREQ factor values may need to be applied.

The following are the ranges for the frequency band factor:

Freque	FREQ Factor	
From	То	
30 MHz	174 MHz	1
174 MHz	880 MHz	0.75
880 MHz	1.8 GHz	0.5
1.8 GHz	5 GHz	0.4
5 GHz	10 GHz	0.3
10 GHz	17 GHz	0.2
17 GHz	23 GHz	0.15
23 GHz	30 GHz	0.1
30 GHz	above	0.05

7.2.3 Geographic factor (GEO)

South Africa encompasses considerable geographic and social variation, with:

- A major population centre defined by Gauteng with a high density of population and economic activity,
- 2-3 other major metropolitan areas in Cape Town, Durban and Nelson Mandela Bay / Port Elizabeth
- A range of third tier cities
- Rural areas with a high density
- Rural areas with a low population density.

The most intense use of radio based communications is in the major metropolitan areas. The use is less intense elsewhere and for socio-economic reasons the intensity of use does not vary significantly between the rural areas with a high population density and those with a low population density.

The government's goal is to extend to foster economic activity and the use of technology to the poorer rural areas. Geographic factors can be applied that both meet the socio-economic goals and the goal of efficient use of spectrum, because the areas where there is less pressure on the radio frequency are also the poorer areas and a lower geographic factor can be applied.

The following is a table of suggested geographic factors:

GEO	GEO Factor Value
High Density	1
Medium Density	0.75
Low Density	0.5

It is proposed that:

High Density will be all Gauteng province, and the municipal areas of Cape Town,
 Durban and Port Elizabeth, using the standard boundaries for the latter municipal areas.

- Medium Density will not be applied at this stage but may eventually include some medium rank cities such as East London.
- · Low Density is the rest of South Africa.

Where an assignment covers more than one type of area, the GEO factor will reflect the higher value area; this ruling also applies to nationwide assignments.

7.2.4 Congestion factor (CG)

In some areas (irrespective of the geographic dimension), radio frequency spectrum could become scarce or unavailable. Demand exceeding supply is an indication of value of an item on the market. In the case of spectrum, both current and prospective licensees should be aware of its value and be prepared to pay for it. This factor is either neutral (i.e. 1) when there is still radio frequency spectrum available or higher than 1 when there is shortage of spectrum. In other words, wherever there is a waiting list for access to spectrum, prices are automatically 50% higher than the base price.

The following is a table of suggested factors:

CONGESTION	CG Factor Value
Congested	1.5
Not Congested	1

'Congested' indicates the existence of a waiting list, while 'Not Congested' identifies cases where demand for spectrum has not yet surpassed supply yet (i.e. no waiting list).

7.2.5 Degree of sharing (SHR)

The exclusive use of radio frequency spectrum across a geographical area refers to the impossibility to assign a given frequency to more than one user. By their nature, some radio services tolerate frequency sharing in the sense that more than one licensee can use the spectrum for communications in the same geographical area without undue interference to concurrent licensees. Some services lend themselves naturally to such uses because of the traffic load on the systems or the very short range of the equipments. The extent to which this is possible is usually a function of the load pattern of the system, the degree to which the exchanged signals are scattered and the localized nature of the communications. In systems where communications are brief or are relatively distributed in geographical silos rather than flowing to and from a central point, it is possible for several licensees to operate equipment on the same frequency.

Whenever shared usage is possible, spectrum is used efficiently as a direct result of not having to assign different frequencies to different licensees, but effectively sharing one frequency among a licensee groups. In line with its policy of giving an incentive for efficiency and sparing

use of spectrum, the Authority proposes to operate a price discount policy when two or more licensees opt to share spectrum.

However, if the fee per user-as a result of sharing discount is a direct division of the overall fee for the shared channel by the number of sharing licensees, administration would become overcomplicated with wide price variations from area to area depending on the sharing dynamics. Therefore the Authority proposes to set the sharing discount to be 50%. This value is the sharing coefficient when two licensees share spectrum and still offers a significant discount to the full price when more than two licensees are involved.

Sharing	Value of sharing factor
Exclusive	1
Shared	0.5

7.2.6 Area sterilized (ASTER)

In radio, the idea of area sterilized refers to the area over which a given transmitting station radiates. Intuitively a wireless communication between any two equipments whether fixed or mobile requires a link between both. When the receiving apparatus are mobile or when their number is large, it is more cost-effective for the transmitting station to cover an entire area rather than maintain several physical links with each transmitter. In practice, most point-to-area systems are built to radiate all around the base stations (omni-coverage) or in partitions (sectors around the base station).

This suggests that pricing should reflect the extent of the area over which the Authority is bound to monitor and guarantee minimum interference levels.

Furthermore, the use of a frequency across a geographical area makes it difficult or simply impossible in some cases to have another licensee use the same frequency in the same area. In other words, the use of spectrum usually carries the notion of exclusivity over a given area. As a consequence, spectrum pricing should be function of the area over which each specific chunk of spectrum is denied to all other licensees-the area sterilized.

One of the reasons for congestion is the expanse of the area sterilized. The larger the area sterilized, the more difficult it is to re-use frequencies.

In order to promote spectrum efficiency and a sparing use of limited spectrum, the area sterilized should be factored into the price of spectrum. For convenience and implementation simplicity, the area ranges are intended to allow easy application at the local, provincial and even national level.

The prospective licensee shall submit their system description including the location of their radio base stations as well as transmit power figures. The Authority shall estimate the area covered by the transmitters and feed this value into the price algorithm.

To make the pricing process understandable and convenient, ranges are used rather than absolute values. In the first implementation of this algorithm, the ASTER factors are based on radius ranges associated with the area sterilized³.

In the long term, the virtual division of the South African territory into geographical units would allow block-wise spectrum units and facilitate wider granting of spectrum assignments with the right for spectrum trading.

The proposed ASTER factors are as follows:

Area (I	cm2)	ASTER Factor
From	То	
0	1	0.6
1_	10	2
10	100	6
100	1,000	18
1,000	10,000	56
10,000	100,000	180
100,000	500,000	400
100,000	1,000,000	600

7.2.7 Hop length (fixed links)

In the special case of fixed link services, the footprint of the link is narrower and can be thought of as an ellipsoid between the two ends of the link. A network of fixed links is not geographically continuous in nature but rather like a web with gaps in between. In addition, the usefulness of a fixed link is not a function of how many randomly located receivers it can cover but how well it can link two fixed points. The resource denial here is not necessarily related to geographical overlapping in the sense of area sterilized. Rather, it is an expression of the excessive interference that would be imposed on that other links at the same frequency and installed along the path of a given link. In this case, the length of the link and the bandwidth used are indicative of the constraints it poses on other links in the area

7.2.7.1 Minimum hop length (HOPMINI)

The frequency factor showed that how well a frequency can be picked up by antenna depends on its wavelength, hence the dependence on the frequency. There are standard maximum transmit power levels and antenna gains for most radio equipments and for fixed links, these limits give an indication of typical ranges. Therefore the length of a link could not be varied indefinitely while using type-approved equipments.

Fixed links are operated at frequencies varying from a few hundreds of megahertz to several tens of gigahertz. In order to ensure an efficient utilization of spectrum, it is helpful to add a dimension other than the frequency factor to pricing. For short links, both lower and higher

³ The alternative would be to base the ASTER on the km² sterilized, but this is too radical at this stage and would be 'double counting' the effect of the FREQ factor

frequencies could be used. But more radio frequency spectrum is available at high frequencies and long links can only operate at low frequencies. As a result, ensuring that short links do not unnecessarily clutter low frequencies can help avoid artificial congestions. The minimum path length idea associates a minimum length to fixed links at different frequencies. While licensees could require low frequencies for short links, this is not encouraged and would therefore cost a premium to the licensee. The premium percentage to be paid is the square root of the ratio of the minimum length at the frequency requested to the length of the link requested. This value is always greater than 1.

The square root function has been chosen for the following reason. Signal power is proportional to the inverse square of the distance. The received power is at what matters in picking up a signal so in order to have proportions based on signal power, the square roots of distances need to be taken.

The minimum path lengths are the results of an analysis of the trends in equipment manufacturers and technologies as well as the current installed base of transmission equipments. Aspects such as transmit power, modulation and usual bandwidths have been considered to produce the table⁴.

The following is a table of minimum path lengths by frequency. Frequencies not appearing specifically in this table shall be rounded to the next highest value in the table.

Frequency Band (MHz)	Min Path Length (Km)
400	100
800	60
1.4/1.6/2	30
4 and 5	16
7.5	14
10 and 11	10
13/14/15	9
17/18	4
. 22/23	3
25/26	3
28	2
31 and 32	1.5
38	1
Higher	0

- The minimum hop length is introduced to encourage licensees to use high frequencies for short links.
- If a licensee wishes nonetheless to apply for a license at a lower frequency or if there is congestion in the higher frequencies, a premium shall be paid.

⁴ The calculations were based on values calculated by the British regulator Ofcom who did estimations based on the most common transmission equipments (power, antenna types).

The premium shall be the square root of the ratio between the minimum path length for the frequency requested and the actual path length of the licensee's link. This is understood as a premium on the price of the actual frequency requested.

Example: A licensee requests a 5GHz link for a hop length of 8 Km.

- 1. The minimum hop length at 5GHz is 16 Km
- 2. 8 Km hop lengths are normally assigned at frequencies starting from 17 GHz onward
- 3. the licensee may take the next available spectrum from 17 GHz on or insist on an assignment in the 5 GHz band but at a premium
- 4. For the calculation of the premium,
 - a. the minimum length at the requested premium frequency is required. Here the requested premium frequency is 5GHz and the minimum length at 5 GHz is 16 km.
 - b. the premium fee would then be SQRT(16/8)=1.414 times the normal fee for the 5 GHz band.

The Minimum Hop length factor will be deployed when all the hop lengths have been identified.

7.2.7.2 Unidirectional factor (UNIBI)

For specific purposes of one-way communications, a licensee might wish to request a unidirectional link.

For fixed links, such an assignment makes the other leg difficult to use, because most fixed links are bi-directional. While it could be seen as extreme to make a licensee pay for an entire leg they are not using, it is unfair to the regulator and other licensees for a leg of the communication to be idle. Therefore, a licensee requesting a single link should pay more than half the price of a bi-directional link to reflect the loss of the other leg they are not using and this premium is taken into account in the UNIBI factor as applied to the Point to Point formula.

For assignments other than fixed links (such as paging), the licensee may pay half the Bidirectional fee. This is taken into account in the UNIBI factor as applied to the Point to Area formula.

	Value for Point	Value for Point
UNIBI	to Point	to Area
Unidirectional	0.75	0.5
Bi-directional	1	11

For example, let us assume that a fixed link (bi-directional) costs R1000 at a given frequency and for a given hop length. If a licensee wishes to only use one leg of the link, the price to pay would be 0.75*R1000= R750.

7.3 Minimum price (\$0)

In the current spectrum pricing, many fees fail to cover the processing costs on ICASA. In order to avoid complicated formulas and to ensure cost recovery, a minimum fee is proposed. Licensees will pay whichever is higher between the calculated fee and the minimum price.

In setting the minimum price, the following points were considered:

- Comparison to regional and international ranges
- Fees multiple of 12 for easy pro rata calculations

The minimum fee was then set at R120 (a hundred and twenty South African Rands).

Whenever the application of the appropriate algorithm results in a license fee lower than R120, the minimum fee of R120 will be charged.

This minimum fee will be the fee applied to pre-assigned frequencies, such as all categories of Amateur Radio, Aeronautical as defined in the current regulations as well as certain land mobile stations.

The Minimum Price is also the basis of charging for Maritime and Inmarsat stations.

Therefore, the majority of individual licensees will fall under the minimum licence.

7.4 Multi-year licenses

The process of renewing the licence fee and processing the annual fee is resource intensive and time consuming, especially for the smaller licence holders. In most cases the requirement to renew the licence fee on an annual basis is not strictly necessary and being able to get a licence for several years in advance would save time and money both for the ICASA and the licensees.

Therefore it is proposed that the option be given for licence fees to be paid for several years in advance with a discount scheme.

For most services, the multi-year licence can be up to 5 years. However, for users of preassigned frequencies where there is unlikely to be any change in frequency allocation, the multilicence fee can be up to 10 years.

The advantage for the Authority is a reduction in the workload.

The advantages for the licensees are:

- Securing the licence for several years and not having to undertake the time consuming process of renewal.
- Being able to enjoy a discount on existing prices.
- Not being subject, during the multi year licence period, to any price increases that are imposed during the multi year licence period.

The table below shows the year and the multiplication factor that is applied to the annual licence fee to derive the total fee for the number of years. It is based on the present values at a discount rate of 10%.

Years	1	2	3	4	5	6	7	8	9	10
Factor	1	1.91	2.74	3.49	4.17	4.79	5.36	5.87	6.33	6.76

Example of the multi-year licence fee when applied to the minimum fees.

Minimum Fee	R120	R229	R328	R418	R500	R575	R643	R704	R760	R811	
----------------	------	------	------	------	------	------	------	------	------	------	--

The multi-year license option is applicable where the demand or nature of services in a particular spectrum band indicates no risks associated with resources being locked by a single licensee for a long term.

The multi-year licences can be applied in a number of ways:

- Allowing the licensees to make a choice between paying the licence fee for one year or a multi-year licence fee.
- Making it obligatory for the licensees in some services to purchase a multi-year licence fee.

The ICASA is minded to make it obligatory to pay a multi-year licence fee for various services, including, amongst others:

- Amateur at least 5 years
- Aeronautical at least 5 years
- Maritime at least 5 years

Individual licensees of Land Mobile Services – who only pay the minimum licence fee - may also be required to obtain a 5 year licence.

Other licensees are able to make a choice of between 1 and 5 years.

The fees should be rounded to the nearest whole Rand.

7.5 Unit prices, Formulae and Derived Charges

The formulae are based on the multiplication of a unit price by a number of factors. The unit price is one dimension of freedom that the regulator can use to modify prices without changing the relative value within a class of services with the same unit price

7.5.1 Unit Price

The Unit Price⁵ is a reference amount which is scaled by various factors to result in the actual price for the spectrum used by the licensee.

The unit price may be the same for all services or may differ between services. The unit price is analogous to being the base price per MHz paired.

The Authority proposes that the Unit price for all services subject to the following formulae to be set at **R2,000** for the current period. This unit price may be applied to all services and having a single Unit price ensures that

7.5.2 Point-to- Area Formula

The following is the formula for point to area services. We recommend applying this formula for all point to area services except of aeronautical and maritime with exclusive band allocations.

Fee = (UNIT * FREQ * BW * CG * GEO * SHR * ASTER * UNIBI)

The fee is the multiplication of the unit price (UNIT) by the frequency factor (FREQ), the bandwidth in MHz, the congestion factor (CG), the Geographic factor (GEO) the sharing factor (SHR), and the area sterilized factor (ASTER) and the uni-directional factor (UNIBI) where this is applicable.

Worked Example:

A licensee in Johannesburg deploys point-to-area system (repeater, tracking, alarm...) at 150 MHz. The requested bandwidth is 25 KHz= 0.025 MHz. Assuming that this particular band is congested (meaning there is a waiting list) in Johannesburg and that the requested coverage are is 1,256 km² (or alternatively a radius of 20 Km), on an exclusive basis, the following applies using the factors as taken from the respective look up tables:

- Unit Price = R2,000
- Frequency factor FREQ = 1
- Bandwidth factor BW: 0.025MHz
- Congestion factor CG = 1.5 (on assumption that the 150 MHz band is congested in Johannesburg)
- Geographical factor GEO = 1 (high density)
- Sharing Factor SHR = 1 as the operator requires exclusive use of that frequency band in that area.
- ASTER = 56 for the applicable area in km² or radius.
- UNIBI does not apply
- The annual fee would then be: R2000*1*0.025*1.5*1*1*56 = R 4,200

⁵ In some models, such as that deployed in Australia, the Unit price is referred to as the constant K

Should in any calculation the fee be less than the minimum fee of R 120, then the minimum fee of R 120 shall be paid.

7.5.3 Point-to-Point Formula

The point-to-point algorithm is to be applied to all fixed links whether below or above 1GHz. The formula is as follows:

Fee = (UNIT * FREQ * BW * CG * GEO *SHR * HOPMINI * UNIBI)

The fee is the multiplication of the unit price (UNIT) by the frequency factor (FREQ), the bandwidth (BW) in MHz, the congestion factor (CG), the Geographic factor (GEO), the sharing factor (SHR), the minimum hop length (HOPMINI) and the unidirectional factor (UNIBI).

Worked Example

A licensee operates a hop length of 8 km using 28 MHz of Bandwidth in the 5GHz band in a low density area. The following applies using the factors as taken from the respective look up tables:

- Unit Price = R2,000
- Frequency factor FREQ = 0.3
- Bandwidth factor BW = 28MHz
- Congestion factor CG = 1.0 (no congestion)
- Geographical factor GEO = 0.5 (low density)
- Sharing Factor SHR = 1.0
- HOPMINI = 1.414 this is because the minimum hop length at 5 GHz is 16 km but the deployed hop length is 8 km therefore the premium is calculated as SQRT(16/8)=1.414 times the normal fee for the 5 GHz band.
- UNIBI = 1
- The annual fee = R2000 * 0.3 * 28 * 1 * 0.5 * 1 * 1.414 * 1 = R 11,877

Should in any calculation the fee be less than the minimum fee of R 120, then the minimum fee of R 120 shall be paid.

7.5.4 Hub Ground Station Satellite Formula

Hub ground station Fee = Max (\$uL; UNIT * BW)

The fee is the multiplication of the unit price (UNIT) by the bandwidth (BW) in MHz, and $\$_{\text{UL}}$ is the current minimum fee for satellite uplink connections (R 50,000).

7.5.5 Non-hub VSAT Ground Station Satellite Formula

Non-hub VSAT Fee = (UNIT * BW)

For VSAT's which are a subordinate part of a system controlled by a hub station, the fee shall be determined as the multiplication of the unit price (UNIT) by the bandwidth (BW) in MHz – the standard rule regarding the Minimum fee applies.

7.6 Notes on Implementation

7.6.1 Fee Reviews

The Radio Frequency Licence Fees will be reviewed from time to time and it is expected that they will be raised in line with inflation. Such a review should be made at least every 5 years. Any adjustment to the fees will be made to the Unit Price and the Minimum Fees.

7.6.2 Calculation and Payment

In order to simplify the process of calculation of the fees, all fees other than the fees for temporary usage will be calculated as for one year from the time of first payment and will be renewable on the applicable anniversary, either the first anniversary for a single year licence or (for example) the fifth anniversary for a five year multi-year licence.

7.6.3 Minimum Fees

The fees for pre-assigned frequencies, i.e. Amateur, Aeronautical and Maritime Ship Stations will be set at the minimum fee of R120.

7.6.4 Area Sterilized

For the point to area methodology, the key consideration is the area sterilized, i.e. denied to other users of the same spectrum. At present, for applications such as repeaters, the area of coverage is often set at a radius of 50 km which however means that the area effectively sterilized is a radius of 100km or approximately 31,400 km². This implies an ASTER factor of 180.

Licensees may choose to request a change to their assignment upon renewal of their licence.

7.6.5 Minimum Hop Links

The Minimum hop length factor is deployed to ensure that licensees utilize the optimum frequency for their hop length by applying a premium. If the hop-length is not known at the time of the fee adjustment, the HOPMINI factor will be set at 1.

7.6.6 Broadcast

The methodologies can be applied to broadcast services as well. However, the users of broadcast services will not be subject to this regulation until the Authority decides otherwise.

7.6.7 Information

For the Radio Communications systems such as Alarms, Load Management, Vehicle Tracking, Radio Trunking and Repeaters, the existing fee structure is based on the minimum number of stations / equipment in any system. The new fee structure is now based on the radio spectrum used without explicit reference to the number of stations. Licensees will however be obliged to fulfil all requirements including the provision of all necessary information regarding the stations to the Authority and comply with any regulations or guidelines regarding the maximum number of stations in any given system.

7.7 Assignments

The new pricing system does not necessarily cause the Radio Frequency Spectrum more expensive, but it remains a scarce resource. Assignment of Radio Frequency Spectrum remains at the discretion of the Authority and applicants for an assignment of Radio Frequency Spectrum (including additional spectrum) should furnish all the information required by the Authority to support their application.

DRAFT RADIO FREQUENCY SPECTRUM LICENCE FEES REGULATION

This draft regulation will replace Regulations E1 (Licence and Examination fees) of the Radio Regulations.

SCHEDULE

 In exercise of the powers conferred on it Section 4 (1) of the Electronic Communications Act 2005, (The Act"), the Independent Communications Authority of South Africa (ICASA) hereby makes the following regulations.

2. Purpose of these regulations

(1) This Regulation is made to standardise Radio Frequency Spectrum Fees and Pricing in order to promote efficiency of spectrum use and conformity with international standards in the usage of spectrum in the Republic of South Africa.

3. The Objective of these regulations

- (1) Is to establish a transparent, fair, competitive and non-discriminatory Radio Frequency Spectrum Pricing based on administrative incentive pricing and which does not preclude the use of auctions and other internationally accepted methods of determining Radio Frequency Spectrum Price;
- (2) Is to encourage efficient and effective utilization of spectrum, encouraging, on an incentive basis, migration to lesser populated and low-demand bands;
- (3) Is to ensure that the costs of managing and monitoring the radio frequency spectrum are at least covered by fee income;
- (4) Is to promote efficiency and competition by simplifying and harmonizing the Radio Frequency Spectrum Pricing process; and
- (5) To achieve government policy objectives of even development of telecommunications infrastructure across South Africa.

3. Definitions

"BW"

In these Regulations, unless the context otherwise indicates, a word or expression to which a meaning has been assigned in the Act has the meaning so assigned,

"the Act"	means the Electronic Communications Act, 2005 (Act No. 36 of 2005);
"ASTER"	means the Area Sterilized Factor that is applied to reflect the area that is denied to other users of a frequency assignment;
"Authority"	means the Independent Communications Authority of South Africa as defined in section 1 of the Act;

means Bandwidth expressed in MHz paired;

"CG" means the Congestion Factor that is applied to reflect where a

frequency spectrum is congested and demand exceeds supply;

"FREQ" means the Frequency Factor that is applied to reflect the

frequency band (spectrum location) in which the frequency

assignment is positioned;

"GEO" means the Geographic Factor that is applied to reflect the

geographic area of South Africa covered by a frequency

spectrum assignment;

"GHz" means Gigahertz of Radio Frequency Spectrum

"HOPMINI" means the Minimum Hop Factor that is applied to a point to

point frequency spectrum assignment when the hop length is shorter than the minimum hop length identified for the frequency

band;

"Khz" means Kilohertz of Radio Frequency Spectrum;

"MHz" means Megahertz of Radio Frequency Spectrum;

"Minimum Fee" means the minimum fee paid for a radio frequency spectrum

licence;

Republic of South Africa" means the entire geographical area, the territorial waters and

air limits of South Africa and any area to which the provisions of

the Act apply;

"SHR" means the Sharing Factor that is applied when the frequency

spectrum that is the subject of an assignment can be shared;

"UNIBI" means the Uni-directional factor that is applied when a single

link only is assigned;

"UNIT" means the Unit Price per Megahertz paired that is applied when

the radio frequency spectrum licence fee is calculated by means

of a formula;

"VSAT" means Very Small Aperture Terminal;

4. Fee Determination

- (a) The fees payable for each category of Frequency Spectrum must either be as determined by a pricing formula as described in these Regulations or by application of the minimum fee;
- (b) The unit price per MHz of Frequency Spectrum is as stated in the Annexure "A" to these regulations and may be reviewed from time to time as may be determined by the Authority; and

(c) The minimum fee is as stated in these regulations and may be reviewed from time to time as may be determined by the Authority.

5. Exceptions

- (1) Equipment that is licence-exempt is not subject to a radio frequency spectrum licence fee.
- (2) Where the Authority determines that the assignment of frequency should be made on a competitive basis, the radio frequency spectrum licence fee may be determined on the basis of an auction.
- (3)Unless the Authority determines otherwise, broadcast services are not subject to the radio frequency spectrum fees

6. Formulae

The following formulae will be used as indicated in the price schedules.

(a) Point-to-area formula

Applied to all point to area services except for Amateur, aeronautical and maritime with exclusive band allocations.

Fee = (UNIT * FREQ * BW * CG * GEO * SHR * ASTER * UNIBI)

The fee is the multiplication of the unit price (UNIT) by the frequency factor (FREQ), the bandwidth in MHz, the congestion factor (CG), the Geographic factor (GEO) the sharing factor (SHR), the area sterilized factor (ASTER) and the unidirectional factor (UNIBI) where this is applicable for point to area.

(b) Point-to-point formula

Applied to all fixed links whether below or above 1GHz. The formula is as follows:

Fee = (UNIT * FREQ * BW * CG * GEO *SHR * HOPMINI * UNIBI)

The fee is the multiplication of the unit price (UNIT) by the frequency factor (FREQ), the bandwidth (BW) in MHz, the congestion factor (CG), the Geographic factor (GEO), the sharing factor (SHR), the minimum hop length (HOPMINI) and the unidirectional factor (UNIBI).

(c) Satellite Hub Ground Station Formula

The fee for a principle hub station for uplink is determined by the following fee

Hub ground station Fee = Max (\$UL; UNIT * BW)

The fee is the multiplication of the unit price (UNIT) by the bandwidth (BW) in MHz, and \$uL is the minimum fee for satellite uplink connections.

(d) Satellite VSAT subordinate ground station Formula

The fee for subordinate Very Small Aperture Station for uplink is determined by the following fee

VSAT Fee = (UNIT * BW)

The fee is the multiplication of the unit price (UNIT) by the bandwidth (BW) in MHz.

- 7. **Unit Price** the Unit Price (UNIT) is applied per MHz paired of bandwidth. UNIT is as stated in the Annexure "A".
- 8. Factors and Look Up Tables
- (a) Bandwidth (BW)

The Bandwidth factor is expressed per MHz paired.

- (b) Frequency factor (FREQ)
 - (i) The following are the ranges and the relevant frequency band factor:

Area ((m2)	ASTER Factor
From	To	
0	1	0.6
1	10	2
10	100	6
100	1,000	18
1,000	10,000	56
10,000	100,000	180
100,000	500,000	400
100,000	1,000,000	600

- (c) Geographic factor (GEO)
 - (i) The following is the table of geographic factors:

GEO Area	GEO Factor Value
High Density	1
Medium	
Density	0.75
Low Density	0.5

- (ii) The definition of high, medium and low density is stated in the Annex to this regulation.
- (iii) Where the geographic area that is covered by a licence includes more than one GEO area, the highest GEO factor will be applied.
- (d) Congestion factor (CG)
 - (i) The following is the table of congestion factors:

CONGESTION	CG Factor Value
Congested	1.5
Not Congested	1

- (ii) 'Congested' applies where there is a waiting list for the frequency spectrum that is the subject of the licence, while 'Not Congested' applies when there is no waiting list.
- (e) Degree of sharing (SHR)
 - (i) The following is the table of Share factors

Sharing	Value of sharing factor	
Exclusive		1
Shared		0.5

- (ii) 'Shared applies where two or more licensees share the frequency spectrum
- (f) Area sterilized (ASTER)
 - (i) The following is the table of ASTER factors

Area (km2)		ASTER Factor
From	То	
0	1	0.6
1	10	2
10	100	6
100	1,000	18
1,000	10,000	56
10,000	100,000	180
100,000	500,000	400
100,000	1,000,000	600

- (g) Minimum hop length (HOPMINI)
 - (i) The following is a table of minimum path lengths by frequency. Frequencies not appearing specifically in this table shall be rounded to the next highest value in the table.

Frequency Band (MHz)	Min Path Length (Km)
400	100
800	60
1.4/1.6/2	30
4 and 5	16
7.5	14
10 and 11	10
13/14/15	9
17/18	4
22/23	3
25/26	3
28	2
31 and 32	1.5
38	1
Higher	0

- (ii) Where the actual path length of the licensee's link is shorter than the minimum path length for the frequency, the HOPMINI factor in the formula shall be calculated as the square root of the ratio between the minimum path length for the frequency requested and the actual path length of the licensee's link SQRT(Minimum Path Length for the Frequency / Actual Path Length).
- (iii) Where the actual path length is equal to the minimum path length for frequency spectrum or the length is not known, the value of HOPMINI in the formula will be 1.

(h) Unidirectional factor (UNIBI)

(i) The following is a table of UNIBI factors as applied in the respective Point to Point formula and the Point to Area formula.

UNIBI	Value for Point to Point	Value for Point to Area		
Unidirectional	0.75	0.5		
Bi-directional	1	1		

- (ii) In the Point to Point formula, the Unidirectional factor is applied when a single (unidirectional link) is the subject of the licence.
- (iii) In the Point to Area formula, the Uni-directional factor is applied when an unpaired frequency is the subject of the licence.

9. Minimum Fees

- (a) The Minimum Fees are as stated in the Annexure "A".
- (b) The Minimum fees are applicable to the services as defined in the Table of Fees by Type of Radio Communications Service.
- (c) Where the Radio Frequency Spectrum Licence fee is defined by formula and the result is lower than the minimum fee, then the minimum fee shall apply.
- (d) For satellite hub uplink stations, the minimum fee for satellite hub uplink stations shall apply.

10. Multi Year Licences

(a) The fee for a multi-year licence can be determined by the following table where the annual fee as calculated by formula is multiplied by the relevant factor for the number of years.

Years	1	2	3	4	5	6	7	8	9	10
Factor	1	1.91	2.74	3.49	4.17	4.79	5.36	5.87	6.33	6.76

(b) The fee should be rounded up to the nearest whole Rand.

- (c) For licensees in the Amateur, Aeronautical and Ship Station category, the minimum period for obtaining a multi-year licence is 5 years.
- (d) For licensees other than the Amateur, Aeronautical and Ship Station category, the maximum period for obtaining a multi-year licence is 5 years.
- (e) If a licensee wishes to obtain a further frequency during the term of the multi-year licence, then he/she should obtain an additional licence and pay the fees for the additional frequency that are current. Any changes to the fee structure will not affect a multi-year licence during its period of validity.

11. Table of Fees by Type of Radiofrequency Licence

	Existing Fee Rand	Proposed Fee or Basis - Rand
1. Amateur Radio		
(i) All classes of licence (including CEPT Format)	27	Minimum Fee
(ii) Beacon	48	Minimum Fee
(iii) Change of call sign on request	27	Minimum Fee
(iv) Guest or special event licence	27	Minimum Fee
(v) Listener	27	Minimum Fee
(vi) Repeater station including radio link	48	Minimum Fee
(vii) Digipeater/Bulleting Board	48	Minimum Fee
(viii) Experimental station for weather satellite reception and Re transmission	27	Minimum Fee
2. Aeronautical		
(i) Aircraft station	48	Minimum Fee
(ii) Beacon	48	Minimum Fee
(iii) Ground station	48	Minimum Fee
(iv) Relay station	48	Minimum Fee
(v) Radio Link		
3. Land Mobile Service		
3.1 Alarm station (see also item 5.1 for alarm systems)	18	see item 5.1 for alarm systems
3.2 Base Station General Base/Mobile		
(i) Citizen band	33	Minimum Fee
(ii) Civil Defence/Marnet		
(a) Station without private frequency	33	Minimum Fee
(b) Station with private frequency	42	Point to Area Formula
(iii) 27/29 MHz frequency band		
(a) Station with one frequency channel	33	Minimum Fee
(b) Station with more than one frequency channel (Including station for use at sea and inland waters)	42	Minimum Fee
(iv) Other		
(a) Station with one single frequency channel	42	Point to Area Formula
(b) Station with more than one single frequency channel	48	Point to Area Formula
(c) Station with one or more double frequency channels	48	Point to Area Formula
(d) High frequency band:		
(i) First Base station	48	Point to Area Formula
(ii) Each additional base station	906	Point to Area Formula
(iii) Civil defence station	48	Point to Area Formula
3.3 Experimental station	27	Minimum Fee

3.4 Load Management station (see also item 5.2)	1.2	See load
· · · · · · · · · · · · · · · · · · ·		management
		systems
3.5 Mobile Two Way Station		
(i) Citizen band	33	Minimum Fee
(ii) Civil Defence/Marnet		
(a) Station without private frequency	33	Minimum Fee
(b) Station with private frequency	42	Point to Area
		Formula
(iii) Portable (low power)		
(a) 26/27 MHz frequency band with apparatus not exceeding 100 mW	27	Minimum Fee
(b) Station in the UHF for onsite communication, not exceeding 2W	27	Point to Area Formula
(iv) 27/29 MHz frequency band (Including station for use at sea and		Formula
inland waters)		
(a) Station with one frequency channel	33	Minimum Fee
(b) Station with more than one single frequency channel (Including station for use at sea and inland waters)	33	Minimum Fee
(v) Other		
(a) Station with one single frequency channel	42	Point to Area
		Formula
(b) Station with more than one single frequency channel	48	Point to Area
() () ()		Formula
(c) Station with one or more double frequency channels	48	Point to Area Formula
(d) High frequency band:		Point to Area
(-) 3 • 4 • 5		Formula
i. Per Station	906	Point to Area
		Formula
ii. Civil Defence Station	48	Point to Area
·		Formula
3.6 Paging Station which is used in a system other than that		
indicated under item 5.4 per page		D-1-14- A
(i) One way	18	Point to Area Formula
(ii) Two way	42	Point to Area
(a) 1 wo way	42	Formula
3.7 Relay Station		
(i) Station with one single frequency channel	42	Point to Area
		Formula
	,	
(ii) Station with more than one single frequency channel	48	Point to Area
		Formula
	48	Formula Point to Area
(iii) Station with one or more double frequency channels	48	Formula Point to Area Formula
(ii) Station with more than one single frequency channel (iii) Station with one or more double frequency channels 3.8 Repeater Station (See item 5.6)		Formula Point to Area Formula Point to Area
(iii) Station with one or more double frequency channels 3.8 Repeater Station (See item 5.6)	48	Formula Point to Area Formula Point to Area Formula
(iii) Station with one or more double frequency channels 3.8 Repeater Station (See item 5.6) 3.9 Special radio service: Per license	48 48 30	Formula Point to Area Formula Point to Area Formula Minimum Fee
(iii) Station with one or more double frequency channels 3.8 Repeater Station (See item 5.6) 3.9 Special radio service: Per license	48	Formula Point to Area Formula Point to Area Formula Minimum Fee Point to Area
(iii) Station with one or more double frequency channels 3.8 Repeater Station (See item 5.6) 3.9 Special radio service: Per license 3.10 Telemetry Station	48 48 30 18	Formula Point to Area Formula Point to Area Formula Minimum Fee Point to Area Formula
(iii) Station with one or more double frequency channels 3.8 Repeater Station (See item 5.6) 3.9 Special radio service: Per license 3.10 Telemetry Station 3.11 Licence fee payable by the SADF, SAPS, Telkom and Transnet	48 48 30	Formula Point to Area Formula Point to Area Formula Minimum Fee Point to Area Formula Point to Point
(iii) Station with one or more double frequency channels 3.8 Repeater Station (See item 5.6) 3.9 Special radio service: Per license 3.10 Telemetry Station 3.11 Licence fee payable by the SADF, SAPS, Telkom and Transnet	48 48 30 18	Formula Point to Area Formula Point to Area Formula Minimum Fee Point to Area Formula Point to Point Formula for
(iii) Station with one or more double frequency channels 3.8 Repeater Station (See item 5.6)	48 48 30 18	Formula Point to Area Formula Point to Area Formula Minimum Fee Point to Area Formula Point to Point
(iii) Station with one or more double frequency channels 3.8 Repeater Station (See item 5.6) 3.9 Special radio service: Per license 3.10 Telemetry Station 3.11 Licence fee payable by the SADF, SAPS, Telkom and Transnet per MHz	48 48 30 18	Formula Point to Area Formula Point to Area Formula Minimum Fee Point to Area Formula Point to Point Formula for

(ii) Double Frequency Link below 1000 MHz (per control and/or interconnect point)	48	Point to Point Formula
(iii) Radio Link above 1000 MHz calculated on the assigned bandwidth per frequency (per control and/or interconnect point)	770	Point to Point Formula
4. Maritime		
4.1 Beacon	48	Minimum Fee
4.2 Coast station:		
(i) Non-commercial	48	Minimum Fee
(ii) Commercial		
a) In the medium and HF bands, per base station with:		
1 to 20 Mobile Stations		Minimum Fee X 20
over 20 Mobile Stations		Minimum Fee X 40
		_
b) In the VHF bands, per base station with:	4.000	Minimum Factor
1 to 5 mobile stations	1,238	Minimum Fee X 5
6 to 10 mobile stations	2,424	Minimum Fee X
11 to 15 mobile stations	3,612	Minimum Fee X 15
16 to 20 mobile stations	4,800	Minimum Fee X 20
21 and more mobile stations	5,988	Minimum Fee X 40
4.3 Ship station: Maritime frequency band	48	Minimum Fee
4.4 Ships operating on land mobile frequencies (See item 3.2 (iii) (b) and 3.5 (iv) (b)	42	Minimum Fee
5.Electronic Communications Network Service		
5.1 Alarm systems		Point to Area Formula
(i) Urban complexes (Durban and Pietermaritzburg, Cape Peninsula and surroundings, the greater Johannesburg, Pretoria and Vereeniging areas):		
Per control room and per frequency channel: Minimum licence fee as for 240 alarm stations	4,320	void see above
(ii) All other areas:		
Per control room and per frequency channel: Minimum licence fee as for 100 alarm stations	1,800	void see above
(iii) Extensions: Minimum licence fee as for 20 alarm stations	360	void see above
5.2 Load management system (Minimum licence fee as for 200 load	240	Point to Area
management stations)		Formula
5.3 Message handling (two way)		Point to Area
(i) Helpen complexes (Durbes and Distance Helpen Complexes (Durbes (Durbes and Distance Helpen Complexes (Durbes (Formula
(i) Urban complexes (Durban and Pietermaritzburg, Cape Peninsula and		

		1
surroundings, the greater Johannesburg, Pretoria and Vereeniging areas):		
(a) Per single frequency channel: Minimum licence fee as for 80 two- way mobile stations	3,360	void see above
(b) Per double frequency channel: Minimum licence fee as for 80 two- way mobile stations	3,840	void see above
(ii) All other areas:		
(a) Per single frequency channel: Minimum licence fee as for 40 two- way mobile stations		void see above
(b) Per double frequency channel: Minimum licence fee as for 40 two- way mobile stations		void see above
(iii) Extensions: Minimum licence fee as for 10 two-way mobile stations, single or double frequency, whichever licence fee is applicable.		
Per double frequency channel: minimum licence fee as for 100 two-way mobile stations		void see above
5.4 Paging system		Point to Area Formula
(i) Urban complexes (Durban and Pietermaritzburg, Cape Peninsula and surroundings, the greater Johannesburg, Pretoria and Vereeniging areas):		
Per control room and per frequency channel: Minimum licence fee as for 240 one way paging stations	4,320	void see above
(ii) All other areas:		void see above
Per control room and per frequency channel: Minimum licence fee as for 100 one way paging stations	1,800	void see above
(iii) Extensions: Minimum licence fee as for 20 one way paging stations		void see above
5.5 Radio trunking;		Point to Area Formula
All Areas		
(a) for a maximum of one control channel per base station	48	void see above
(b) for each additional double frequency channel or if only one channel is used at a base station	3,840	void see above
5.6 Repeater system (communal and private):		Point to Area Formula
(i) Urban complexes (Durban and Pietermaritzburg, Cape Peninsula and surroundings, the greater Johannesburg, Pretoria and Vereeniging areas):		
Minimum licence fee as for 80 two way stations	3,840	void see above
(ii) All other areas: Minimum licence fee as for 40 two way stations	1,920	void see above
(iii) Extensions: Minimum licence fee as for 10 two way stations	ļ	void see above
5.8 Electronic Communications Network		Point to Area Formula using maximum ASTER factor value
(i) C450		Void
(ii) GSM		
(a) Basic Fee	5,000,000	Void
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	_	

Draft Radio Frequency Spectrum Licence Fees Discussion Document and Regulations

(b) Additional fee per 200 kHz frequency pair	20,000	Void
(c) A further annual licence fee of 5% of ths nett operational income of the licensee		Subject of ECNS Licence
5.10 Wireless data telecommunication services:		Point to Area Formula
5.12 Broadcasting band sub carrier system - per frequency of subcarrier used	8,000	Point to Area Formula
5.13 Video conference system	50,000	Void
5.14 Microwave Multipoint Distribution Systems (MMDS)	50,000	Point to Area Formula
5.15 Wide Area Network	5,000	Point to Area Formula
5.16 Digital Enhanced Cordless Telecommunication system (DECT) per megahertz frequency system	1,540	Point to Area Formula
5.17 Wireless Local Loop (WLL)	10,000	Point to Area Formula
5.18 National mobile data telecommunications services		Point to Area Formula
(i) National mobile data telecommunications network		
(a) Telecommunications fee payable		
on date of issue of the telecommunications licence; or	1,500,000	void see above
on date of issue of the telecommunications licence, plus	500,000	void see above
on the first anniversary of the Commercial Date	632,500	void see above
on the second anniversary of the Commercial Date	739,500	void see above
(b) Annual income related licence fee of		
0.2% of Turnover in he first two financial years		Subject of ECNS Licence
2% of Turnover for the remainder of the licence period		Subject of ECNS Licence
(c) Annually per first assignment of a specific 12.5 kHz frequency pair within the RSA	25,000	void see above
6. Satellite		
6.1 Inmarsat Terminals		Minimum Fee
i) Land mobile service: (a) A terminal	396	Void
(a) / Communication		V OIG

Draft Radio Frequency Spectrum Licence Fees Discussion Document and Regulations

(b) B terminal	396	Minimum Fee
(c) C terminal	168	Minimum Fee
(d) M terminal	396	Minimum Fee
(ii) Maritime:		
(a) A terminal	396	Void
(b) B terminal	396	Minimum Fee
(c) C terminal	168	Minimum Fee
(d) M terminal	396	Minimum Fee
6.2 Uplink broadcasting signal distribution fixed satellite earth station	50,000	Hub Satellite Formula
6.2 Mobile or fixed satellite news gathering station	50,000	Hub Satellite Formula
VSAT		VSAT Satellite Formula

- 12. Licensees must furnish all information concerning the equipment they deploy as required by the Authority.
- 13. Assignment of Radio Frequency Spectrum and the issuance of licences to use Radio Frequency Spectrum is at the discretion of the Authority and applicants for Radio Frequency Spectrum must furnish all information to support their application as required by the Authority.

14. Contraventions and penalties

Any person who contravenes or fails to comply with the provisions of these regulations is liable to a fine prescribed in terms of section 17H of the ICASA Act, 2000 (Act No. 13 of 2000).

15. Short title and commencement

These Regulations are called the Radio Frequency Spectrum Licence Fees Regulations, 2009, and will come into operation on the date of publication in the Gazette.

16. Repeal and amendment

The E1 licence fees contained in Chapter 6 of the Radio Regulations published in Government Gazette number 2862 of 1979 is hereby repealed.

Draft Radio Frequency Spectrum Licence Fees Discussion Document and Regulations

Annexure "A"

- A. The Unit Price per MHz paired is R2,000
- B The Minimum Fee is R 120
- C The Minimum fee for a Satellite Hub Station is R 50,000
- D The GEO Areas are
 - High Density includes Gauteng province, and the municipal areas of Cape Town, Durban and Port Elizabeth.
 - Medium Density other urban areas as may be determined from time to time.
 - Low Density includes all parts of South Africa that does not fall under high density or medium density.

NOTICE 305 OF 2009

RADIO FREQUENCY SPECTRUM LICENCE FEES REGULATION

DRAFT RADIO FREQUENCY SPECTRUM LICENCE FEES REGULATION

This draft regulation will replace Regulations E1 (Licence and Examination fees) of the Radio Regulations.

SCHEDULE

1. In exercise of the powers conferred on it Section 4 (1) of the Electronic Communications Act 2005, (The Act"), the Independent Communications Authority of South Africa (ICASA) hereby makes the following regulations.

2. Purpose of these regulations

(1) This Regulation is made to standardise Radio Frequency Spectrum Fees and Pricing in order to promote efficiency of spectrum use and conformity with international standards in the usage of spectrum in the Republic of South Africa.

3. The Objective of these regulations

- (1) Is to establish a transparent, fair, competitive and non-discriminatory Radio Frequency Spectrum Pricing based on administrative incentive pricing and which does not preclude the use of auctions and other internationally accepted methods of determining Radio Frequency Spectrum Price;
 - (2) Is to encourage efficient and effective utilization of spectrum, encouraging, on an incentive basis, migration to lesser populated and low-demand bands;
- (3) Is to ensure that the costs of managing and monitoring the radio frequency spectrum are at least covered by fee income;
- (4) Is to promote efficiency and competition by simplifying and harmonizing the Radio Frequency Spectrum Pricing process; and
- (5) To achieve government policy objectives of even development of telecommunications infrastructure across South Africa.

3. Definitions

In these Regulations, unless the context otherwise indicates, a word or expression to which a meaning has been assigned in the Act has the meaning so assigned,

"the Act"	means the Electronic Communications Act, 2005 (Act No. 36
	of 2005);
"ASTER"	means the Area Sterilized Factor that is applied to reflect the

means the Area Sterilized Factor that is applied to reflect the area that is denied to other users of a frequency assignment;

"Authority" means the Independent Communications Authority of South Africa as defined in section 1 of the Act;

"BW" means Bandwidth expressed in MHz paired;

means the Congestion Factor that is applied to reflect where "CG" a frequency spectrum is congested and demand exceeds

supply;

"FREQ" means the Frequency Factor that is applied to reflect the

frequency band (spectrum location) in which the frequency

assignment is positioned;

"GEO" means the Geographic Factor that is applied to reflect the

geographic area of South Africa covered by a frequency

spectrum assignment;

"GHz" means Gigahertz of Radio Frequency Spectrum

"HOPMINI" means the Minimum Hop Factor that is applied to a point to

point frequency spectrum assignment when the hop length is

shorter than the minimum hop length identified for the

frequency band;

"Khz" means Kilohertz of Radio Frequency Spectrum;

"MHz" means Megahertz of Radio Frequency Spectrum;

"Minimum Fee" means the minimum fee paid for a radio frequency spectrum

licence;

Republic of South Africa" means the entire geographical area, the territorial waters

and air limits of South Africa and any area to which the

provisions of the Act apply;

"SHR" means the Sharing Factor that is applied when the frequency

spectrum that is the subject of an assignment can be shared;

"UNIBI" means the Uni-directional factor that is applied when a single

link only is assigned;

"UNIT" means the Unit Price per Megahertz paired that is applied

when the radio frequency spectrum licence fee is calculated

by means of a formula;

"VSAT" means Very Small Aperture Terminal;

4. Fee Determination

- (a) The fees payable for each category of Frequency Spectrum must either be as determined by a pricing formula as described in these Regulations or by application of the minimum fee;
- (b) The unit price per MHz of Frequency Spectrum is as stated in the Annexure "A" to these regulations and may be reviewed from time to time as may be determined by the Authority; and
- (c) The minimum fee is as stated in these regulations and may be reviewed from time to time as may be determined by the Authority.

5. Exceptions

- Equipment that is licence-exempt is not subject to a radio frequency spectrum licence fee.
- (2) Where the Authority determines that the assignment of frequency should be made on competitive basis, the radio frequency spectrum licence fee may be determined on the basis of an auction.
- (3)Unless the Authority determines otherwise, broadcast services are not subject to the radio frequency spectrum fees

6. Formulae

The following formulae will be used as indicated in the price schedules.

(a) Point-to-area formula

Applied to all point to area services except for Amateur, aeronautical and maritime with exclusive band allocations.

Fee = (UNIT * FREQ * BW * CG * GEO * SHR * ASTER * UNIBI)

The fee is the multiplication of the unit price (UNIT) by the frequency factor (FREQ), the bandwidth in MHz, the congestion factor (CG), the Geographic factor (GEO) the sharing factor (SHR), the area sterilized factor (ASTER) and the unidirectional factor (UNIBI) where this is applicable for point to area.

(b) Point-to-point formula

Applied to all fixed links whether below or above 1GHz. The formula is as follows:

Fee = (UNIT * FREQ * BW * CG * GEO *SHR * HOPMINI * UNIBI)

The fee is the multiplication of the unit price (UNIT) by the frequency factor (FREQ), the bandwidth (BW) in MHz, the congestion factor (CG), the Geographic factor (GEO), the sharing factor (SHR), the minimum hop length (HOPMINI) and the unidirectional factor (UNIBI).

(c) Satellite Hub Ground Station Formula

The fee for a principle hub station for uplink is determined by the following fee

Hub ground station Fee = Max (\$uL; UNIT * BW)

The fee is the multiplication of the unit price (UNIT) by the bandwidth (BW) in MHz, and \$uL is the minimum fee for satellite uplink connections.

(d) Satellite VSAT subordinate ground station Formula

The fee for subordinate Very Small Aperture Station for uplink is determined by the following fee

VSAT Fee = (UNIT * BW)

The fee is the multiplication of the unit price (UNIT) by the bandwidth (BW) in MHz.

 Unit Price – the Unit Price (UNIT) is applied per MHz paired of bandwidth. UNIT is as stated in the Annexure "A".

- 8. Factors and Look Up Tables
- (a) Bandwidth (BW)

The Bandwidth factor is expressed per MHz paired.

- (b) Frequency factor (FREQ)
 - (i) The following are the ranges and the relevant frequency band factor:

Area (F	(m2)	ASTER Factor
From	То	
0	1	0.6
1	10	2
10	100	6
100	1,000	18
1,000	10,000	56
10,000	100,000	180
100,000	500,000	400
100,000	1,000,000	600

- (c) Geographic factor (GEO)
 - (i) The following is the table of geographic factors:

GEO Area	GEO Factor Value		
High Density	1		
Medium			
Density	0.75		
Low Density	0.5		

- (ii) The definition of high, medium and low density is stated in the Annex to this regulation.
- (iii) Where the geographic area that is covered by a licence includes more than one GEO area, the highest GEO factor will be applied.
- (d) Congestion factor (CG)
 - (i) The following is the table of congestion factors:

CONGESTION	CG Factor Value
Congested	1.5
Not Congested	1

- (ii) 'Congested' applies where there is a waiting list for the frequency spectrum that is the subject of the licence, while 'Not Congested' applies when there is no waiting list.
- (e) Degree of sharing (SHR)
 - (i) The following is the table of Share factors

Sharing	Value of sharing factor	
Exclusive		1
Shared		0.5

(ii) 'Shared applies where two or more licensees share the frequency spectrum

- (f) Area sterilized (ASTER)
 - (i) The following is the table of ASTER factors

Area (l	(m2)	ASTER Factor
From	To	
0	1	0.6
1	10	2
10	100	6
100	1,000	_18
1,000	10,000	56
10,000	100,000	180
100,000	500,000	400
100,000	1,000,000	600

- (g) Minimum hop length (HOPMINI)
 - (i) The following is a table of minimum path lengths by frequency. Frequencies not appearing specifically in this table shall be rounded to the next highest value in the table.

Frequency Band (MHz)	Min Path Length (Km)
400	100
800	60
1.4/1.6/2	30
4 and 5	16
7.5	14
10 and 11	10
13/14/15	9
17/18	4
22/23	3
25/26	3
28	2
31 and 32	1.5
38	1
Higher	0

- (ii) Where the actual path length of the licensee's link is shorter than the minimum path length for the frequency, the HOPMINI factor in the formula shall be calculated as the square root of the ratio between the minimum path length for the frequency requested and the actual path length of the licensee's link SQRT(Minimum Path Length for the Frequency / Actual Path Length).
- (iii) Where the actual path length is equal to the minimum path length for frequency spectrum or the length is not known, the value of HOPMINI in the formula will be 1.
- (h) Unidirectional factor (UNIBI)
 - (i) The following is a table of UNIBI factors as applied in the respective Point to Point formula and the Point to Area formula.

UNIBI	Value for Point to Point	Value for Point to Area		
Unidirectional	0.75	0.5		
Bi-directional	1	1		

- (ii) In the Point to Point formula, the Unidirectional factor is applied when a single (unidirectional link) is the subject of the licence.
- (iii) In the Point to Area formula, the Uni-directional factor is applied when an unpaired frequency is the subject of the licence.

9. Minimum Fees

- (a) The Minimum Fees are as stated in the Annexure "A".
- (b) The Minimum fees are applicable to the services as defined in the Table of Fees by Type of Radio Communications Service.
- (c) Where the Radio Frequency Spectrum Licence fee is defined by formula and the result is lower than the minimum fee, then the minimum fee shall apply.
- (d) For satellite hub uplink stations, the minimum fee for satellite hub uplink stations shall apply.

10. Multi Year Licences

(a) The fee for a multi-year licence can be determined by the following table where the annual fee as calculated by formula is multiplied by the relevant factor for the number of years.

Years	1	2	3	4	5	6	7	8	9	10
Factor	1	1.91	2.74	3.49	4.17	4.79	5.36	5.87	6.33	6.76

- (b) The fee should be rounded up to the nearest whole Rand.
- (c) For licensees in the Amateur, Aeronautical and Ship Station category, the minimum period for obtaining a multi-year licence is 5 years.
- (d) For licensees other than the Amateur, Aeronautical and Ship Station category, the maximum period for obtaining a multi-year licence is 5 years.
- (e) If a licensee wishes to obtain a further frequency during the term of the multi-year licence, then he/she should obtain an additional licence and pay the fees for the additional frequency that are current. Any changes to the fee structure will not affect a multi-year licence during its period of validity.

46

11. Table of Fees by Type of Radiofrequency Licence

	Existing Fee Rand	Proposed Fee or Basis - Rand
1. Amateur Radio		_
(i) All classes of licence (including CEPT Format)	27	Minimum Fee
(ii) Beacon	48	Minimum Fee
(iii) Change of call sign on request	27	Minimum Fee
(iv) Guest or special event licence	27	Minimum Fee
(v) Listener	27	Minimum Fee
(vi) Repeater station including radio link	48	Minimum Fee
(vii) Digipeater/Bulleting Board	48	Minimum Fee
(viii) Experimental station for weather satellite reception and Re	27	Minimum Fee
transmission		
2. Aeronautical		
(i) Aircraft station	48	Minimum Fee
(ii) Beacon	48	Minimum Fee
(iii) Ground station	48	Minimum Fee
(iv) Relay station	48	Minimum Fee
(v) Radio Link	- 40	William Lee
(V) Hadio Link		
3. Land Mobile Service		
3.1 Alarm station (see also item 5.1 for alarm systems)	18	see item 5.1 for alarm systems
3.2 Base Station General Base/Mobile		
(i) Citizen band	33	Minimum Fee
(ii) Civil Defence/Marnet		
(a) Station without private frequency	33	Minimum Fee
(b) Station with private frequency	42	Point to Area Formula
(iii) 27/29 MHz frequency band		
(a) Station with one frequency channel	33	Minimum Fee
(b) Station with more than one frequency channel (Including station for use at sea and inland waters)	42	Minimum Fee
(iv) Other		
(a) Station with one single frequency channel	42	Point to Area Formula
(b) Station with more than one single frequency channel	48	Point to Area Formula
(c) Station with one or more double frequency channels	48	Point to Area Formula
(d) High frequency band:		
(i) First Base station	48	Point to Area
(7)		Formula
(ii) Each additional base station	906	Point to Area Formula
(iii) Civil defence station	48	Point to Area
(iii) Civil deletide dialieri		Formula
		Naintenante F
3.3 Experimental station	27	Minimum Fee

3.4 Load Management station (see also item 5.2)	1.2	See load
		management
		systems
3.5 Mobile Two Way Station		
(i) Citizen band	33	Minimum Fee
(ii) Civil Defence/Marnet		
(a) Station without private frequency	33	Minimum Fee
(b) Station with private frequency	42	Point to Area
		Formula
(iii) Portable (low power)		
(a) 26/27 MHz frequency band with apparatus not exceeding 100 mW	27	Minimum Fee
(b) Station in the UHF for onsite communication, not exceeding 2W	27	Point to Area Formula
(iv) 27/29 MHz frequency band (Including station for use at sea and inland waters)		1 Official
(a) Station with one frequency channel	33	Minimum Fee
(b) Station with more than one single frequency channel (Including station for use at sea and inland waters)	33	Minimum Fee
(v) Other		
(a) Station with one single frequency channel	42	Point to Area Formula
(b) Station with more than one single frequency channel	48	Point to Area Formula
(c) Station with one or more double frequency channels	48	Point to Area Formula
(d) High frequency band:		Point to Area Formula
i. Per Station	906	Point to Area Formula
ii. Civil Defence Station	48	Point to Area Formula
3.6 Paging Station which is used in a system other than that indicated under item 5.4 per page		
(i) One way	18	Point to Area Formula
(ii) Two way	42	Point to Area Formula
3.7 Relay Station		
(i) Station with one single frequency channel	42	Point to Area Formula
(ii) Station with more than one single frequency channel	48	Point to Area Formula
(iii) Station with one or more double frequency channels	48	Point to Area Formula
3.8 Repeater Station (See item 5.6)	48	Point to Area Formula
3.9 Special radio service: Per license	30	Minimum Fee
3.10 Telemetry Station	18	Point to Area Formula
3.11 Licence fee payable by the SADF, SAPS, Telkom and Transnet per MHz	1,540	Point to Point Formula for each link
3.12 Radio Link Station		
(i) Single Frequency Link below 1000 MHz (per control and/or interconnect point)	42	Point to Point Formula

(a) Per single frequency channel: Minimum licence fee as for 80 two- way mobile stations	3,360	void see above
(b) Per double frequency channel: Minimum licence fee as for 80 two- way mobile stations	3,840	void see above
(ii) All other areas:		
(a) Per single frequency channel: Minimum licence fee as for 40 two- way mobile stations		void see above
(b) Per double frequency channel: Minimum licence fee as for 40 two- way mobile stations		void see above
(iii) Extensions: Minimum licence fee as for 10 two-way mobile stations, single or double frequency, whichever licence fee is applicable.		
Per double frequency channel: minimum licence fee as for 100 two-way mobile stations		void see above
5.4 Paging system		Point to Area Formula
(i) Urban complexes (Durban and Pietermaritzburg, Cape Peninsula and surroundings, the greater Johannesburg, Pretoria and Vereeniging areas):		
Per control room and per frequency channel: Minimum licence fee as for 240 one way paging stations	4,320	void see above
(ii) All other areas:		void see above
Per control room and per frequency channel: Minimum licence fee as for 100 one way paging stations	1,800	void see above
(iii) Extensions: Minimum licence fee as for 20 one way paging stations		void see above
5.5 Radio trunking;		Point to Area Formula
All Areas		
(a) for a maximum of one control channel per base station	48	void see above
(b) for each additional double frequency channel or if only one channel is used at a base station	3,840	void see above
5.6 Repeater system (communal and private):		Point to Area Formula
(i) Urban complexes (Durban and Pietermaritzburg, Cape Peninsula and surroundings, the greater Johannesburg, Pretoria and Vereeniging areas):		
Minimum licence fee as for 80 two way stations	3,840	void see above
(ii) All other areas: Minimum licence fee as for 40 two way stations	1,920	void see above
(iii) Extensions: Minimum licence fee as for 10 two way stations		void see above
5.8 Electronic Communications Network		Point to Area Formula using maximum ASTER factor value
(i) C450		Void
(ii) GSM	······································	
(ii) dow		Void
(a) Basic Fee	5,000,000	Void
	5,000,000	Void

5.10 Wireless data telecommunication services:		Point to Area Formula
5.12 Broadcasting band sub carrier system - per frequency of subcarrier used	8,000	Point to Area Formula
5.13 Video conference system	50,000	Void
5.14 Microwave Multipoint Distribution Systems (MMDS)	50,000	Point to Area Formula
5.15 Wide Area Network	5,000	Point to Area Formula
5.16 Digital Enhanced Cordless Telecommunication system (DECT) per megahertz frequency system	1,540	Point to Area Formula
5.17 Wireless Local Loop (WLL)	10,000	Point to Area Formula
5.18 National mobile data telecommunications services		Point to Area Formula
(i) National mobile data telecommunications network		
(a) Telecommunications fee payable		
on date of issue of the telecommunications licence; or	1,500,000	void see above
on date of issue of the telecommunications licence, plus	500,000	void see above
on the first anniversary of the Commercial Date	632,500	void see above
on the second anniversary of the Commercial Date	739,500	void see above
(b) Annual income related licence fee of		Outlinet of FOND
0.2% of Turnover in he first two financial years		Subject of ECNS Licence
2% of Turnover for the remainder of the licence period	05.000	Subject of ECNS Licence
(c) Annually per first assignment of a specific 12.5 kHz frequency pair within the RSA	25,000	void see above
6. Satellite 6.1 Inmarsat Terminals		Minimum Fee
		wiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii
) Land mobile service:	200	\/a;d
(a) A terminal	396	Void Minimum Foo
(b) B terminal (c) C terminal	396 168	Minimum Fee Minimum Fee
(d) M terminal	396	Minimum Fee
(ii) Maritime:		

(a) A terminal	396	Void
(b) B terminal	396	Minimum Fee
(c) C terminal	168	Minimum Fee
(d) M terminal	396	Minimum Fee
6.2 Uplink broadcasting signal distribution fixed satellite earth station	50,000	Hub Satellite Formula
6.2 Mobile or fixed satellite news gathering station	50,000	Hub Satellite Formula
VSAT		VSAT Satellite Formula

- 12. Licensees must furnish all information concerning the equipment they deploy as required by the Authority.
- 13. Assignment of Radio Frequency Spectrum and the issuance of licences to use Radio Frequency Spectrum is at the discretion of the Authority and applicants for Radio Frequency Spectrum must furnish all information to support their application as required by the Authority.

14. Contraventions and penalties

Any person who contravenes or fails to comply with the provisions of these regulations is liable to a fine prescribed in terms of section 17H of the ICASA Act, 2000 (Act No. 13 of 2000).

15. Short title and commencement

These Regulations are called the Radio Frequency Spectrum Licence Fees Regulations, 2009, and will come into operation on the date of publication in the Gazette.

16. Repeal and amendment

The E1 licence fees contained in Chapter 6 of the Radio Regulations published in Government Gazette number 2862 of 1979 is hereby repealed.

Annexure "A"

- A. The Unit Price per MHz paired is R2,000
- B The Minimum Fee is R 120
- C The Minimum fee for a Satellite Hub Station is R 50,000
- D The GEO Areas are
 - High Density includes Gauteng province, and the municipal areas of Cape Town, Durban and Port Elizabeth.
 - Medium Density other urban areas as may be determined from time to time.
 - Low Density includes all parts of South Africa that does not fall under high density or medium density.