

**REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA**

Vol. 527

**Pretoria, 15 May
Mei 2009**

No. 32175

CONTENTS

<i>No.</i>	<i>Page No.</i>	<i>Gazette No.</i>
GOVERNMENT NOTICE		
Transport, Department of		
<i>Government Notice</i>		
458 South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration amendment of National Road N8 Section 10: Amendment of Declaration No. 1322 of 1989	3	32175

INHOUD

<i>No.</i>	<i>Bladsy No.</i>	<i>Koerant No.</i>
GOEWERMENTSKENNISGEWING		
Vervoer, Departement van		
<i>Goewermentskennisgewing</i>		
458 Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring wysiging van Nasionale Pad N8 Seksie 10: Wysiging van Verklaring No. 1322 van 1989	4	32175

GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 458

15 May 2009

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED


Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N8 SECTION 10

AMENDMENT OF DECLARATION NO. 1322 OF 1989

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 1322 of 1989 by substituting Paragraph 9 the descriptive section from the N1/15 up to Petrusburg, with the subjoined sheets 1 to 18 of Plan No. P730/08.

(National Road N8 Section 10: Petrusburg – Bloemfontein)



MINISTER OF TRANSPORT

GOEWERMENTSKENNISGEWING

DEPARTEMENT VAN VERVOER

No. 458

15 Mei 2009

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK

Registrasie No: 98/09584/06

VERKLARING WYSIGING VAN NASIONALE PAD N8 SEKSIE 10.


WYSIGING VAN VERKLARING NO. 1322 VAN 1989

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet no.7 van 1998), wysig ek hiermee Verklaring no. 1322 van 1989, deur Paragraaf 9 die beskrywende gedeelte vanaf die N1/15 tot by Petrusburg, te vervang met meegaande velle 1 tot 18 van Plan no. P730/08

(Nasionale Pad N8 Seksie 10: Petrusburg – Bloemfontein)



MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N8

Seksie
Section

10

Vel
Sheet 1 van 18
Plan P730/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


N8

Seksie
Section

10

Vel
Sheet 2 van
of 18

Plan
P730/08




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8
of National Route N8
Seksie 10
Section

Vel
Sheet 3 van 18
Plan P730/08




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8
of National Route Section 10

Vel Sheet 4 van of 18
Plan P730/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


N8

Seksie
Section

10

Vel
Sheet 5 van
of 18

Plan P730/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8
of National Route N8
Seksie 10
Section 10

Vel
Sheet 7 van 18
of

Plon P730/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


N8


Seksie
Section

10

Vel
Sheet 8 van 18
Plan P730/08



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Raete N8 of National Route Section 10	Vel Sheet 9 van of 18 Plan P730/08
---	---	--	--



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route N8 Seksie
Section 10

Vel
Sheet 11 van 18
Plan P730/08

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG	25°		Y	X	
L1	-39 715.980	3 222 651.080			R1	-39 707.630	3 222 688.310	
L2	-40 000.750	3 222 694.990			R2	-39 912.740	3 222 716.880	
L3	-40 486.420	3 222 764.770			R3	-39 950.600	3 222 719.830	
L4	-40 637.450	3 222 785.650			R4	-40 314.200	3 222 772.020	
L5	-40 889.850	3 222 790.760			R5	-40 524.890	3 222 801.940	
L6	-40 991.150	3 222 755.730			R6	-40 778.920	3 222 855.500	
L7	-41 003.730	3 222 740.110			R7	-40 783.010	3 222 856.920	
L8	-40 972.710	3 222 589.660			R8	-40 796.330	3 222 858.860	
L9	-40 956.520	3 222 576.920			R9	-40 849.220	3 222 879.980	
L10	-40 991.470	3 222 534.840			R10	-41 044.330	3 222 957.870	
L11	-41 035.110	3 222 733.810			R11	-41 048.380	3 222 967.350	
L12	-41 057.480	3 222 753.020			R12	-41 074.140	3 223 058.910	
L13	-41 206.080	3 222 824.570			R13	-41 081.880	3 223 085.380	
L14	-41 316.190	3 222 865.570			R14	-41 088.990	3 223 087.430	
L15	-41 497.090	3 222 894.230			R15	-41 100.280	3 223 090.700	
L16	-41 653.950	3 222 913.900			R16	-41 095.630	3 223 044.930	
L17	-41 966.150	3 222 946.460			R17	-41 093.430	3 223 023.590	
L18	-42 630.810	3 223 017.140			R18	-41 080.280	3 222 950.830	
L19	-42 769.850	3 223 031.920			R19	-41 087.450	3 222 945.100	
L20	-43 675.300	3 223 125.140			R20	-41 153.740	3 222 931.940	
L21	-43 674.450	3 223 122.090			R21	-41 250.910	3 222 922.700	
L22	-44 159.200	3 223 171.630			R22	-41 333.110	3 222 925.560	
L23	-44 499.600	3 223 206.420			R23	-41 400.970	3 222 928.930	
L24	-45 215.940	3 223 280.360			R24	-41 494.850	3 222 929.720	
L25	-45 785.640	3 223 337.960			R25	-41 936.410	3 222 975.510	
L26	-45 789.380	3 223 336.390			R26	-41 966.100	3 222 978.430	
L27	-45 796.280	3 223 339.070			R27	-42 228.330	3 223 005.340	
L28	-46 088.380	3 223 369.830			R28	-42 385.040	3 223 020.710	
L29	-46 654.240	3 223 430.970			R29	-42 618.190	3 223 044.060	
L30	-46 654.900	3 223 427.690			R30	-42 653.950	3 223 044.790	
L31	-47 072.150	3 223 471.070			R31	-43 682.840	3 223 152.220	
L32	-47 370.880	3 223 501.510			R32	-43 683.780	3 223 155.510	
L33	-47 370.220	3 223 504.640			R33	-44 106.700	3 223 198.570	
L34	-47 705.480	3 223 538.930			R34	-44 496.910	3 223 238.310	
L35	-48 240.900	3 223 594.590			R35	-45 210.750	3 223 311.870	
L36	-48 780.210	3 223 649.630			R36	-45 722.900	3 223 364.330	
L37	-49 851.150	3 223 759.870			R37	-45 728.410	3 223 362.010	
L38	-49 930.930	3 223 767.620			R38	-45 899.330	3 223 379.040	
L39	-50 406.220	3 223 816.660			R39	-47 365.020	3 223 529.400	
L40	-52 016.770	3 223 982.210			R40	-47 703.110	3 223 564.260	
L41	-52 716.360	3 224 053.890			R41	-48 250.740	3 223 620.510	
L42	-53 225.500	3 224 106.030			R42	-49 213.820	3 223 719.520	
L43	-53 624.440	3 224 147.400			R43	-49 887.740	3 223 788.700	
L44	-54 275.560	3 224 214.130			R44	-50 073.160	3 223 807.980	
L45	-54 875.200	3 224 276.080			R45	-50 390.740	3 223 840.350	
L46	-55 814.460	3 224 372.670			R46	-51 061.170	3 223 909.270	
L47	-56 170.450	3 224 426.490			R47	-51 952.870	3 224 001.140	
L48	-56 276.340	3 224 441.740			R48	-52 424.290	3 224 049.350	
L49	-56 963.720	3 224 546.050			R49	-52 732.200	3 224 081.030	
L50	-57 338.020	3 224 601.860			R50	-53 208.950	3 224 129.800	
L51	-57 466.870	3 224 621.120			R51	-54 249.110	3 224 236.830	
					Vel 13 Van 18 P730/08			
					Sheet of			

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 25°			Y	X	
L52	-57 592.080	3 224 640.070			R52	-55 776.920	3 224 394.520	
L53	-57 697.740	3 224 652.720			R53	-55 847.780	3 224 402.670	
L54	-57 849.510	3 224 676.320			R54	-56 187.570	3 224 454.130	
L55	-57 994.950	3 224 701.320			R55	-56 283.210	3 224 468.900	
L56	-58 480.100	3 224 774.780			R56	-56 867.870	3 224 557.070	
L57	-58 524.960	3 224 766.390			R57	-56 867.680	3 224 560.140	
L58	-58 547.520	3 224 769.820			R58	-57 062.720	3 224 589.710	
L59	-58 591.460	3 224 791.340			R59	-57 312.220	3 224 627.160	
L60	-58 611.390	3 224 794.310			R60	-57 765.840	3 224 695.820	
L61	-58 898.110	3 224 837.140			R61	-57 802.610	3 224 715.000	
L62	-59 389.750	3 224 911.030			R62	-57 823.950	3 224 721.850	
L63	-59 750.270	3 224 965.420			R63	-57 879.000	3 224 712.830	
L64	-60 204.890	3 225 034.040			R64	-58 128.110	3 224 750.230	
L65	-60 367.090	3 225 058.250			R65	-58 480.340	3 224 803.550	
L66	-60 694.470	3 225 107.700			R66	-58 523.380	3 224 825.480	
L67	-60 856.500	3 225 131.820			R67	-58 545.880	3 224 825.280	
L68	-60 860.720	3 225 129.540			R68	-58 649.350	3 224 825.600	
L69	-62 026.310	3 225 305.250			R69	-58 714.160	3 224 835.350	
L70	-62 495.170	3 225 376.270			R70	-59 770.300	3 224 994.290	
L71	-63 036.300	3 225 457.460			R71	-60 208.400	3 225 060.210	
L72	-63 033.980	3 225 460.960			R72	-60 693.740	3 225 133.410	
L73	-63 558.580	3 225 539.810			R73	-60 814.000	3 225 154.750	
L74	-64 024.770	3 225 610.240			R74	-61 577.200	3 225 266.740	
L75	-64 544.900	3 225 688.500			R75	-62 013.790	3 225 332.500	
L76	-64 793.640	3 225 726.200			R76	-62 872.360	3 225 462.200	
L77	-65 310.050	3 225 803.720			R77	-63 018.310	3 225 484.560	
L78	-66 109.050	3 225 924.600			R78	-63 182.880	3 225 509.060	
L79	-66 251.440	3 225 946.520			R79	-64 021.550	3 225 635.130	
L80	-66 408.980	3 225 962.670			R80	-64 516.160	3 225 709.840	
L81	-66 470.680	3 225 975.770			R81	-65 090.000	3 225 796.180	
L82	-67 399.990	3 226 119.400			R82	-65 306.320	3 225 829.100	
L83	-67 857.460	3 226 188.530			R83	-65 889.550	3 225 917.280	
L84	-68 106.820	3 226 226.210			R84	-66 188.660	3 225 962.080	
L85	-68 773.040	3 226 324.860			R85	-66 279.740	3 225 975.480	
L86	-69 171.520	3 226 386.530			R86	-66 283.560	3 225 975.100	
L87	-70 143.970	3 226 531.760			R87	-66 285.190	3 225 976.400	
L88	-70 811.910	3 226 634.190			R88	-66 413.010	3 225 996.220	
L89	-71 050.470	3 226 670.150			R89	-66 475.860	3 226 020.540	
L90	-71 060.110	3 226 668.630			R90	-66 491.540	3 226 025.710	
L91	-71 060.590	3 226 668.700			R91	-66 544.220	3 226 019.000	
L92	-71 820.410	3 226 783.410			R92	-66 940.960	3 226 078.720	
L93	-71 821.970	3 226 780.460			R93	-67 885.050	3 226 221.360	
L94	-71 927.880	3 226 785.250			R94	-68 026.710	3 226 242.760	
L95	-71 976.020	3 226 787.430			R95	-68 738.690	3 226 349.350	
L96	-72 095.470	3 226 812.100			R96	-69 152.180	3 226 412.450	
L97	-72 105.890	3 226 826.520			R97	-69 163.830	3 226 413.950	
L98	-72 186.590	3 226 838.440			R98	-69 171.710	3 226 412.130	
L99	-72 340.600	3 226 862.210			R99	-70 155.820	3 226 562.680	
L100	-72 521.030	3 226 889.060			R100	-70 806.840	3 226 659.210	
L101	-72 796.200	3 226 930.340			R101	-71 052.660	3 226 696.190	
L102	-73 658.270	3 227 060.580			R102	-71 054.490	3 226 699.880	
					Vel	14	Van	18
					Sheet		of	
					P730/08			

PADRESERWE KOÖRDINATE					/ ROAD RESERVE CO-ORDINATES				
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L103	-74 993.970	3	227 261.850		R103	-71 058.970	3	226 700.560	
L104	-75 346.460	3	227 302.210		R104	-71 330.290	3	226 741.740	
L105	-75 357.240	3	227 293.600		R105	-71 742.210	3	226 803.650	
L106	-75 469.620	3	227 309.180		R106	-71 863.120	3	226 822.220	
L107	-75 646.020	3	227 342.110		R107	-71 920.720	3	226 836.340	
L108	-75 845.260	3	227 373.250		R108	-71 978.430	3	226 850.200	
L109	-75 852.910	3	227 390.650		R109	-72 106.340	3	226 866.080	
L110	-75 891.280	3	227 396.600		R110	-72 109.770	3	226 859.800	
L111	-76 414.570	3	227 475.880		R111	-72 208.190	3	226 874.190	
L112	-76 872.630	3	227 544.860		R112	-72 780.500	3	226 960.170	
L113	-77 810.280	3	227 686.590		R113	-73 490.890	3	227 067.270	
L114	-78 131.380	3	227 735.060		R114	-73 702.810	3	227 099.370	
L115	-78 812.070	3	227 837.790		R115	-74 025.270	3	227 148.210	
L116	-79 214.140	3	227 898.060		R116	-74 380.480	3	227 201.530	
L117	-79 691.510	3	227 970.120		R117	-74 988.930	3	227 293.400	
L118	-80 266.460	3	228 056.680		R118	-75 437.710	3	227 368.560	
L119	-80 931.620	3	228 156.990		R119	-75 507.790	3	227 383.780	
L120	-81 809.820	3	228 289.860		R120	-75 561.930	3	227 396.070	
L121	-82 666.830	3	228 418.540		R121	-75 682.690	3	227 409.240	
L122	-82 845.020	3	228 445.460		R122	-75 853.230	3	227 429.020	
L123	-83 191.500	3	228 498.230		R123	-75 853.210	3	227 423.600	
L124	-83 723.500	3	228 578.320		R124	-76 103.820	3	227 461.260	
L125	-84 495.710	3	228 694.350		R125	-76 397.190	3	227 505.650	
L126	-84 538.318	3	228 700.754		R126	-77 745.740	3	227 708.810	
L127	-84 565.040	3	228 704.770		R127	-78 148.910	3	227 768.840	
L128	-84 987.020	3	228 768.630		R128	-78 304.690	3	227 792.140	
L129	-85 017.680	3	228 773.250		R129	-78 821.390	3	227 870.890	
L130	-85 414.770	3	228 833.160		R130	-78 851.820	3	227 875.750	
L131	-85 821.380	3	228 894.820		R131	-80 352.530	3	228 102.280	
L132	-85 983.120	3	228 919.190		R132	-81 287.960	3	228 243.060	
L133	-86 160.200	3	228 945.830		R133	-81 799.830	3	228 320.290	
L134	-86 565.050	3	229 007.180		R134	-82 189.650	3	228 378.880	
L135	-86 968.530	3	229 067.610		R135	-82 643.460	3	228 447.470	
L136	-87 279.130	3	229 114.250		R136	-83 186.690	3	228 529.290	
L137	-87 437.699	3	229 138.231		R137	-83 675.190	3	228 603.230	
L138	-87 808.150	3	229 194.250		R138	-84 534.460	3	228 733.120	
L139	-87 984.660	3	229 220.850		R139	-84 540.638	3	228 734.054	
L140	-88 511.160	3	229 300.140		R140	-84 574.660	3	228 739.200	
L141	-89 156.720	3	229 397.000		R141	-85 000.530	3	228 803.210	
L142	-89 605.650	3	229 464.720		R142	-85 506.920	3	228 879.170	
L143	-90 006.990	3	229 525.030		R143	-85 981.580	3	228 950.670	
L144	-90 418.180	3	229 586.820		R144	-86 163.620	3	228 978.090	
L145	-90 449.870	3	229 591.650		R145	-86 745.390	3	229 065.820	
L146	-90 698.460	3	229 629.120		R146	-87 264.480	3	229 144.410	
L147	-90 971.570	3	229 670.210		R147	-87 750.860	3	229 217.530	
L148	-91 551.140	3	229 757.910		R148	-88 124.770	3	229 274.230	
L149	-92 372.710	3	229 882.360		R149	-88 489.870	3	229 329.300	
L150	-92 731.760	3	229 936.620		R150	-88 503.440	3	229 331.410	
L151	-93 100.540	3	229 992.290		R151	-89 116.280	3	229 422.850	
L152	-93 163.710	3	230 001.650		R152	-89 152.340	3	229 428.290	
L153	-93 418.760	3	230 039.470		R153	-89 601.550	3	229 495.780	
					Vel	15	Van	18	P730/08
					Sheet		of		

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG	25°		Y	X	
L154	-93 592.420	3 230 066.030		R154	-90 003.390	3 229 556.190		
L155	-93 837.770	3 230 103.040		R155	-90 405.430	3 229 616.870		
L156	-93 837.770	3 230 098.540		R156	-90 436.160	3 229 621.970		
L157	-93 983.380	3 230 123.210		R157	-90 436.180	3 229 621.980		
L158	-94 130.070	3 230 120.730		R158	-90 693.600	3 229 660.610		
L159	-94 274.700	3 230 094.450		R159	-90 967.190	3 229 702.080		
L160	-94 412.490	3 230 044.950		R160	-91 662.920	3 229 807.200		
L161	-94 532.350	3 229 977.910		R161	-92 049.410	3 229 865.630		
L162	-94 794.290	3 229 827.520		R162	-92 367.510	3 229 913.140		
L163	-94 918.490	3 229 756.420		R163	-92 726.740	3 229 967.580		
L164	-95 040.010	3 229 686.860		R164	-93 156.520	3 230 032.630		
L165	-95 369.730	3 229 498.300		R165	-93 555.080	3 230 092.850		
L166	-95 610.240	3 229 360.610		R166	-93 870.130	3 230 140.080		
L167	-95 792.910	3 229 256.510		R167	-94 045.300	3 230 163.640		
L168	-96 005.530	3 229 136.300		R168	-94 093.170	3 230 165.770		
L169	-96 026.670	3 229 124.490		R169	-94 157.290	3 230 164.840		
L170	-96 274.050	3 228 982.960		R170	-94 216.310	3 230 156.050		
L171	-96 585.200	3 228 805.230		R171	-94 296.650	3 230 134.450		
L172	-97 020.130	3 228 556.540		R172	-94 355.950	3 230 110.580		
L173	-97 109.240	3 228 509.630		R173	-94 428.800	3 230 072.920		
L174	-97 233.290	3 228 455.360		R174	-94 457.540	3 230 056.550		
L175	-97 688.130	3 228 273.990		R175	-94 821.820	3 229 848.670		
WG 27°				R176	-94 935.240	3 229 784.370		
L175	96 879.520	3 228 267.110		R177	-94 998.720	3 229 748.390		
L176	96 420.570	3 228 075.380		R178	-95 284.900	3 229 584.870		
L177	96 070.940	3 227 927.820		R179	-95 627.660	3 229 389.080		
L178	95 858.430	3 227 838.270		R180	-96 019.790	3 229 165.120		
L179	95 496.880	3 227 686.730		R181	-96 029.430	3 229 159.610		
L180	95 208.470	3 227 565.970		R182	-96 289.920	3 229 010.800		
L181	95 038.750	3 227 500.730		R183	-96 569.570	3 228 850.240		
L182	95 023.830	3 227 496.460		R184	-97 035.670	3 228 583.530		
L183	94 914.140	3 227 473.420		R185	-97 118.450	3 228 540.610		
L184	94 834.940	3 227 465.110		R186	-97 125.000	3 228 537.910		
L185	94 359.460	3 227 430.680		R187	-97 665.540	3 228 317.510		
L186	93 904.260	3 227 396.190		R188	-97 682.080	3 228 310.890		
L187	93 741.890	3 227 384.420		WG 27°				
L188	93 629.310	3 227 376.270		R188	96 884.940	3 228 304.100		
L189	93 423.690	3 227 361.370		R189	96 562.310	3 228 168.520		
L190	92 970.980	3 227 327.420		R190	96 133.360	3 227 988.610		
L191	92 469.180	3 227 290.670		R191	95 515.610	3 227 729.190		
L192	92 384.620	3 227 284.680		R192	95 084.720	3 227 549.820		
L193	92 256.850	3 227 274.950		R193	95 030.760	3 227 531.960		
L194	92 179.040	3 227 258.740		R194	94 991.070	3 227 521.240		
L195	92 156.070	3 227 253.940		R195	94 920.940	3 227 506.490		
L196	92 093.050	3 227 235.040		R196	94 853.060	3 227 498.830		
L197	92 021.310	3 227 206.410		R197	94 336.350	3 227 460.070		
L198	91 936.910	3 227 159.440		R198	93 827.030	3 227 423.300		
L199	91 884.750	3 227 119.120		R199	93 821.530	3 227 422.880		
L200	91 858.220	3 227 096.850		R200	93 446.540	3 227 394.530		
				Vel	16	Van	18	P730/08
				Sheet		of		

PADRESERWE KOÖRDINATE					/ ROAD RESERVE CO-ORDINATES				
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L201	91 751.350	3	226 990.070		R201	93 062.160	3	227 366.160	
L202	91 740.420	3	226 975.180		R202	92 951.630	3	227 358.000	
L203	91 726.040	3	226 936.710		R203	92 803.580	3	227 347.640	
L204	91 663.360	3	226 808.850		R204	92 509.840	3	227 326.010	
L205	91 661.740	3	226 804.910		R205	92 481.800	3	227 323.840	
L206	91 592.030	3	226 605.990		R206	92 454.890	3	227 321.750	
L207	91 555.020	3	226 520.650		R207	92 254.510	3	227 306.900	
L208	91 517.650	3	226 450.970		R208	92 164.880	3	227 299.560	
L209	91 490.010	3	226 412.890		R209	92 140.500	3	227 293.180	
L210	91 423.250	3	226 333.730		R210	92 077.700	3	227 278.370	
L211	91 363.320	3	226 274.110		R211	91 998.270	3	227 253.620	
L212	91 303.650	3	226 230.730		R212	91 899.490	3	227 200.570	
L213	91 266.360	3	226 207.780		R213	91 829.700	3	227 147.800	
L214	91 155.150	3	226 158.460		R214	91 829.060	3	227 147.320	
L215	91 083.470	3	226 136.380		R215	91 811.270	3	227 123.070	
L216	90 835.930	3	226 075.840		R216	91 810.070	3	227 121.810	
L217	90 672.710	3	226 035.970		R217	91 769.280	3	227 078.650	
L218	90 383.730	3	225 965.180		R218	91 715.040	3	227 005.470	
L219	90 238.410	3	225 929.340		R219	91 705.080	3	226 991.490	
L220	90 124.480	3	225 894.730		R220	91 683.460	3	226 961.820	
L221	89 864.440	3	225 830.180		R221	91 664.340	3	226 925.740	
L222	89 694.730	3	225 797.070		R222	91 623.450	3	226 821.980	
L223	89 482.300	3	225 745.480		R223	91 599.360	3	226 732.690	
L224	89 044.340	3	225 638.310		R224	91 560.670	3	226 616.300	
L225	89 034.680	3	225 635.950		R225	91 534.010	3	226 548.020	
L226	89 033.240	3	225 633.190		R226	91 500.150	3	226 485.820	
L227	89 018.670	3	225 629.610		R227	91 452.180	3	226 415.370	
L228	88 683.510	3	225 547.140		R228	91 400.880	3	226 356.910	
L229	88 396.760	3	225 477.730		R229	91 343.840	3	226 303.650	
L230	88 380.990	3	225 473.850		R230	91 287.070	3	226 263.180	
L231	88 109.930	3	225 407.950		R231	91 214.410	3	226 221.670	
L232	88 036.620	3	225 390.130		R232	91 141.060	3	226 191.280	
L233	87 962.050	3	225 371.960		R233	91 075.420	3	226 171.540	
L234	87 766.450	3	225 324.060		R234	90 830.010	3	226 111.560	
L235	87 621.580	3	225 288.520		R235	90 656.960	3	226 065.400	
L236	87 479.960	3	225 253.790		R236	90 384.530	3	225 998.820	
L237	87 393.780	3	225 232.650		R237	90 241.330	3	225 963.820	
L238	87 193.470	3	225 183.900		R238	90 112.790	3	225 943.310	
L239	86 907.010	3	225 114.230		R239	89 886.910	3	225 892.890	
L240	86 906.200	3	225 114.030		R240	89 703.240	3	225 844.190	
L241	86 877.030	3	225 106.940		R241	89 589.900	3	225 804.890	
L242	86 665.080	3	225 054.710		R242	89 460.510	3	225 773.140	
L243	86 543.420	3	225 025.130		R243	89 060.950	3	225 675.510	
L244	86 446.830	3	225 001.590		R244	89 050.960	3	225 673.070	
L245	86 394.810	3	224 988.890		R245	88 814.980	3	225 645.690	
L246	86 331.550	3	224 973.310		R246	88 788.770	3	225 639.340	
L247	86 003.190	3	224 893.310		R247	88 686.370	3	225 614.550	
L248	85 591.170	3	224 792.630		R248	88 399.600	3	225 544.900	
L249	85 502.340	3	224 770.730		R249	88 399.690	3	225 547.110	
L250	85 486.240	3	224 766.770		R250	88 112.850	3	225 476.760	
L251	85 471.120	3	224 763.070		R251	88 112.750	3	225 474.430	
					Vel	17	Van	18	P730/08
					Sheet		of		

PADRESERWE KOÖRDINATE				/	ROAD RESERVE CO-ORDINATES			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG	27°		Y	X	
L252	85 455.680	3 224 759.300			R252	88 017.160	3 225 451.090	
L253	85 440.990	3 224 755.700			R253	87 826.000	3 225 404.380	
L254	84 990.480	3 224 645.940			R254	87 733.030	3 225 381.660	
L255	84 652.160	3 224 563.360			R255	87 620.270	3 225 354.120	
L256	84 539.620	3 224 535.880			R256	87 482.790	3 225 320.550	
L257	84 314.400	3 224 480.680			R257	87 312.930	3 225 279.060	
L258	84 206.930	3 224 454.490			R258	87 196.310	3 225 250.690	
L259	84 139.880	3 224 438.050			R259	87 002.960	3 225 203.500	
L260	83 947.360	3 224 390.970			R260	86 909.840	3 225 180.870	
L261	83 782.010	3 224 350.620			R261	86 624.790	3 225 111.150	
L262	83 721.040	3 224 335.790			R262	86 608.570	3 225 107.190	
L263	83 633.500	3 224 314.370			R263	86 510.500	3 225 083.320	
L264	83 493.410	3 224 280.300			R264	86 448.900	3 225 068.330	
L265	83 413.450	3 224 260.680			R265	86 448.900	3 225 068.580	
L266	83 372.020	3 224 250.550			R266	86 330.390	3 225 037.570	
L267	83 368.440	3 224 249.670			R267	86 330.860	3 225 039.560	
L268	83 279.190	3 224 227.710			R268	86 322.290	3 225 037.460	
L269	83 161.530	3 224 187.790			R269	86 289.790	3 225 029.520	
L270	83 147.060	3 224 182.990			R270	86 148.840	3 224 994.880	
L271	83 101.980	3 224 168.040			R271	86 017.310	3 224 962.690	
L272	83 037.820	3 224 145.480			R272	86 009.720	3 224 960.830	
L273	83 008.200	3 224 128.780			R273	85 910.760	3 224 936.680	
L274	83 000.450	3 224 124.810			R274	85 732.830	3 224 893.220	
L275	82 985.310	3 224 120.610			R275	85 534.200	3 224 844.710	
L276	82 962.020	3 224 115.490			R276	85 434.480	3 224 820.240	
L277	82 944.680	3 224 112.180			R277	85 210.340	3 224 765.640	
L278	82 940.960	3 224 111.470			R278	85 135.100	3 224 747.270	
L279	82 806.050	3 224 059.310			R279	85 022.480	3 224 719.760	
L280	82 782.000	3 224 050.120			R280	84 745.170	3 224 652.020	
L281	81 898.060	3 223 665.480			R281	84 539.740	3 224 601.880	
L282	81 745.550	3 223 619.240			R282	84 103.650	3 224 495.630	
					R283	84 089.460	3 224 492.130	
					R284	84 074.210	3 224 488.370	
					R285	84 058.840	3 224 484.580	
					R286	83 734.570	3 224 405.060	
					R287	83 627.950	3 224 378.970	
					R288	83 618.450	3 224 376.650	
					R289	83 520.200	3 224 352.600	
					R290	83 432.620	3 224 331.110	
					R291	83 244.300	3 224 285.030	
					R292	83 158.760	3 224 261.860	
					R293	83 131.770	3 224 254.410	
					R294	83 087.350	3 224 239.650	
					R295	83 049.460	3 224 231.440	
					R296	82 782.780	3 224 085.930	
					R297	82 768.220	3 224 077.950	
					R298	81 903.290	3 223 702.020	
					R299	81 742.670	3 223 681.900	