

**REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA**

Vol. 527

**Pretoria, 15 May
Mei 2009**

No. 32176

CONTENTS**INHOUD**

<i>No.</i>	<i>Page No.</i>	<i>Gazette No.</i>	<i>No.</i>	<i>Bladsy No.</i>	<i>Koerant No.</i>
GOVERNMENT NOTICE			GOEWERMENTSKENNISGEWING		
Transport, Department of			Vervoer, Departement van		
<i>Government Notice</i>			<i>Goewermentskennisgewing</i>		
459 South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration amendment of National Road N8 Section 12: Amendment of Declaration No. 549 of 2003	3	32176	459 Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring wysiging van Nasionale Pad N8 Seksie 12: Wysiging van Verklaring No. 549 van 2003	4	32176

GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 459

15 May 2009

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N8 SECTION 12

AMENDMENT OF DECLARATION NO. 549 OF 2003

By virtue of section 40 (1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 549 of 2003 by substituting the Annexure paragraph II, with the subjoined sheets 1 to 20 of Plan No. P685/08.

(National Road N8 Section 12: Thaba Nchu - Ladybrand)



MINISTER OF TRANSPORT

GOEWERMENTSKENNISGEWING

DEPARTEMENT VAN VERVOER

No. 459

15 Mei 2009

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK

Registrasie No: 98/09584/06

VERKLARING WYSIGING VAN NASIONALE PAD N8 SEKSIE 12.


WYSIGING VAN VERKLARING NO. 549 VAN 2003

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet No.7 van 1998), wysig ek hiermee Verklaring no. 549 van 2003 deur die Bylae paragraaf II, te vervang met meegaande velle 1 tot 20 van Plan No. P685/08.


(Nasionale Pad N8 Seksie 12 Thaba Nchu - Ladybrand)




MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route N8 Seksie 12	Vel Sheet 1 van 20 Plan P685/08
--	---	--	--




Die Suid Afrikaanse Nasionale Padagentskop Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N8 of National Route Section 12	Vel Sheet 2 van 20 of Plan P685/08
--	--	--	---



Die Suid Afrikaanse Nasionale Padogentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N8


Seksie
Section

12

Vel
Sheet 4 van 20


Plan P685/08

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route NB

NB


Seksie
Section


12


Vel
Sheet 6 van
of 20

Plan
P685/08

D.O.G.A




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route N8 Seksie Section 12	Vel Sheet 7 van of 20 Plan P685/08
---	---	---	--



Die Suid Afrikaanse Nasionale Padogentskop Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N8

Seksie


Section

12

Vel
Sheet 8 van 20

Plan P685/08

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N8

Seksie
Section

12

Vel
Sheet 9 van of 20

Plan P685/08


D.O.9.A



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
von Nasionale Roete N8 Seksie
of Notional Route Section


N8 Seksie 12
Section

Plan	P685/08
------	---------



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


N8

Seksie
Section

12

Vel
Sheet 11 van
of 20
Plan
P685/08

D.O.9.A



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N8
of National Route N8


Seksie

12

Vel
Sheet 12 van 20


Plan P685/08

D.O.9.A



Die Suid Afrikaanse Nasionale Padogenskop Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete of National Route
N8
Seksie
Section

12

Vel
Sheet 14 van of 20
Plan P685/08

D.O.9.A

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES																			
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE														
	Y		X	WG 27°		Y		X											
L1	14 685.84	3	234	523.73	R1	14 669.44	3	234	550.58										
L2	14 344.22	3	234	423.83	R2	14 337.27	3	234	453.73										
L3	13 974.41	3	234	316.29	R3	13 963.39	3	234	346.91										
L4	13 868.11	3	234	294.13	R4	13 859.66	3	234	333.52										
L5	13 806.57	3	234	287.64	R5	13 746.77	3	234	325.86										
L6	13 746.41	3	234	292.18	R6	13 687.37	3	234	329.50										
L7	13 685.08	3	234	297.69	R7	13 590.36	3	234	343.97										
L8	13 586.24	3	234	312.51	R8	13 245.27	3	234	415.16										
L9	13 222.63	3	234	388.24	R9	12 987.52	3	234	474.10										
L10	13 131.68	3	234	402.38	R10	12 731.94	3	234	522.14										
L11	13 133.48	3	234	373.52	R11	12 674.20	3	234	538.09										
L12	13 135.43	3	234	342.34	R12	12 435.03	3	234	587.43										
L13	13 100.74	3	234	341.43	R13	12 380.21	3	234	598.99										
L14	13 092.87	3	234	381.94	R14	12 340.58	3	234	603.24										
L15	13 088.62	3	234	403.81	R15	11 478.05	3	234	782.07										
L16	13 086.82	3	234	407.27	R16	11 268.16	3	234	826.15										
L17	13 081.08	3	234	412.77	R17	11 261.11	3	234	827.63										
L18	12 995.06	3	234	431.08	R18	11 126.50	3	234	855.96										
L19	12 960.70	3	234	441.88	R19	10 984.90	3	234	887.99										
L20	12 705.36	3	234	494.84	R20	10 891.66	3	234	908.83										
L21	12 665.52	3	234	499.25	R21	10 754.46	3	234	935.90										
L22	12 453.56	3	234	543.30	R22	10 097.62	3	235	089.36										
L23	12 371.73	3	234	560.22	R23	9 262.28	3	235	285.09										
L24	12 333.07	3	234	572.09	R24	8 850.12	3	235	393.80										
L25	11 848.88	3	234	672.41	R25	8 528.10	3	235	486.94										
L26	11 549.83	3	234	734.56	R26	8 135.44	3	235	606.87										
L27	11 253.09	3	234	793.40	R27	8 067.34	3	235	639.45										
L28	11 118.01	3	234	820.18	R28	8 018.52	3	235	663.72										
L29	10 909.26	3	234	866.81	R29	8 010.59	3	235	666.86										
L30	10 088.46	3	235	059.11	R30	7 946.61	3	235	692.15										
L31	9 814.59	3	235	122.89	R31	7 822.84	3	235	773.16										
L32	9 258.73	3	235	254.51	R32	7 712.64	3	235	847.27										
L33	8 994.75	3	235	318.35	R33	7 540.45	3	235	969.54										
L34	8 812.55	3	235	371.24	R34	7 405.22	3	236	038.79										
L35	8 626.36	3	235	425.29	R35	7 347.46	3	236	061.17										
L36	8 524.40	3	235	454.81	R36	7 209.40	3	236	097.27										
L37	8 380.00	3	235	496.64	R37	7 031.91	3	236	135.25										
L38	8 258.67	3	235	528.41	R38	6 818.44	3	236	188.71										
L39	8 094.85	3	235	580.98	R39	6 789.28	3	236	194.55										
L40	8 014.80	3	235	612.15	R40	6 694.06	3	236	219.68										
L41	7 970.64	3	235	629.34	R41	6 567.20	3	236	254.50										
L42	7 922.16	3	235	655.68	R42	6 470.66	3	236	268.27										
L43	7 853.68	3	235	697.36	R43	6 469.93	3	236	268.37										
L44	7 561.44	3	235	907.88	R44	6 428.97	3	236	274.76										
L45	7 460.04	3	235	969.53	R45	6 348.60	3	236	287.83										
L46	7 434.66	3	235	982.36	R46	6 236.57	3	236	290.79										
L47	7 363.82	3	236	009.75	R47	6 118.07	3	236	280.21										
L48	7 297.19	3	236	037.40	R48	6 028.85	3	236	261.23										
L49	7 259.95	3	236	046.22	R49	5 929.25	3	236	225.91										
L50	6 791.47	3	236	155.64	R50	5 797.49	3	236	167.72										
L51	6 752.24	3	236	161.42	R51	5 383.09	3	235	986.37										
					<table><tr><td>Vel</td><td>15</td><td>Van</td><td>20</td><td>P685/08</td></tr><tr><td>Sheet</td><td></td><td>of</td><td></td><td></td></tr></table>					Vel	15	Van	20	P685/08	Sheet		of		
Vel	15	Van	20	P685/08															
Sheet		of																	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L52	6 720.14	3 236 172.31		R52	5 102.61	3 235 866.77
L53	6 518.90	3 236 218.52		R53	4 996.24	3 235 804.27
L54	6 457.62	3 236 233.43		R54	4 916.19	3 235 743.38
L55	6 456.10	3 236 233.80		R55	4 840.86	3 235 671.71
L56	6 325.83	3 236 252.17		R56	4 743.94	3 235 571.33
L57	6 227.83	3 236 253.00		R57	4 700.81	3 235 516.77
L58	6 130.91	3 236 242.04		R58	4 650.19	3 235 452.74
L59	6 035.27	3 236 221.06		R59	4 644.48	3 235 445.51
L60	5 943.13	3 236 190.62		R60	4 502.23	3 235 280.83
L61	5 813.77	3 236 134.05		R61	4 356.12	3 235 110.56
L62	5 431.62	3 235 966.35		R62	4 341.94	3 235 113.63
L63	5 390.22	3 235 953.40		R63	4 337.95	3 235 125.64
L64	5 263.54	3 235 899.02		R64	4 331.20	3 235 119.46
L65	5 092.08	3 235 820.36		R65	4 319.24	3 235 108.52
L66	5 012.48	3 235 771.86		R66	4 325.89	3 235 084.63
L67	4 939.99	3 235 714.99		R67	4 319.97	3 235 068.49
L68	4 868.40	3 235 647.04		R68	4 157.16	3 234 879.31
L69	4 757.56	3 235 520.52		R69	4 027.83	3 234 729.04
L70	4 684.62	3 235 437.26		R70	3 941.84	3 234 629.69
L71	4 658.33	3 235 408.91		R71	3 840.85	3 234 532.92
L72	4 616.77	3 235 364.10		R72	3 783.82	3 234 488.67
L73	4 410.83	3 235 120.52		R73	3 714.02	3 234 449.51
L74	4 356.60	3 235 062.10		R74	3 604.90	3 234 395.43
L75	4 356.68	3 235 033.04		R75	3 451.52	3 234 347.17
L76	4 356.57	3 235 033.00		R76	2 999.73	3 234 255.20
L77	4 343.70	3 235 027.83		R77	2 695.09	3 234 193.40
L78	4 330.48	3 235 031.61		R78	2 448.40	3 234 143.35
L79	4 201.51	3 234 881.89		R79	637.61	3 233 776.23
L80	4 047.27	3 234 702.82		R80	125.85	3 233 672.38
L81	3 971.24	3 234 614.71		R81	-1 362.30	3 233 370.64
L82	3 907.02	3 234 547.51		R82	-1 761.35	3 233 290.15
L83	3 822.44	3 234 476.31		R83	-2 293.95	3 233 194.41
L84	3 737.36	3 234 421.02		R84	-2 479.52	3 233 161.33
L85	3 605.09	3 234 355.16		R85	-2 484.89	3 233 167.80
L86	3 452.31	3 234 314.75		R86	-2 486.40	3 233 176.71
L87	3 006.92	3 234 224.55		R87	-2 519.36	3 233 171.38
L88	2 686.45	3 234 159.47		R88	-2 521.67	3 233 161.26
L89	2 443.31	3 234 110.12		R89	-2 528.10	3 233 152.80
L90	1 612.41	3 233 941.44		R90	-3 008.00	3 233 066.40
L91	644.27	3 233 745.20		R91	-3 452.98	3 232 986.81
L92	115.95	3 233 638.21		R92	-3 944.99	3 232 898.60
L93	116.01	3 233 638.39		R93	-4 294.68	3 232 836.02
L94	- 778.46	3 233 456.85		R94	-4 309.78	3 232 833.31
L95	-1 763.96	3 233 257.35		R95	-4 842.96	3 232 737.61
L96	-2 285.23	3 233 163.96		R96	-5 355.30	3 232 659.31
L97	-2 483.24	3 233 128.61		R97	-5 815.57	3 232 589.12
L98	-2 503.39	3 233 109.01		R98	-6 256.35	3 232 522.34
L99	-2 534.00	3 233 105.65		R99	-6 750.46	3 232 447.48
L100	-2 534.26	3 233 105.92		R100	-6 970.64	3 232 413.97
L101	-2 545.28	3 233 117.37		R101	-7 135.34	3 232 388.90
L102	-3 449.68	3 232 955.54		R102	-7 152.25	3 232 413.89
				Vel	16	Van 20
				Sheet		of
				P685/08		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L103	-3 939.93	3 232 867.49		R103	-7 177.00	3 232 400.27			
L104	-4 291.79	3 232 804.53		R104	-7 166.45	3 232 384.33			
L105	-4 292.75	3 232 804.36		R105	-7 569.99	3 232 323.35			
L106	-4 836.76	3 232 706.73		R106	-7 667.47	3 232 313.14			
L107	-5 350.63	3 232 628.16		R107	-8 101.05	3 232 283.94			
L108	-6 260.14	3 232 490.01		R108	-8 380.44	3 232 264.19			
L109	-6 979.15	3 232 380.78		R109	-8 381.90	3 232 264.09			
L110	-7 115.46	3 232 360.07		R110	-8 844.00	3 232 177.80			
L111	-7 100.81	3 232 338.14		R111	-9 337.11	3 232 083.78			
L112	-7 136.46	3 232 339.74		R112	-9 568.22	3 232 039.56			
L113	-7 147.18	3 232 355.16		R113	-9 945.91	3 231 967.31			
L114	-7 548.60	3 232 294.57		R114	-10 086.44	3 231 930.42			
L115	-7 597.09	3 232 288.91		R115	-10 567.01	3 231 761.77			
L116	-8 102.62	3 232 252.33		R116	-10 992.73	3 231 611.32			
L117	-8 375.95	3 232 232.90		R117	-11 438.71	3 231 453.55			
L118	-8 377.28	3 232 232.81		R118	-11 531.98	3 231 420.06			
L119	-8 837.58	3 232 146.94		R119	-11 798.15	3 231 326.04			
L120	-9 325.28	3 232 054.23		R120	-13 499.78	3 230 723.75			
L121	-9 565.13	3 232 008.36		R121	-13 649.06	3 230 671.27			
L122	-9 780.79	3 231 967.11		R122	-13 776.02	3 230 626.36			
L123	-9 942.13	3 231 936.06		R123	-13 880.45	3 230 585.41			
L124	-10 074.83	3 231 900.97		R124	-13 884.37	3 230 583.77			
L125	-10 558.26	3 231 732.15		R125	-13 914.96	3 230 571.00			
L126	-11 526.96	3 231 388.09		R126	-14 066.39	3 230 474.64			
L127	-11 791.65	3 231 295.35		R127	-14 552.96	3 230 108.42			
L128	-13 500.15	3 230 690.73		R128	-14 562.77	3 230 117.17			
L129	-13 771.88	3 230 594.59		R129	-14 583.77	3 230 102.41			
L130	-13 858.43	3 230 559.83		R130	-14 573.15	3 230 093.20			
L131	-13 900.88	3 230 542.78		R131	-15 230.63	3 229 597.82			
L132	-14 051.78	3 230 446.43		R132	-15 240.75	3 229 590.21			
L133	-14 081.92	3 230 423.92		R133	-15 449.01	3 229 433.29			
L134	-14 219.24	3 230 320.47		R134	-15 601.45	3 229 344.74			
L135	-14 312.12	3 230 250.51		R135	-15 685.60	3 229 311.49			
L136	-14 538.17	3 230 080.21		R136	-15 830.53	3 229 275.42			
L137	-14 503.50	3 230 011.34		R137	-16 355.34	3 229 199.30			
L138	-14 522.03	3 229 999.45		R138	-17 350.94	3 229 055.75			
L139	-14 558.38	3 230 064.73		R139	-17 679.42	3 229 008.48			
L140	-14 971.13	3 229 754.37		R140	-17 814.53	3 228 989.03			
L141	-15 216.57	3 229 569.53		R141	-18 756.99	3 228 853.57			
L142	-15 433.35	3 229 406.28		R142	-18 870.65	3 228 845.76			
L143	-15 589.77	3 229 315.59		R143	-19 216.95	3 228 895.12			
L144	-15 675.87	3 229 281.83		R144	-19 721.05	3 228 978.66			
L145	-15 825.93	3 229 244.68		R145	-19 724.13	3 228 979.15			
L146	-16 357.87	3 229 167.40		R146	-20 614.05	3 229 126.73			
L147	-16 805.11	3 229 103.00		R147	-20 665.60	3 229 135.25			
L148	-17 674.64	3 228 977.56		R148	-20 806.89	3 229 164.62			
L149	-17 805.86	3 228 958.63		R149	-21 011.11	3 229 223.55			
L150	-18 271.54	3 228 891.55		R150	-21 267.35	3 229 297.50			
L151	-18 753.46	3 228 822.49		R151	-21 744.58	3 229 429.83			
L152	-18 900.60	3 228 818.74		R152	-21 808.30	3 229 445.59			
L153	-19 221.47	3 228 864.54		R153	-22 015.72	3 229 559.30			
					Vel	17	Van	20	P685/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L154	-19 693.91	3 228 942.49		R154	-22 121.89	3 229 600.64
L155	-19 696.78	3 228 942.97		R155	-22 662.10	3 229 771.11
L156	-20 233.96	3 229 032.27		R156	-23 077.60	3 229 902.26
L157	-20 620.99	3 229 096.21		R157	-23 525.47	3 230 042.65
L158	-20 676.02	3 229 105.68		R158	-23 814.21	3 230 132.71
L159	-20 834.86	3 229 140.79		R159	-23 903.10	3 230 160.43
L160	-21 000.64	3 229 188.10		R160	-24 585.49	3 230 369.06
L161	-21 281.85	3 229 268.36		R161	-24 958.04	3 230 482.95
L162	-21 696.72	3 229 381.65		R162	-25 785.43	3 230 735.91
L163	-21 757.99	3 229 398.38		R163	-26 692.38	3 231 013.06
L164	-21 837.62	3 229 430.51		R164	-27 094.41	3 231 135.95
L165	-21 864.67	3 229 441.42		R165	-27 818.00	3 231 357.47
L166	-22 026.10	3 229 531.59		R166	-27 808.43	3 231 365.96
L167	-22 171.60	3 229 583.65		R167	-27 829.02	3 231 381.56
L168	-22 689.00	3 229 747.05		R168	-27 846.27	3 231 366.03
L169	-23 095.23	3 229 875.19		R169	-27 847.94	3 231 366.55
L170	-23 538.15	3 230 013.24		R170	-28 366.89	3 231 527.47
L171	-23 923.11	3 230 133.91		R171	-28 522.99	3 231 580.61
L172	-23 923.43	3 230 134.01		R172	-28 609.10	3 231 624.49
L173	-24 600.13	3 230 340.84		R173	-28 710.29	3 231 693.43
L174	-24 973.23	3 230 454.88		R174	-28 710.44	3 231 693.56
L175	-26 220.15	3 230 835.99		R175	-29 139.75	3 232 056.15
L176	-26 621.33	3 230 958.50		R176	-29 817.07	3 232 630.05
L177	-26 692.62	3 230 980.35		R177	-30 302.96	3 233 041.95
L178	-27 105.50	3 231 106.93		R178	-30 561.35	3 233 261.00
L179	-27 837.13	3 231 330.49		R179	-30 794.27	3 233 457.79
L180	-27 844.99	3 231 302.58		R180	-30 894.76	3 233 542.69
L181	-27 873.09	3 231 317.65		R181	-31 033.98	3 233 658.88
L182	-27 867.06	3 231 339.69		R182	-31 300.22	3 233 881.08
L183	-27 875.29	3 231 342.24		R183	-31 715.56	3 234 227.75
L184	-28 375.16	3 231 496.95		R184	-31 990.78	3 234 457.27
L185	-28 493.19	3 231 534.13		R185	-32 153.56	3 234 572.25
L186	-28 624.97	3 231 597.21		R186	-32 621.57	3 234 877.00
L187	-28 732.92	3 231 671.40		R187	-32 761.62	3 234 952.09
L188	-28 733.13	3 231 671.57		R188	-32 762.22	3 234 952.41
L189	-29 158.93	3 232 031.16		R189	-32 878.10	3 234 993.46
L190	-30 220.63	3 232 930.84		R190	-33 209.24	3 235 086.37
L191	-30 330.00	3 233 023.58		R191	-33 560.44	3 235 184.97
L192	-30 582.60	3 233 237.77		R192	-33 591.13	3 235 193.66
L193	-30 789.73	3 233 412.91		R193	-33 625.86	3 235 216.81
L194	-30 916.82	3 233 520.37		R194	-33 661.39	3 235 225.43
L195	-31 075.28	3 233 652.57		R195	-33 718.05	3 235 210.22
L196	-32 010.28	3 234 432.60		R196	-33 805.85	3 235 207.54
L197	-32 118.39	3 234 510.63		R197	-33 981.78	3 235 163.35
L198	-32 131.25	3 234 519.70		R198	-34 154.45	3 235 123.75
L199	-32 637.81	3 234 850.04		R199	-34 177.99	3 235 110.84
L200	-32 779.81	3 234 926.27		R200	-34 289.02	3 235 083.33
L201	-32 780.48	3 234 926.63		R201	-34 289.18	3 235 083.29
L202	-33 201.57	3 235 051.75		R202	-34 597.56	3 235 002.93
L203	-33 570.59	3 235 155.14		R203	-34 786.06	3 234 969.49
L204	-33 740.84	3 235 176.49		R204	-34 826.85	3 234 966.22
				Vel 18	Van 20	P685/08
				Sheet	of	

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L205	-33 876.79	3 235 158.23			R205	-34 919.51	3 234 963.75		
L206	-33 973.81	3 235 132.95			R206	-35 050.79	3 234 973.67		
L207	-34 112.65	3 235 095.88			R207	-35 577.28	3 235 041.64		
L208	-34 149.20	3 235 083.60			R208	-35 675.21	3 235 045.12		
L209	-34 288.89	3 235 050.95			R209	-35 700.90	3 235 045.45		
L209X	-34 289.01	3 235 050.92			R210	-35 944.22	3 235 002.73		
L210	-34 461.26	3 235 006.07			R211	-36 087.31	3 234 944.16		
L211	-34 776.65	3 234 938.95			R212	-36 194.73	3 234 882.73		
L212	-34 931.00	3 234 932.84			R213	-36 315.57	3 234 783.44		
L213	-35 054.28	3 234 942.37			R214	-36 451.53	3 234 615.90		
L214	-35 577.80	3 235 010.01			R215	-36 507.08	3 234 503.83		
L215	-35 681.88	3 235 014.10			R216	-36 537.29	3 234 454.01		
L216	-35 719.19	3 235 013.18			R217	-36 554.32	3 234 394.91		
L217	-35 811.08	3 235 002.00			R218	-36 607.61	3 234 229.36		
L218	-35 935.29	3 234 972.67			R219	-36 659.29	3 234 101.03		
L219	-36 073.42	3 234 915.88			R220	-36 771.44	3 233 946.64		
L220	-36 175.78	3 234 857.65			R221	-36 811.44	3 233 877.12		
L221	-36 294.32	3 234 760.68			R222	-36 838.49	3 233 828.94		
L222	-36 354.02	3 234 695.95			R223	-36 876.79	3 233 710.29		
L223	-36 424.83	3 234 599.44			R224	-36 911.18	3 233 564.48		
L224	-36 478.06	3 234 492.24			R225	-36 976.67	3 233 432.16		
L225	-36 519.81	3 234 382.95			R226	-37 073.08	3 233 320.37		
L226	-36 562.93	3 234 249.02			R227	-37 132.15	3 233 274.08		
L227	-36 573.57	3 234 216.15			R228	-37 215.16	3 233 225.24		
L228	-36 608.93	3 234 130.70			R229	-37 223.13	3 233 222.15		
L229	-36 655.32	3 234 046.81			R230	-37 304.54	3 233 190.90		
L230	-36 745.35	3 233 928.88			R231	-38 199.87	3 232 928.95		
L231	-36 809.16	3 233 816.91			R232	-38 296.51	3 232 904.14		
L232	-36 845.77	3 233 704.44			R233	-38 411.54	3 232 879.24		
L233	-36 881.90	3 233 554.96			R234	-38 803.19	3 232 800.37		
L234	-36 950.44	3 233 414.35			R235	-39 161.06	3 232 728.31		
L235	-37 050.52	3 233 298.33			R236	-39 573.80	3 232 649.30		
L236	-37 113.97	3 233 248.04			R237	-39 887.18	3 232 578.86		
L237	-37 203.02	3 233 196.16			R238	-39 936.49	3 232 564.97		
L238	-37 228.89	3 233 185.86			R239	-40 021.59	3 232 526.64		
L239	-37 293.87	3 233 161.48			R240	-40 088.55	3 232 484.54		
L240	-38 119.42	3 232 919.31			R241	-40 147.62	3 232 435.63		
L241	-38 189.12	3 232 899.26			R242	-40 212.20	3 232 369.28		
L242	-38 290.58	3 232 873.26			R243	-40 368.15	3 232 208.12		
L243	-38 405.08	3 232 848.31			R244	-40 507.77	3 232 063.53		
L244	-38 817.79	3 232 765.27			R245	-40 596.67	3 231 984.34		
L245	-39 151.81	3 232 698.06			R246	-40 697.19	3 231 920.23		
L246	-39 568.81	3 232 610.52			R247	-40 806.50	3 231 873.03		
L247	-39 861.47	3 232 548.57			R248	-40 922.11	3 231 843.76		
L248	-39 922.93	3 232 535.56			R249	-41 060.14	3 231 833.91		
L249	-40 006.24	3 232 496.80			R250	-41 188.79	3 231 847.32		
L250	-40 069.71	3 232 457.46			R251	-41 291.07	3 231 872.26		
L251	-40 124.98	3 232 412.24			R252	-41 792.15	3 232 007.12		
L252	-40 190.46	3 232 345.77			R253	-42 100.00	3 232 089.53		
L253	-40 354.46	3 232 174.12			R254	-42 213.74	3 232 127.81		
L254	-40 484.12	3 232 040.22			R255	-42 320.88	3 232 180.64		
					Vel	19	Van	20	P685/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L255	-40 575.84	3 231 959.61		R256	-42 395.76	3 232 224.77			
L256	-40 682.30	3 231 892.43		R257	-42 401.85	3 232 229.29			
L257	-40 795.32	3 231 843.71		R258	-42 854.80	3 232 621.31			
L258	-40 915.06	3 231 813.12		R259	-42 877.27	3 232 625.10			
L259	-41 023.49	3 231 801.68		R260	-43 062.71	3 232 654.54			
L260	-41 027.15	3 231 801.75		R261	-43 293.58	3 232 679.37			
L261	-41 060.52	3 231 802.41		R262	-43 415.34	3 232 704.67			
L262	-41 193.56	3 231 816.27		R263	-43 523.73	3 232 752.82			
L263	-41 313.10	3 231 848.64		R264	-43 620.45	3 232 821.53			
L264	-41 811.64	3 231 980.01		R265	-43 716.05	3 232 907.70			
L265	-42 108.11	3 232 059.21		R266	-43 853.15	3 232 988.81			
L266	-42 227.94	3 232 099.73		R267	-43 896.26	3 232 995.38			
L267	-42 284.28	3 232 127.54		R268	-43 974.69	3 232 999.36			
L268	-42 337.58	3 232 153.85		R269	-44 016.48	3 233 002.84			
L269	-42 412.52	3 232 202.56		R270	-44 114.60	3 232 987.60			
L270	-42 485.11	3 232 260.40							
L271	-42 537.42	3 232 304.62							
L272	-42 604.36	3 232 361.32							
L273	-42 742.14	3 232 482.20							
L274	-42 808.68	3 232 528.84							
L275	-42 837.66	3 232 549.18							
L276	-42 943.25	3 232 596.44							
L277	-43 066.08	3 232 623.19							
L278	-43 301.93	3 232 648.69							
L279	-43 424.06	3 232 674.44							
L280	-43 536.21	3 232 723.81							
L281	-43 637.95	3 232 795.37							
L282	-43 735.25	3 232 882.81							
L283	-43 834.92	3 232 939.20							
L284	-43 924.19	3 232 963.41							
L285	-44 060.80	3 232 964.47							
L286	-44 087.25	3 232 959.62							
L287	-44 109.76	3 232 955.08							