

Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Vol. 544

Pretoria, 25 October
Oktober 2010

No. 33644

IMPORTANT NOTICE

The Government Printing Works will not be held responsible for faxed documents not received due to errors on the fax machine or faxes received which are unclear or incomplete. Please be advised that an "OK" slip, received from a fax machine, will not be accepted as proof that documents were received by the GPW for printing. If documents are faxed to the GPW it will be the sender's responsibility to phone and confirm that the documents were received in good order.

Furthermore the Government Printing Works will also not be held responsible for cancellations and amendments which have not been done on original documents received from clients.

CONTENTS**INHOUD**

No.	Page No.	Gazette No.	No.	Bladsy No.	Koerant No.
GOVERNMENT NOTICE			GOEWERMENTSKENNISGEWING		
Transport, Department of			Vervoer, Departement van		
<i>Government Notice</i>			<i>Goewermentskennisgewing</i>		
918 South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration amendment of National Road N14 Section 12: Amendment of Declaration No. 217 of 2006	3	33644	918 Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring wysiging van Nasionale Pad N14 Seksie 12: Wysiging van Verklaring No. 217 van 2006	4	33644

GOEWERMENSKENNISGEWING

DEPARTEMENT VAN VERVOER

No. 918

25 Oktober 2010

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK

Registrasie No: 98/09584/06


VERKLARING WYSIGING VAN NASIONALE PAD N14 SEKSIE 12.


WYSIGING VAN VERKLARING NO. 217 VAN 2006


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet no.7 van 1998), wysig ek hiermee Verklaring no. 217 van 2006 deur die Bylae paragraaf (X), te vervang met meegaande velle 1 tot 15 van Plan no. P648/08.

(Nasionale Pad N14 Seksie 12 Coligny - Ventersdorp)



MINISTER VAN VERVOER (Ratungulimsto)
35/09/2010





Suid-Afrikaanse Padagentskap Bpk. South African National Roads Agency Ltd.	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route N14 Seksie 12	Vel van Sheet 1 of 15 P P648/08
---	--	--	--



Vel Sheet	2	van of	15
P	P648/08		



Suid-Afrikaanse Padagentskap Bpk. South African National Roads Agency Ltd.	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route N14	Vel Sheet 3 of 15 P P648/08
---	--	--	---



Suid-Afrikaanse Padagentskap Bpk.
South African National Roads Agency Ltd.


Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route N14
Seksie
Section 12

Vel
Sheet 4 of 15


P P648/08



Suid-Afrikaanse Padogenskop Bpk. South African National Roads Agency Ltd.	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 5 of 15 P P648/08
		N14 Section 12	



P P648/08



STAATSKOERANT, 25 OKTOBER 2010

No. 33644 11

Suid-Afrikaanse Padogenskap Bpk.
South African National Roads Agency Ltd.

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N14


Seksie
Section

12

Vel
Sheet

7 of 15

P P648/08



Suid-Afrikaanse Padagentskop Bpk.
South African National Roads Agency Ltd.


Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete Seksie
of National Route N14 Section

Vel Sheet 8 von 15

P P648/08



Suid-Afrikaanse Padraad South African Roads Board	Die figuur getoon The figure shown 	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route Seksie Section N14 12	Vel Sheet 9 of 15 P P648/08
--	--	--	--

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L1	70 732.824	2	913	209.843	R1	70 764.400	2	913	228.600
L2	70 703.750	2	913	271.170	R2	70 678.050	2	913	410.370
L3	70 642.110	2	913	421.520	R3	70 601.890	2	913	570.660
L4	70 629.670	2	913	451.810	R4	70 421.160	2	913	951.080
L5	70 607.500	2	913	464.890	R5	70 369.850	2	914	038.270
L6	70 591.320	2	913	499.020	R6	70 338.770	2	914	090.910
L7	70 400.910	2	913	900.600	R7	70 272.900	2	914	171.160
L8	70 347.270	2	913	999.540	R8	70 213.890	2	914	227.410
L9	70 316.380	2	914	043.340	R9	70 138.500	2	914	294.430
L10	70 275.040	2	914	092.960	R10	70 114.580	2	914	314.370
L11	70 241.540	2	914	129.010	R11	69 824.410	2	914	540.760
L12	70 094.890	2	914	254.660	R12	69 806.960	2	914	554.380
L13	70 071.020	2	914	274.550	R13	69 570.350	2	914	749.660
L14	69 855.760	2	914	465.620	R14	69 461.480	2	914	833.360
L15	69 505.780	2	914	753.910	R15	69 277.110	2	914	944.170
L16	69 438.440	2	914	800.540	R16	69 244.480	2	914	960.650
L17	69 276.690	2	914	899.670	R17	69 151.550	2	915	002.620
L18	69 200.000	2	914	937.420	R18	69 056.950	2	915	038.220
L19	69 119.460	2	914	971.930	R19	68 959.840	2	915	067.920
L20	69 024.900	2	915	006.360	R20	68 850.500	2	915	093.620
L21	68 912.490	2	915	038.140	R21	68 808.230	2	915	101.660
L22	68 813.580	2	915	060.430	R22	68 661.720	2	915	120.270
L23	68 710.070	2	915	077.000	R23	68 540.440	2	915	125.570
L24	68 539.410	2	915	085.300	R24	68 438.820	2	915	122.760
L25	68 460.650	2	915	083.890	R25	68 331.899	2	915	112.733
L26	68 376.400	2	915	077.820	R26	68 237.449	2	915	098.604
L27	68 360.500	2	915	076.680	R27	68 159.520	2	915	082.046
L28	68 245.140	2	915	059.230	R28	68 084.881	2	915	062.301
L29	68 167.300	2	915	042.530	R29	67 963.920	2	915	022.260
L30	68 073.130	2	915	017.100	R30	67 872.290	2	914	984.660
L31	67 980.440	2	914	985.830	R31	67 771.240	2	914	935.440
L32	67 964.710	2	914	979.400	R32	67 677.870	2	914	885.650
L33	67 888.370	2	914	948.230	R33	67 326.950	2	914	698.510
L34	67 789.990	2	914	900.080	R34	67 145.250	2	914	601.610
L35	67 725.090	2	914	870.430	R35	67 043.460	2	914	545.960
L36	67 698.310	2	914	856.140	R36	66 937.100	2	914	477.000
L37	67 342.570	2	914	666.350	R37	66 831.180	2	914	394.690
L38	67 061.260	2	914	516.260	R38	66 737.780	2	914	309.470
L39	67 061.790	2	914	515.230	R39	66 640.190	2	914	201.070
L40	66 957.820	2	914	447.810	R40	66 515.240	2	914	045.850
L40X	66 933.780	2	914	426.790	R41	66 433.980	2	913	960.250
L40Y	66 920.970	2	914	415.600	R42	66 359.660	2	913	895.960
L41	66 853.560	2	914	356.620	R43	66 264.070	2	913	829.020
L42	66 791.770	2	914	305.760	R44	66 159.540	2	913	771.480
L43	66 571.320	2	914	051.190	R45	66 055.780	2	913	728.090
L44	66 482.820	2	913	954.820	R46	65 956.390	2	913	697.850
L45	66 423.550	2	913	896.170	R47	65 860.510	2	913	678.110
L46	66 381.560	2	913	861.600	R48	65 763.460	2	913	667.320
L47	66 321.690	2	913	818.300	R49	65 675.730	2	913	664.120
L48	66 232.910	2	913	763.950	R50	65 061.570	2	913	653.750
L49	66 152.590	2	913	723.860	R51	64 478.520	2	913	644.590
					Vel 10 Van 15 Sheet of P648/08				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L50	66 076.800	2	913	693.070	R52	64 259.710	2	913	641.190
L51	65 986.080	2	913	663.980	R53	63 961.040	2	913	636.210
L52	65 885.200	2	913	641.290	R54	63 910.680	2	913	635.050
L53	65 723.730	2	913	624.900	R55	63 761.510	2	913	632.300
L54	65 096.800	2	913	614.340	R56	63 651.470	2	913	634.760
L55	64 473.450	2	913	604.360	R57	63 650.200	2	913	634.890
L56	63 977.800	2	913	596.530	R58	63 520.200	2	913	648.700
L57	63 914.180	2	913	595.520	R59	63 440.780	2	913	662.040
L58	63 764.840	2	913	592.980	R60	63 270.250	2	913	708.370
L59	63 683.840	2	913	593.540	R61	63 198.830	2	913	734.120
L60	63 598.900	2	913	599.350	R62	63 124.350	2	913	765.960
L61	63 598.040	2	913	599.480	R63	63 036.790	2	913	809.020
L62	63 437.630	2	913	622.720	R64	62 959.190	2	913	853.440
L63	63 312.950	2	913	653.180	R65	62 396.110	2	914	200.820
L64	63 212.800	2	913	686.250	R66	62 233.260	2	914	301.080
L65	63 104.600	2	913	730.950	R67	62 046.410	2	914	416.120
L66	63 017.250	2	913	774.290	R68	61 923.140	2	914	492.010
L67	62 947.140	2	913	812.820	R69	61 766.550	2	914	588.620
L68	62 379.450	2	914	164.300	R70	61 655.250	2	914	657.280
L69	62 378.970	2	914	164.600	R71	61 373.040	2	914	831.390
L70	62 214.770	2	914	265.770	R72	61 302.170	2	914	875.110
L71	62 028.680	2	914	380.430	R73	61 295.680	2	914	879.110
L72	61 838.280	2	914	497.750	R74	61 068.030	2	915	019.470
L73	61 751.210	2	914	551.410	R75	60 940.010	2	915	098.400
L74	61 636.730	2	914	621.960	R76	60 727.290	2	915	229.340
L75	61 355.920	2	914	795.030	R77	60 665.400	2	915	263.310
L76	61 286.830	2	914	837.610	R78	60 594.710	2	915	295.230
L77	61 278.620	2	914	842.680	R79	60 523.290	2	915	321.520
L78	61 045.750	2	914	986.410	R80	60 437.440	2	915	344.610
L79	60 924.260	2	915	061.390	R81	60 355.430	2	915	360.660
L80	60 708.690	2	915	194.350	R82	60 242.230	2	915	370.590
L81	60 646.850	2	915	227.900	R83	60 187.940	2	915	371.680
L82	60 579.400	2	915	258.330	R84	60 105.270	2	915	367.040
L83	60 511.010	2	915	283.450	R85	60 007.330	2	915	351.000
L84	60 435.560	2	915	304.480	R86	59 933.900	2	915	333.680
L85	60 351.350	2	915	320.750	R87	59 522.830	2	915	230.500
L86	60 227.390	2	915	328.930	R88	59 100.620	2	915	123.640
L87	60 192.070	2	915	331.120	R89	58 531.830	2	914	979.610
L88	60 110.120	2	915	326.480	R90	58 509.750	2	914	974.050
L89	60 015.400	2	915	312.080	R91	58 328.040	2	914	928.300
L90	59 946.820	2	915	296.060	R92	58 132.830	2	914	879.160
L91	59 531.500	2	915	191.190	R93	57 991.650	2	914	843.620
L92	59 113.110	2	915	085.610	R94	57 883.650	2	914	817.800
L93	58 550.920	2	914	943.880	R95	57 704.850	2	914	775.060
L94	58 529.040	2	914	938.360	R96	57 485.430	2	914	730.310
L95	58 350.270	2	914	893.270	R97	56 851.640	2	914	611.190
L96	58 158.230	2	914	844.840	R98	56 319.780	2	914	510.820
L97	57 999.950	2	914	804.920	R99	55 662.500	2	914	386.680
L98	57 911.450	2	914	783.620	R100	55 503.330	2	914	356.760
L99	57 714.240	2	914	736.160	R101	55 073.510	2	914	275.980
L100	57 643.660	2	914	721.410	R102	54 806.520	2	914	225.600
					Vel 11 Van 15 Sheet of P648/08				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L101	57 590.850	2	914	710.380	R103	54 706.010	2	914	206.640
L102	56 857.950	2	914	571.590	R104	54 089.210	2	914	094.300
L103	56 325.920	2	914	471.310	R105	53 497.170	2	913	998.910
L104	55 794.710	2	914	371.420	R106	52 964.940	2	913	913.200
L105	55 081.130	2	914	237.410	R107	52 436.010	2	913	828.580
L106	54 827.870	2	914	189.410	R108	52 286.180	2	913	791.400
L107	54 707.880	2	914	166.670	R109	52 205.750	2	913	761.500
L108	54 096.220	2	914	054.920	R110	52 082.210	2	913	701.530
L109	53 501.960	2	913	960.030	R111	52 048.960	2	913	685.390
L110	53 136.710	2	913	901.080	R112	51 719.500	2	913	522.400
L111	53 042.000	2	913	885.800	R113	51 557.590	2	913	450.560
L112	53 026.090	2	913	882.600	R114	51 555.370	2	913	449.840
L113	52 409.800	2	913	783.100	R115	51 372.930	2	913	390.760
L114	52 302.020	2	913	754.570	R116	51 307.180	2	913	374.720
L115	52 121.670	2	913	676.510	R117	51 302.750	2	913	374.050
L116	52 087.750	2	913	660.140	R118	51 057.770	2	913	336.820
L117	51 733.980	2	913	484.760	R119	50 519.780	2	913	268.080
L118	51 506.340	2	913	388.940	R120	50 478.800	2	913	262.840
L119	51 371.180	2	913	349.220	R121	50 370.670	2	913	249.100
L120	51 324.690	2	913	335.580	R122	49 999.160	2	913	201.890
L121	51 239.310	2	913	321.200	R123	49 858.030	2	913	168.390
L122	50 952.560	2	913	283.260	R124	49 717.070	2	913	113.090
L123	50 494.650	2	913	224.560	R125	49 638.880	2	913	073.330
L124	50 024.000	2	913	164.300	R126	49 515.210	2	912	987.790
L125	49 869.790	2	913	130.110	R127	49 292.690	2	912	827.040
L126	49 740.820	2	913	080.050	R128	49 259.440	2	912	803.020
L127	49 654.720	2	913	034.360	R129	49 067.660	2	912	664.470
L128	49 547.810	2	912	961.950	R130	48 594.670	2	912	323.160
L129	49 308.960	2	912	789.390	R131	48 419.720	2	912	198.350
L130	49 092.570	2	912	633.060	R132	48 224.060	2	912	094.690
L131	48 617.170	2	912	290.070	R133	48 143.660	2	912	064.620
L132	48 410.410	2	912	144.830	R134	48 011.120	2	912	029.490
L133	48 276.290	2	912	073.670	R135	47 989.610	2	912	023.790
L134	48 171.510	2	912	031.690	R136	47 883.130	2	912	008.470
L135	48 045.810	2	911	995.310	R137	47 822.480	2	912	004.000
L136	48 043.090	2	911	994.520	R138	47 783.320	2	912	002.510
L137	47 924.790	2	911	973.250	R139	47 664.130	2	912	006.720
L138	47 852.020	2	911	967.580	R140	47 547.410	2	912	022.060
L139	47 716.030	2	911	963.180	R141	46 771.810	2	912	176.290
L140	47 626.850	2	911	969.730	R142	46 281.310	2	912	273.970
L141	47 491.590	2	911	992.640	R143	46 149.940	2	912	303.910
L142	46 776.620	2	912	134.600	R144	46 059.240	2	912	328.650
L143	46 274.470	2	912	234.730	R145	45 966.220	2	912	358.490
L144	46 050.350	2	912	289.950	R146	45 871.910	2	912	392.890
L145	45 953.870	2	912	320.760	R147	45 781.160	2	912	429.860
L146	45 859.160	2	912	355.090	R148	45 655.290	2	912	484.230
L147	45 766.360	2	912	392.760	R149	45 629.480	2	912	495.380
L148	45 693.400	2	912	424.530	R150	45 429.480	2	912	581.780
L149	45 667.510	2	912	435.810	R151	45 081.680	2	912	732.080
L150	45 400.320	2	912	552.150	R152	44 552.940	2	912	960.380
L151	45 068.910	2	912	694.050	R153	44 353.400	2	913	048.030
					Vel 12 Van 15 Sheet of P648/08				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L152	44 537.750	2	912	923.370	R154	44 086.050	2	913	165.470
L153	44 361.580	2	913	000.850	R155	43 448.640	2	913	446.840
L154	44 072.250	2	913	128.100	R156	42 885.570	2	913	695.380
L155	43 433.070	2	913	410.180	R157	42 416.220	2	913	902.980
L156	42 869.500	2	913	658.370	R158	41 837.290	2	914	157.410
L157	42 443.770	2	913	846.840	R159	41 633.430	2	914	247.720
L158	41 803.940	2	914	129.090	R160	41 533.730	2	914	290.070
L159	41 616.440	2	914	211.960	R161	41 378.250	2	914	348.980
L160	41 358.970	2	914	313.610	R162	41 324.580	2	914	367.370
L161	41 160.670	2	914	376.160	R163	41 170.670	2	914	414.750
L162	40 366.450	2	914	601.180	R164	40 376.680	2	914	639.520
L163	40 230.920	2	914	639.650	R165	40 239.770	2	914	678.610
L164	40 077.050	2	914	685.820	R166	40 033.220	2	914	742.330
L165	39 782.030	2	914	789.910	R167	39 930.410	2	914	777.400
L166	39 425.670	2	914	929.260	R168	39 801.410	2	914	825.240
L167	39 327.090	2	914	961.780	R169	39 441.160	2	914	965.960
L168	39 231.790	2	914	982.910	R170	39 340.080	2	914	999.640
L169	39 102.920	2	914	998.210	R171	39 178.580	2	915	030.580
L170	39 035.030	2	914	996.230	R172	39 094.810	2	915	037.390
L171	38 896.880	2	914	981.620	R173	39 034.350	2	915	036.160
L172	38 792.040	2	914	956.870	R174	38 890.650	2	915	021.080
L173	38 663.530	2	914	909.070	R175	38 782.250	2	914	995.750
L174	38 456.920	2	914	815.320	R176	38 714.780	2	914	973.440
L175	38 229.040	2	914	711.920	R177	38 607.570	2	914	927.610
L176	37 992.850	2	914	604.750	R178	38 451.580	2	914	856.870
L177	37 847.540	2	914	545.290	R179	38 225.450	2	914	754.330
L178	37 698.460	2	914	497.870	R180	37 977.060	2	914	641.490
L179	37 546.200	2	914	461.750	R181	37 834.110	2	914	583.080
L180	37 489.750	2	914	451.520	R182	37 688.120	2	914	536.410
L181	37 391.830	2	914	437.570	R183	37 538.920	2	914	501.140
L182	37 258.830	2	914	426.630	R184	37 478.940	2	914	490.270
L183	37 056.950	2	914	418.400	R185	37 478.540	2	914	490.200
L184	36 773.910	2	914	406.860	R186	37 387.710	2	914	477.370
L185	36 722.120	2	914	400.870	R187	37 244.320	2	914	465.920
L186	36 488.280	2	914	389.110	R188	37 114.800	2	914	459.440
L187	36 326.470	2	914	380.960	R189	36 688.430	2	914	437.760
L188	36 022.310	2	914	365.990	R190	36 475.720	2	914	427.650
L189	35 956.820	2	914	365.160	R191	36 320.870	2	914	420.050
L190	35 860.190	2	914	366.780	R192	36 069.560	2	914	407.400
L191	35 758.450	2	914	373.240	R193	35 962.670	2	914	404.920
L192	35 656.340	2	914	384.800	R194	35 862.830	2	914	407.200
L193	35 520.240	2	914	407.690	R195	35 763.710	2	914	412.930
L194	35 420.860	2	914	429.860	R196	35 664.130	2	914	424.130
L195	35 324.360	2	914	455.280	R197	35 529.060	2	914	446.600
L196	35 228.050	2	914	485.720	R198	35 432.360	2	914	468.070
L197	35 136.550	2	914	519.080	R199	35 336.860	2	914	493.370
L198	34 779.380	2	914	657.770	R200	35 241.370	2	914	523.460
L199	34 247.440	2	914	864.700	R201	35 150.640	2	914	556.610
L200	33 644.160	2	915	099.250	R202	34 794.120	2	914	694.970
L201	33 210.080	2	915	268.100	R203	34 178.740	2	914	934.270
L202	33 106.240	2	915	306.130	R204	33 658.360	2	915	136.080
					Vel 13 Van 15 Sheet of P648/08				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L203	33 008.390	2 915	340.650	R205	33 115.740	2 915 347.190
L204	32 912.960	2 915	366.520	R206	33 019.660	2 915 378.980
L205	32 819.060	2 915	385.940	R207	32 922.470	2 915 405.380
L206	32 718.520	2 915	401.100	R208	32 790.820	2 915 431.810
L207	32 541.190	2 915	413.460	R209	32 724.000	2 915 440.690
L208	32 442.410	2 915	412.420	R210	32 715.220	2 915 441.490
L209	32 342.540	2 915	405.840	R211	32 622.650	2 915 449.950
L210	29 007.260	2 915	086.750	R212	32 522.080	2 915 454.310
L211	28 534.990	2 915	041.080	R213	32 341.110	2 915 446.510
L212	28 134.560	2 915	002.770	R214	31 722.560	2 915 387.290
L213	27 539.660	2 914	945.780	R215	31 119.780	2 915 329.130
L214	27 459.690	2 914	938.000	R216	30 645.320	2 915 283.530
L215	27 434.820	2 914	931.750	R217	29 924.820	2 915 214.380
L216	27 420.540	2 914	928.160	R218	29 328.190	2 915 157.300
L217	27 338.970	2 914	925.450	R219	28 961.620	2 915 122.230
L218	27 298.800	2 914	922.710	R220	28 531.230	2 915 081.060
L219	26 907.840	2 914	885.060	R221	28 135.100	2 915 042.900
L220	26 807.190	2 914	872.520	R222	27 535.910	2 914 985.480
L221	26 649.750	2 914	844.920	R223	27 453.190	2 914 977.380
L222	26 552.910	2 914	818.970	R224	27 432.200	2 914 978.690
L223	26 367.080	2 914	752.150	R225	27 414.430	2 914 979.790
L224	26 287.740	2 914	716.180	R226	27 375.500	2 914 973.250
L225	26 008.870	2 914	577.220	R227	27 297.380	2 914 962.660
L226	25 697.390	2 914	421.920	R228	26 885.240	2 914 923.110
L227	25 461.090	2 914	304.100	R229	26 829.530	2 914 915.910
L228	25 198.180	2 914	173.010	R230	26 715.790	2 914 900.440
L229	24 935.550	2 914	042.060	R231	26 662.910	2 914 888.560
L230	24 789.420	2 913	969.170	R232	26 638.230	2 914 883.020
L231	24 488.040	2 913	818.860	R233	26 541.790	2 914 857.290
L232	24 261.070	2 913	705.790	R234	26 353.480	2 914 789.500
L233	23 950.460	2 913	551.060	R235	25 992.560	2 914 614.090
L234	23 456.770	2 913	304.880	R236	25 672.170	2 914 454.100
L235	23 449.130	2 913	301.340	R237	25 490.110	2 914 363.190
L236	23 356.660	2 913	258.470	R238	25 176.660	2 914 206.900
L237	23 263.310	2 913	221.180	R239	24 918.990	2 914 078.410
L238	23 148.900	2 913	182.220	R240	24 661.960	2 913 950.260
L239	23 032.130	2 913	150.240	R241	24 472.410	2 913 855.750
L240	22 877.920	2 913	119.220	R242	24 246.710	2 913 743.350
L241	22 212.100	2 913	012.070	R243	23 933.310	2 913 587.270
L242	22 141.840	2 913	000.740	R244	23 390.390	2 913 319.410
L243	21 985.370	2 912	975.510	R245	23 343.420	2 913 296.240
L244	21 789.240	2 912	943.330	R246	23 253.190	2 913 259.940
L245	21 650.820	2 912	926.470	R247	23 138.410	2 913 220.830
L246	21 643.700	2 912	925.610	R248	23 023.760	2 913 189.340
L247	21 570.450	2 912	920.820	R249	22 824.810	2 913 151.050
L248	21 484.610	2 912	915.210	R250	22 199.890	2 913 050.570
L249	21 131.080	2 912	930.580	R251	22 093.670	2 913 033.460
L250	20 965.370	2 912	955.710	R252	21 979.060	2 913 015.000
L251	20 801.810	2 912	992.210	R253	21 791.700	2 912 990.410
L252	20 679.070	2 913	027.080	R254	21 627.720	2 912 979.370
L253	20 641.470	2 913	039.810	R255	21 557.400	2 912 978.900
				Vel Sheet	14 Van 15 of	P648/08

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES

LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 27°		Y	X	
L254	20 483.780	2 913 098.730		R256	21 464.030	2 912 978.350	
L255	20 331.100	2 913 167.970		R257	21 301.680	2 912 985.240	
L256	20 186.750	2 913 245.020		R258	21 138.360	2 912 996.220	
L257	20 104.526	2 913 298.937		R259	20 976.690	2 913 018.260	
				R260	20 817.470	2 913 053.770	
				R261	20 660.950	2 913 100.360	
				R262	20 508.050	2 913 157.390	
				R263	20 359.360	2 913 224.920	
				R264	20 237.830	2 913 289.880	
				R265	20 138.631	2 219 352.749	

Vel
Sheet

15

Van
of

15

P648/08