

Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Vol. 544

Pretoria, 25 October
Oktober 2010

No. 33647

IMPORTANT NOTICE

The Government Printing Works will not be held responsible for faxed documents not received due to errors on the fax machine or faxes received which are unclear or incomplete. Please be advised that an "OK" slip, received from a fax machine, will not be accepted as proof that documents were received by the GPW for printing. If documents are faxed to the GPW it will be the sender's responsibility to phone and confirm that the documents were received in good order.

Furthermore the Government Printing Works will also not be held responsible for cancellations and amendments which have not been done on original documents received from clients.

CONTENTS**INHOUD**

No.	Page No.	Gazette No.	No.	Bladsy No.	Koerant No.
GOVERNMENT NOTICE			GOEWERMENTSKENNISGEWING		
Transport, Department of			Vervoer, Departement van		
<i>Government Notice</i>			<i>Goewermentskennisgewing</i>		
921 South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration amendment of National Road N7 Section 5: Amendment of Declaration No. 218 of 2006	3	33647	921 Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring wysiging van Nasionale Pad N7 Seksie 5: Wysiging van Verklaring No. 218 van 2006	4	33647

GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 921

25 October 2010

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD N7 SECTION 5

AMENDMENT OF DECLARATION NO. 218 OF 2006.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 218 of 2006 by substituting the section of the descriptive declaration from Vanrhynsdorp up to Bitterfontein, with the subjoined sheets 1 to 20 of Plan No. P754/09.

(National Road N7 Section 5: Vanrhynsdorp – Bitterfontein)


MINISTER OF TRANSPORT

(Acting Minister)
30/09/2010

GOEWERMENTSKENNISGEWING

DEPARTEMENT VAN VERVOER

No. 921

25 Oktober 2010

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK

Registrasie No: 98/09584/06


VERKLARING WYSIGING VAN NASIONALE PAD N7 SEKSIE 5.

WYSIGING VAN VERKLARING NO. 218 VAN 2006

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet no. 7 van 1998), wysig ek hiermee Verklaring no. 218 van 2006 deur die gedeelte van die beskrywende verklaring vanaf Vanrhynsdorp tot by Bitterfontein, te vervang met meegaande velle 1 tot 20 van Plan no. P754/09.


(Nasionale Pad N7 Seksie 5: Vanrhynsdorp – Bitterfontein)


MINISTER VAN VERVOER (Acting Minister)
30/09/2010




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N7 Seksie Section
of National Route 5

Vel Sheet 1 van of 20
Plan P754/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N7 Seksie
of National Route Section


Vel Sheet 2 van of 20

Plan	P754/09
------	---------



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N7 Seksie
of National Route Section

5

Vel
Sheet 4 van
of 20

Plan P754/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N7 Seksie 5
of National Route of National Route

Vel
Sheet 6 van
of 20

Plan P754/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

N7


Seksie
Section

5

Vel
Sheet


7 van
of 20


Plan
P754/09




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N7 Seksie
of National Route Section

Vel Sheet	8	van of	20
Plan	P754/09		



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N7 of National Route Seksie Section 5	Vel Sheet 9 van of 20 Plan P754/09
---	---	---	--



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


N7

Seksie
Section

5


Vel
Sheet 10 van
of 20

Plan
P754/09




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete of National Route N7
Seksie Section 5

Vel Sheet 11 van of 20
Plan P754/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N7 Seksie
of National Route Section 5

Vel
Sheet 12 van
of 20
Plan P754/09

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L1	25 738.890	3	498 588.050		R1	25 655.650	3	498 594.130	
L2	25 736.150	3	498 534.750		R2	25 647.000	3	498 533.950	
L3	25 731.190	3	498 434.500		R3	25 633.470	3	498 438.670	
L4	25 730.840	3	498 425.900		R4	25 568.710	3	498 447.760	
L5	25 728.230	3	498 395.400		R5	25 548.530	3	498 442.710	
L6	25 726.950	3	498 388.340		R6	25 523.900	3	498 436.540	
L7	25 711.880	3	498 305.130		R7	25 502.210	3	498 431.100	
L8	25 644.020	3	497 930.370		R8	25 503.310	3	498 303.340	
L9	25 618.100	3	497 704.600		R9	25 504.535	3	498 161.139	
L10	25 613.630	3	497 474.390		R10	25 506.530	3	497 929.640	
L11	25 615.950	3	497 413.040		R11	25 507.060	3	497 928.280	
L12	25 623.100	3	497 290.450		R12	25 606.040	3	497 928.850	
L13	25 632.160	3	497 194.880		R13	25 589.220	3	497 783.530	
L14	25 681.040	3	496 782.350		R14	25 584.910	3	497 720.680	
L15	25 699.620	3	496 684.070		R15	25 582.070	3	497 658.960	
L16	25 715.560	3	496 501.450		R16	25 580.840	3	497 597.070	
L17	25 754.170	3	496 174.940		R17	25 581.280	3	497 489.110	
L18	25 806.420	3	495 733.050		R18	25 582.910	3	497 427.130	
L19	25 807.600	3	495 732.760		R19	25 585.600	3	497 365.350	
L20	25 856.810	3	495 367.970		R20	25 591.270	3	497 286.940	
L21	25 857.250	3	495 322.720		R21	25 601.870	3	497 180.620	
L22	25 982.900	3	494 255.640		R22	25 649.740	3	496 780.960	
L23	26 048.180	3	493 703.610		R23	25 655.490	3	496 684.710	
L24	26 053.160	3	493 661.540		R24	25 673.670	3	496 540.500	
L25	26 160.300	3	492 763.340		R25	25 689.030	3	496 449.140	
L26	26 298.260	3	491 606.540		R26	25 725.190	3	496 142.080	
L27	26 444.990	3	490 377.220		R27	25 773.690	3	495 730.160	
L28	26 454.200	3	490 299.690		R28	25 803.000	3	495 457.630	
L28X	26 621.280	3	488 898.020		R29	25 830.350	3	495 244.580	
L28Y	26 628.920	3	488 846.870		R30	25 847.540	3	495 122.170	
L28Z	26 633.900	3	488 792.210		R31	25 949.680	3	494 264.710	
L29	26 682.260	3	488 386.450		R32	26 008.680	3	493 769.860	
L30	26 720.980	3	488 062.960		R33	26 022.110	3	493 657.180	
L31	26 790.380	3	487 479.750		R34	26 131.060	3	492 742.600	
L32	26 860.230	3	486 894.380		R35	26 204.480	3	492 127.740	
L33	26 932.010	3	486 290.630		R36	26 266.770	3	491 605.500	
L34	27 016.180	3	485 586.520		R37	26 328.420	3	491 087.480	
L35	27 066.820	3	485 164.100		R38	26 413.340	3	490 376.510	
L36	27 078.190	3	485 069.380		R39	26 474.440	3	489 863.950	
L37	27 089.260	3	485 010.580		R40	26 547.010	3	489 254.380	
L38	27 104.310	3	484 952.540		R41	26 592.040	3	488 877.310	
L39	27 118.390	3	484 908.760		R42	26 652.660	3	488 370.010	
L40	27 145.940	3	484 840.080		R43	26 689.110	3	488 064.960	
L41	27 172.240	3	484 786.260		R44	26 759.520	3	487 472.920	
L42	27 207.150	3	484 726.470		R45	26 828.650	3	486 893.070	
L43	27 253.830	3	484 657.420		R46	26 900.370	3	486 291.910	
L44	27 308.950	3	484 586.490		R47	26 984.580	3	485 583.780	
L45	27 372.370	3	484 496.840		R48	27 015.870	3	485 323.020	
L46	27 409.420	3	484 434.460		R49	27 047.710	3	485 057.690	
L47	27 457.560	3	484 356.820		R50	27 058.610	3	485 003.540	
L48	27 491.870	3	484 305.940		R51	27 074.180	3	484 943.510	
					Vel 13 Van 20 Sheet of P754/08				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L49	27 650.250	3 484	074.170		R52	27 093.740	3 484	884.770	
L50	27 680.440	3 484	028.160		R53	27 114.740	3 484	826.290	
L51	27 712.400	3 483	975.430		R54	27 142.170	3 484	770.530	
L52	27 742.850	3 483	922.050		R55	27 173.140	3 484	718.590	
L53	27 771.380	3 483	867.650		R56	27 223.690	3 484	645.160	
L54	27 799.290	3 483	813.120		R57	27 293.620	3 484	539.760	
L55	27 846.430	3 483	698.980		R58	27 331.530	3 484	480.370	
L56	27 867.450	3 483	641.350		R59	27 352.230	3 484	448.650	
L57	28 011.580	3 483	208.780		R60	27 472.220	3 484	279.180	
L58	28 031.560	3 483	153.440		R61	27 557.340	3 484	153.990	
L59	28 058.660	3 483	075.320		R62	27 624.820	3 484	054.890	
L60	28 084.540	3 482	997.770		R63	27 653.710	3 484	010.900	
L61	28 108.360	3 482	918.340		R64	27 685.320	3 483	959.500	
L62	28 149.080	3 482	819.090		R65	27 715.300	3 483	906.930	
L63	28 156.760	3 482	795.100		R66	27 743.310	3 483	853.460	
L64	28 168.000	3 482	750.410		R67	27 777.060	3 483	777.290	
L65	28 205.040	3 482	636.450		R68	27 794.330	3 483	743.720	
L66	28 237.630	3 482	507.800		R69	27 816.950	3 483	687.630	
L67	28 250.130	3 482	429.440		R70	27 837.660	3 483	630.930	
L68	28 258.940	3 482	356.790		R71	27 845.280	3 483	608.530	
L69	28 266.170	3 482	291.840		R72	27 885.880	3 483	486.920	
L70	28 270.720	3 482	231.750		R73	27 924.450	3 483	371.150	
L71	28 273.060	3 482	175.480		R74	27 947.480	3 483	292.370	
L72	28 273.670	3 482	101.190		R75	27 963.840	3 483	240.530	
L73	28 270.380	3 481	836.960		R76	27 982.150	3 483	197.700	
L74	28 267.520	3 481	594.000		R77	28 001.150	3 483	140.510	
L75	28 261.340	3 481	076.560		R78	28 024.380	3 483	070.610	
L76	28 266.900	3 480	999.120		R79	28 068.850	3 482	937.430	
L77	28 267.260	3 480	973.530		R80	28 085.630	3 482	854.690	
L78	28 269.400	3 480	925.040		R81	28 099.710	3 482	814.420	
L79	28 277.320	3 480	862.250		R82	28 134.720	3 482	735.350	
L80	28 286.550	3 480	806.380		R83	28 179.770	3 482	590.100	
L81	28 292.180	3 480	777.420		R84	28 192.230	3 482	531.480	
L82	28 305.380	3 480	718.750		R85	28 202.400	3 482	471.940	
L83	28 321.520	3 480	659.620		R86	28 224.180	3 482	353.310	
L84	28 339.440	3 480	603.230		R87	28 230.880	3 482	292.650	
L85	28 362.140	3 480	548.280		R88	28 239.020	3 482	232.990	
L86	28 429.420	3 480	391.470		R89	28 241.550	3 482	172.580	
L87	28 773.250	3 479	718.770		R90	28 242.070	3 482	101.110	
L88	28 876.110	3 479	517.350		R91	28 238.820	3 481	837.000	
L89	28 912.130	3 479	454.330		R92	28 234.470	3 481	479.050	
L90	28 949.010	3 479	374.940		R93	28 233.350	3 481	379.620	
L91	29 198.400	3 478	887.480		R94	28 230.380	3 481	137.090	
L92	29 475.880	3 478	344.840		R95	28 223.750	3 481	057.620	
L93	29 750.680	3 477	807.600		R96	28 220.010	3 481	032.130	
L94	30 381.520	3 476	573.150		R97	28 226.520	3 480	986.960	
L95	30 405.960	3 476	527.420		R98	28 229.330	3 480	973.900	
L96	30 436.320	3 476	475.200		R99	28 250.380	3 480	830.410	
L97	30 468.710	3 476	424.400		R100	28 261.810	3 480	769.170	
L98	30 503.070	3 476	374.920		R101	28 275.510	3 480	709.030	
L99	30 539.650	3 476	326.600		R102	28 283.000	3 480	680.190	
					Vel 14 Van 20 Sheet of P754/08				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L100	30 577.620	3	476 280.200		R103	28 291.220	3	480 650.840	
L101	30 618.170	3	476 235.170		R104	28 310.400	3	480 590.730	
L102	30 661.430	3	476 192.800		R105	28 330.950	3	480 533.600	
L103	30 704.550	3	476 149.700		R106	28 355.510	3	480 474.420	
L104	30 748.400	3	476 109.520		R107	28 381.090	3	480 418.440	
L105	31 584.340	3	475 368.430		R108	28 398.600	3	480 382.400	
L106	31 716.250	3	475 251.460		R109	28 747.410	3	479 699.990	
L107	31 924.460	3	475 073.980		R110	28 837.240	3	479 524.520	
L108	31 996.290	3	475 010.400		R111	28 873.530	3	479 445.820	
L109	32 067.980	3	474 946.930		R112	28 920.340	3	479 362.030	
L110	32 113.350	3	474 899.920		R113	29 170.640	3	478 872.620	
L111	32 371.180	3	474 671.310		R114	29 722.240	3	477 793.920	
L112	32 459.250	3	474 592.800		R115	30 353.430	3	476 558.950	
L113	33 371.650	3	473 783.760		R116	30 378.520	3	476 512.020	
L114	33 850.870	3	473 359.170		R117	30 409.590	3	476 458.720	
L115	34 266.430	3	472 990.650		R118	30 442.470	3	476 406.870	
L115X	34 284.030	3	472 975.040		R119	30 477.610	3	476 356.430	
L116	34 880.730	3	472 446.270		R120	30 514.860	3	476 307.230	
L117	35 447.350	3	471 943.630		R121	30 554.060	3	476 259.380	
L118	35 697.750	3	471 721.610		R122	30 595.040	3	476 213.440	
L119	35 743.320	3	471 680.060		R123	30 637.760	3	476 169.120	
L120	35 787.670	3	471 637.550		R124	30 681.910	3	476 126.980	
L121	35 830.880	3	471 594.020		R125	30 750.580	3	476 065.670	
L122	35 873.090	3	471 549.330		R126	31 489.520	3	475 410.610	
L123	35 914.150	3	471 503.690		R127	31 496.930	3	475 403.990	
L124	35 973.420	3	471 433.240		R128	31 573.280	3	475 336.250	
L125	36 011.430	3	471 385.260		R129	31 895.030	3	475 044.070	
L126	36 050.860	3	471 332.680		R130	31 964.160	3	474 985.100	
L127	36 105.440	3	471 269.820		R130X	32 018.730	3	474 939.540	
L128	36 155.720	3	471 188.550		R131	32 096.260	3	474 872.390	
L129	36 335.410	3	470 942.180		R132	32 438.560	3	474 569.020	
L130	36 604.750	3	470 572.330		R133	32 613.930	3	474 413.440	
L131	36 959.980	3	470 085.330		R134	32 900.630	3	474 159.240	
L132	37 315.790	3	469 597.050		R135	33 829.700	3	473 335.770	
L133	37 329.340	3	469 582.570		R136	34 228.470	3	472 982.180	
L134	37 332.690	3	469 578.990		R137	34 263.160	3	472 951.420	
L135	37 461.070	3	469 403.030		R138	34 491.290	3	472 749.240	
L136	37 504.730	3	469 342.340		R139	34 605.460	3	472 648.020	
L137	37 539.840	3	469 292.330		R140	34 717.270	3	472 545.230	
L138	37 574.720	3	469 241.640		R141	34 791.180	3	472 483.650	
L139	37 608.970	3	469 190.880		R142	34 891.400	3	472 394.140	
L140	37 642.370	3	469 140.230		R143	35 426.290	3	471 920.250	
L141	37 737.600	3	468 991.710		R144	35 674.960	3	471 699.610	
L142	38 053.380	3	468 499.240		R145	35 721.850	3	471 656.940	
L143	38 333.460	3	468 062.130		R146	35 765.690	3	471 614.990	
L144	38 415.580	3	467 934.050		R147	35 808.280	3	471 572.070	
L145	38 478.580	3	467 852.100		R148	35 849.840	3	471 528.050	
L146	38 580.170	3	467 677.030		R149	35 890.330	3	471 483.030	
L147	38 663.230	3	467 552.440		R150	35 903.120	3	471 468.280	
L148	38 744.040	3	467 421.330		R151	35 948.970	3	471 413.470	
L149	38 932.600	3	467 127.360		R152	35 986.520	3	471 366.000	
					Vel	15	Van	20	P754/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L150	39 237.880	3	466	650.960	R153	36 025.510	3	471	313.940
L151	39 616.050	3	466	060.000	R154	36 068.650	3	471	244.070
L152	39 648.070	3	466	008.510	R155	36 130.460	3	471	169.860
L153	39 711.970	3	465	903.920	R156	36 309.890	3	470	923.730
L154	39 773.040	3	465	798.110	R157	36 579.360	3	470	553.850
L155	39 803.170	3	465	744.960	R158	36 920.410	3	470	085.900
L156	39 834.200	3	465	689.100	R159	37 290.380	3	469	578.450
L157	39 906.070	3	465	558.560	R160	37 296.880	3	469	566.670
L158	40 013.020	3	465	381.170	R161	37 302.280	3	469	556.900
L159	40 096.980	3	465	211.740	R162	37 430.800	3	469	380.450
L160	40 175.470	3	465	080.270	R163	37 474.040	3	469	320.350
L161	40 258.690	3	464	918.150	R164	37 508.930	3	469	270.790
L162	40 327.220	3	464	806.890	R165	37 543.380	3	469	220.750
L163	40 464.720	3	464	543.690	R166	37 577.100	3	469	170.610
L164	40 660.170	3	464	189.100	R167	37 610.490	3	469	120.160
L165	40 906.060	3	463	742.560	R168	37 698.210	3	468	983.340
L166	41 053.110	3	463	475.360	R169	38 022.160	3	468	478.030
L167	41 159.960	3	463	296.350	R170	38 301.940	3	468	041.500
L168	41 166.840	3	463	282.880	R171	38 433.100	3	467	825.000
L169	41 200.010	3	463	208.700	R172	38 548.160	3	467	657.170
L170	41 303.250	3	463	021.480	R173	38 627.640	3	467	527.370
L171	41 420.580	3	462	808.200	R174	38 794.840	3	467	272.210
L172	41 714.620	3	462	274.240	R175	38 900.030	3	467	108.020
L173	42 008.820	3	461	739.480	R176	39 206.080	3	466	630.580
L174	42 302.950	3	461	205.890	R177	39 583.800	3	466	040.300
L175	42 541.720	3	460	773.020	R178	39 615.840	3	465	988.870
L176	42 589.880	3	460	685.060	R179	39 647.620	3	465	936.660
L177	42 744.060	3	460	405.120	R180	39 679.020	3	465	884.370
L178	43 038.180	3	459	871.200	R181	39 709.870	3	465	832.040
L179	43 243.900	3	459	497.620	R182	39 740.260	3	465	779.310
L180	43 640.800	3	458	776.630	R183	39 770.150	3	465	726.670
L181	43 706.980	3	458	656.460	R184	39 801.000	3	465	671.030
L182	43 916.640	3	458	275.780	R185	39 873.280	3	465	539.710
L183	44 214.660	3	457	735.170	R186	39 962.360	3	465	366.910
L184	44 435.360	3	457	334.390	R187	40 064.300	3	465	192.960
L185	44 582.090	3	457	067.890	R188	40 134.760	3	465	058.150
L186	44 845.320	3	456	590.190	R189	40 179.010	3	464	978.120
L187	44 952.650	3	456	395.190	R190	40 259.380	3	464	838.940
L188	44 979.940	3	456	347.880	R191	40 313.860	3	464	727.890
L189	45 028.690	3	456	272.110	R192	40 402.450	3	464	578.650
L190	45 063.440	3	456	223.040	R193	40 416.650	3	464	553.000
L191	45 100.280	3	456	175.600	R194	40 637.860	3	464	151.210
L192	45 139.210	3	456	129.440	R195	40 872.860	3	463	724.550
L193	45 198.700	3	456	065.650	R196	41 019.720	3	463	457.790
L194	45 244.060	3	456	021.310	R197	41 093.260	3	463	324.240
L195	45 289.010	3	455	981.100	R198	41 123.840	3	463	262.170
L196	45 335.220	3	455	942.850	R199	41 166.850	3	463	190.660
L197	45 383.080	3	455	906.350	R200	41 261.970	3	463	017.900
L198	45 432.490	3	455	871.850	R201	41 387.700	3	462	789.790
L199	45 483.220	3	455	839.140	R202	41 975.700	3	461	721.920
L200	45 640.860	3	455	748.130	R203	42 416.600	3	460	921.390
					Vel 16 Van 20 Sheet of P754/08				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L201	45 984.650	3	455 551.650		R204	42 497.510	3	460 765.840	
L202	46 304.560	3	455 368.650		R205	42 505.300	3	460 752.980	
L203	46 804.170	3	455 083.050		R206	42 555.440	3	460 668.610	
L204	47 370.210	3	454 759.320		R207	42 565.130	3	460 651.590	
L205	47 587.250	3	454 635.310		R208	42 769.610	3	460 280.600	
L206	47 653.970	3	454 597.160		R209	43 210.820	3	459 479.530	
L207	47 704.860	3	454 569.430		R210	43 671.090	3	458 643.630	
L208	47 758.360	3	454 541.440		R211	43 883.970	3	458 257.040	
L209	47 812.990	3	454 514.290		R212	44 181.690	3	457 716.650	
L210	47 867.530	3	454 488.610		R213	44 402.460	3	457 315.860	
L211	47 922.730	3	454 463.920		R214	44 549.220	3	457 049.340	
L212	47 978.580	3	454 440.170		R215	44 812.040	3	456 571.710	
L213	48 034.750	3	454 417.630		R216	44 916.410	3	456 381.950	
L214	48 091.570	3	454 396.160		R217	44 963.360	3	456 302.010	
L215	48 148.510	3	454 375.950		R218	44 997.530	3	456 250.600	
L216	48 205.750	3	454 356.950		R219	45 033.090	3	456 200.650	
L217	48 263.810	3	454 338.690		R220	45 070.800	3	456 152.050	
L218	48 346.980	3	454 315.030		R221	45 110.570	3	456 104.770	
L219	48 613.310	3	454 243.360		R222	45 152.050	3	456 059.430	
L220	49 229.310	3	454 077.460		R223	45 195.660	3	456 015.400	
L221	49 734.390	3	453 941.500		R224	45 220.230	3	455 992.010	
L222	50 911.780	3	453 624.620		R225	45 264.240	3	455 952.660	
L223	51 000.580	3	453 603.400		R226	45 311.810	3	455 913.280	
L224	51 058.680	3	453 587.890		R227	45 360.500	3	455 875.150	
L225	51 118.160	3	453 569.070		R228	45 410.560	3	455 839.250	
L226	51 338.030	3	453 509.860		R229	45 462.370	3	455 805.910	
L227	51 383.040	3	453 496.980		R230	45 505.170	3	455 782.340	
L228	51 441.440	3	453 478.070		R231	45 781.060	3	455 624.580	
L229	51 499.530	3	453 456.730		R232	45 811.680	3	455 601.950	
L229X	51 511.560	3	453 451.880		R233	45 913.360	3	455 548.970	
L230	51 556.710	3	453 432.870		R234	46 246.060	3	455 358.640	
L231	51 613.030	3	453 406.790		R235	46 787.110	3	455 049.420	
L232	51 668.270	3	453 378.620		R236	47 341.000	3	454 732.570	
L233	51 721.440	3	453 348.610		R237	47 633.380	3	454 565.510	
L234	51 774.060	3	453 316.020		R238	47 686.750	3	454 536.340	
L235	51 807.850	3	453 293.530		R239	47 741.590	3	454 507.690	
L236	52 554.550	3	452 782.850		R240	47 796.030	3	454 480.560	
L237	53 057.930	3	452 438.390		R241	47 851.980	3	454 454.190	
L238	53 485.590	3	452 145.810		R242	47 906.590	3	454 429.720	
L239	53 816.180	3	451 920.030		R243	47 964.380	3	454 405.190	
L240	54 541.960	3	451 423.250		R244	48 021.070	3	454 382.490	
L241	54 719.050	3	451 302.060		R245	48 078.580	3	454 360.660	
L242	54 813.220	3	451 237.650		R246	48 136.320	3	454 340.200	
L243	54 868.740	3	451 200.150		R247	48 194.380	3	454 320.790	
L244	54 971.010	3	451 133.310		R248	48 253.100	3	454 302.510	
L245	55 084.630	3	451 062.360		R249	48 336.060	3	454 278.760	
L246	55 516.420	3	450 799.770		R250	48 621.830	3	454 201.870	
L247	55 689.160	3	450 694.690		R251	49 224.260	3	454 039.680	
L248	55 722.870	3	450 675.940		R252	50 313.430	3	453 746.570	
L249	55 779.490	3	450 643.490		R253	50 607.540	3	453 667.360	
L250	55 829.420	3	450 609.180		R254	50 901.660	3	453 588.120	
					Vel 17 Van 20 P754/08 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L251	56 349.270	3	450 292.520		R255	51 314.180	3	453 477.270	
L252	57 092.510	3	449 840.420		R256	51 372.150	3	453 460.870	
L253	57 442.980	3	449 627.070		R257	51 429.900	3	453 442.270	
L254	57 557.640	3	449 557.220		R258	51 485.790	3	453 421.560	
L255	57 599.140	3	449 532.180		R259	51 541.470	3	453 398.540	
L256	57 651.870	3	449 500.950		R260	51 596.150	3	453 373.100	
L257	57 704.530	3	449 470.430		R261	51 649.910	3	453 345.750	
L258	57 756.960	3	449 440.870		R262	51 702.220	3	453 316.100	
L259	57 823.530	3	449 404.360		R263	51 753.390	3	453 284.520	
L260	58 372.600	3	449 106.660		R264	51 786.870	3	453 262.300	
L261	58 748.280	3	448 903.450		R265	52 533.040	3	452 751.540	
L262	58 981.880	3	448 776.830		R266	53 036.320	3	452 407.450	
L263	59 257.910	3	448 627.420		R267	53 464.320	3	452 114.720	
L264	59 346.580	3	448 582.210		R268	53 754.600	3	451 915.710	
L264X	59 430.960	3	448 536.340		R269	54 495.700	3	451 409.130	
L265	59 482.600	3	448 507.630		R270	54 696.720	3	451 271.640	
L266	59 647.390	3	448 415.030		R271	54 848.560	3	451 168.320	
L267	59 703.790	3	448 381.020		R272	54 950.730	3	451 101.460	
L268	59 737.590	3	448 359.530		R273	55 002.210	3	451 068.980	
L269	59 814.020	3	448 308.390		R274	55 054.300	3	451 036.790	
L270	59 864.110	3	448 272.480		R275	55 497.050	3	450 767.420	
L271	59 913.130	3	448 235.620		R276	55 685.130	3	450 652.750	
L272	59 972.760	3	448 187.680		R277	56 303.980	3	450 276.110	
L273	60 031.460	3	448 137.910		R278	57 424.020	3	449 594.490	
L274	60 079.330	3	448 095.890		R279	57 580.160	3	449 499.540	
L275	60 121.820	3	448 054.330		R280	57 681.060	3	449 440.580	
L276	60 174.880	3	448 001.120		R281	57 738.680	3	449 407.890	
L277	60 652.060	3	447 507.520		R282	57 805.370	3	449 371.210	
L278	60 930.140	3	447 220.020		R283	58 354.960	3	449 073.610	
L279	60 963.420	3	447 250.500		R284	58 731.010	3	448 870.060	
L280	60 980.200	3	447 232.970		R285	58 941.720	3	448 755.660	
L281	60 947.130	3	447 202.400		R286	59 212.670	3	448 609.060	
L282	61 288.540	3	446 849.590		R287	59 320.080	3	448 549.410	
L283	61 330.460	3	446 804.320		R288	59 479.960	3	448 461.740	
L284	61 369.550	3	446 756.700		R289	59 561.110	3	448 417.670	
L285	61 405.800	3	446 706.220		R290	59 638.380	3	448 374.500	
L286	61 438.360	3	446 653.320		R291	59 664.710	3	448 360.790	
L287	61 467.700	3	446 598.170		R292	59 717.060	3	448 327.910	
L288	61 493.110	3	446 541.360		R293	59 767.500	3	448 294.670	
L289	61 514.630	3	446 482.990		R294	59 817.300	3	448 259.890	
L290	61 533.340	3	446 419.280		R295	59 866.350	3	448 223.900	
L291	61 659.600	3	445 921.480		R296	59 913.900	3	448 187.010	
L292	61 724.320	3	445 700.120		R297	59 960.870	3	448 148.710	
L293	61 750.150	3	445 566.150		R298	60 007.010	3	448 109.310	
L294	61 784.280	3	445 449.330		R299	60 051.890	3	448 068.750	
L295	61 802.600	3	445 359.490		R300	60 095.700	3	448 027.150	
L296	61 810.560	3	445 328.000		R301	60 148.070	3	447 974.610	
L297	61 856.570	3	445 178.300		R302	60 456.020	3	447 656.180	
L298	61 868.950	3	445 117.580		R303	60 625.620	3	447 480.860	
L299	61 874.530	3	445 088.710		R304	60 879.590	3	447 217.910	
L300	61 877.860	3	445 073.710		R305	60 864.720	3	447 203.400	
					Vel	18	Van	20	P754/08
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L301	61 923.180	3	444 884.750		R306	60 898.660	3	447 168.400	
L302	61 959.880	3	444 739.180		R307	60 922.000	3	447 174.070	
L303	62 005.910	3	444 571.050		R308	61 272.540	3	446 811.680	
L304	62 057.510	3	444 354.550		R309	61 302.620	3	446 779.200	
L305	62 086.350	3	444 240.720		R310	61 340.170	3	446 733.410	
L306	62 158.900	3	443 957.210		R311	61 374.950	3	446 684.630	
L307	62 307.970	3	443 370.930		R312	61 406.270	3	446 633.930	
L308	62 332.330	3	443 288.760		R313	61 434.280	3	446 581.180	
L309	62 366.920	3	443 136.760		R314	61 458.370	3	446 526.860	
L310	62 451.360	3	442 804.280		R315	61 479.000	3	446 470.760	
L311	62 481.980	3	442 707.640		R316	61 496.910	3	446 409.560	
L312	62 506.060	3	442 649.710		R317	61 623.310	3	445 911.750	
L313	62 533.260	3	442 596.180		R318	61 653.410	3	445 793.500	
L314	62 579.500	3	442 520.780		R319	61 679.340	3	445 673.540	
L315	62 615.560	3	442 471.560		R320	61 721.010	3	445 527.700	
L316	62 666.180	3	442 413.150		R321	61 739.310	3	445 437.430	
L317	62 827.330	3	442 241.990		R322	61 766.120	3	445 350.020	
L318	62 927.040	3	442 136.100		R323	61 788.420	3	445 261.820	
L319	62 969.360	3	442 099.570		R324	61 799.410	3	445 201.160	
L320	63 020.800	3	442 035.610		R325	61 814.430	3	445 128.520	
L321	63 123.960	3	441 925.040		R326	61 863.490	3	444 965.660	
L322	63 547.420	3	441 473.290		R327	61 883.200	3	444 876.760	
L323	63 636.680	3	441 383.210		R328	61 912.880	3	444 770.330	
L324	63 734.590	3	441 273.850		R329	61 957.930	3	444 581.300	
L325	64 154.490	3	440 825.670		R330	62 008.110	3	444 387.400	
L326	64 313.640	3	440 656.200		R331	62 020.880	3	444 346.700	
L327	64 338.200	3	440 629.630		R332	62 126.460	3	443 930.810	
L328	64 426.180	3	440 535.070		R333	62 246.080	3	443 459.720	
L329	64 459.630	3	440 500.540		R334	62 269.790	3	443 361.230	
L330	64 600.190	3	440 350.390		R335	62 289.580	3	443 273.810	
L331	64 687.620	3	440 256.850		R336	62 313.590	3	443 193.510	
L332	64 882.830	3	440 048.000		R337	62 414.680	3	442 795.490	
L333	64 944.190	3	439 976.120		R338	62 427.510	3	442 750.020	
L334	65 001.110	3	439 904.800		R339	62 447.790	3	442 691.390	
L335	65 055.890	3	439 830.210		R340	62 471.890	3	442 634.150	
L336	65 169.500	3	439 666.990		R341	62 499.970	3	442 578.500	
L337	65 260.690	3	439 552.250		R342	62 531.850	3	442 524.510	
L338	65 279.190	3	439 505.810		R343	62 566.930	3	442 473.250	
L339	65 310.020	3	439 461.400		R344	62 605.480	3	442 424.300	
L340	66 066.130	3	438 363.320		R345	62 638.640	3	442 387.440	
L341	66 441.230	3	437 818.520		R346	62 787.270	3	442 228.680	
L342	66 585.060	3	437 609.860		R347	62 844.740	3	442 167.770	
L343	66 635.150	3	437 541.680		R348	62 912.870	3	442 086.160	
L343X	66 637.360	3	437 539.010		R349	62 941.240	3	442 050.070	
L344	66 671.120	3	437 506.340		R350	62 996.900	3	441 997.120	
L345	66 692.540	3	437 485.740		R351	63 084.140	3	441 912.110	
L346	66 737.980	3	437 446.930		R352	63 459.960	3	441 511.540	
L347	66 785.820	3	437 412.450		R353	63 621.190	3	441 333.340	
L348	66 836.530	3	437 381.500		R354	63 668.210	3	441 289.490	
L349	66 889.930	3	437 354.710		R355	64 126.450	3	440 800.620	
L350	66 944.740	3	437 332.290		R356	64 293.360	3	440 622.260	
					Vel 19 Van 20 P754/08 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 19°		Y		X	
L351	67 001.080	3	437	314.450	R357	64 336.330	3	440	576.300
L352	67 052.660	3	437	302.190	R358	64 564.370	3	440	333.330
L353	67 118.550	3	437	292.420	R359	64 680.490	3	440	209.400
L354	67 177.680	3	437	288.580	R360	64 835.270	3	440	044.220
L355	67 236.920	3	437	289.480	R361	64 875.780	3	439	998.830
L356	67 296.100	3	437	294.890	R362	64 933.790	3	439	929.570
L357	67 358.400	3	437	306.320	R363	64 971.070	3	439	882.240
L358	67 416.900	3	437	321.620	R364	65 007.380	3	439	833.540
L359	67 935.930	3	437	482.080	R365	65 042.680	3	439	783.190
L360	68 091.320	3	437	530.200	R366	65 183.310	3	439	578.780
L361	68 141.190	3	437	542.840	R367	65 233.850	3	439	493.140
L362	68 203.660	3	437	552.930	R368	65 260.770	3	439	466.430
L363	68 266.710	3	437	555.350	R369	65 318.720	3	439	382.240
L364	68 329.320	3	437	550.830	R370	65 664.320	3	438	880.620
L365	68 391.650	3	437	539.500	R371	66 035.270	3	438	341.800
L366	68 451.060	3	437	521.430	R372	66 407.680	3	437	801.010
L367	68 509.320	3	437	496.620	R373	66 551.330	3	437	586.920
L368	68 566.100	3	437	464.750	R374	66 579.970	3	437	547.940
L369	68 614.760	3	437	427.040	R375	66 600.640	3	437	523.040
L370	68 669.530	3	437	377.970	R376	66 620.940	3	437	500.000
L371	68 705.260	3	437	337.900	R377	66 667.030	3	437	457.890
L372	68 748.080	3	437	275.090	R378	66 714.410	3	437	417.400
L373	68 963.760	3	436	907.320	R379	66 765.100	3	437	380.900
L374	69 019.890	3	436	815.510	R380	66 818.490	3	437	348.350
L375	69 081.010	3	436	735.400	R381	66 874.440	3	437	320.150
L376	69 314.940	3	436	439.450	R382	66 932.510	3	437	296.560
L377	69 640.790	3	436	026.510	R383	66 991.800	3	437	277.770
L378	69 716.530	3	435	920.530	R384	67 055.130	3	437	264.340
L379	69 740.010	3	435	863.510	R385	67 114.710	3	437	254.880
L380	69 773.120	3	435	717.030	R386	67 176.770	3	437	250.890
L381	69 781.480	3	435	702.320	R387	67 239.670	3	437	251.820
					R388	67 301.470	3	437	257.570
					R389	67 360.210	3	437	267.850
					R390	67 428.730	3	437	285.740
					R391	67 947.610	3	437	446.190
					R392	68 102.210	3	437	494.020
					R393	68 150.380	3	437	506.540
					R394	68 209.280	3	437	515.550
					R395	68 268.450	3	437	517.720
R408	69 030.200	3	436	740.070	R396	68 327.550	3	437	513.260
R409	69 063.950	3	436	696.570	R397	68 384.470	3	437	502.450
R410	69 271.780	3	436	433.500	R398	68 439.760	3	437	485.620
R411	69 610.430	3	436	004.890	R399	68 493.970	3	437	462.590
R412	69 646.300	3	435	954.220	R400	68 545.050	3	437	433.720
R413	69 673.110	3	435	901.450	R401	68 592.860	3	437	399.010
R414	69 696.650	3	435	843.420	R402	68 637.150	3	437	358.860
R415	69 709.050	3	435	811.150	R403	68 674.850	3	437	315.830
R416	69 718.520	3	435	783.690	R404	68 716.270	3	437	255.070
R417	69 727.040	3	435	756.100	R405	68 931.530	3	436	887.700
R418	69 734.730	3	435	728.210	R406	68 956.190	3	436	847.100
R419	69 742.500	3	435	694.110	R407	68 990.070	3	436	795.310
					Vel	20	Van	20	P754/08
					Sheet		of		