

Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Vol. 544

Pretoria, 26 October
Oktober 2010

No. 33673

IMPORTANT NOTICE

The Government Printing Works will not be held responsible for faxed documents not received due to errors on the fax machine or faxes received which are unclear or incomplete. Please be advised that an "OK" slip, received from a fax machine, will not be accepted as proof that documents were received by the GPW for printing. If documents are faxed to the GPW it will be the sender's responsibility to phone and confirm that the documents were received in good order.

Furthermore the Government Printing Works will also not be held responsible for cancellations and amendments which have not been done on original documents received from clients.

CONTENTS**INHOUD**

<i>No.</i>	<i>Page No.</i>	<i>Gazette No.</i>	<i>No.</i>	<i>Bladsy No.</i>	<i>Koerant No.</i>
GOVERNMENT NOTICE			GOEWERMENTSKENNISGEWING		
Transport, Department of			Vervoer, Departement van		
<i>Government Notice</i>			<i>Goewermentskennisgewing</i>		
956 South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration amendment of National Road R27 Section 11: Amendment of Declaration No. 285 of 2006	3	33673	956 Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring wysiging van Nasionale Pad R27 Seksie 11: Wysiging van Verklaring No. 285 van 2006	4	33673

GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 956

26 October 2010

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD R27 SECTION 11

AMENDMENT OF DECLARATION No. 285 OF 2006

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 285 of 2006, by substituting the descriptive section of the route from Kenhardt up to Keimoes, with the subjoined sheets 1 to 18 of Plan No. P766/09.

(National Road R27 Section 11: Kenhardt – Keimoes)

 (Acting Minister)
MINISTER OF TRANSPORT

GOEWERMENTSKENNISGEWING

DEPARTEMENT VAN VERVOER

No. 956

26 Oktober 2010

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK

Registrasie No: 98/09584/06

VERKLARING WYSIGING VAN NASIONALE PAD R27 SEKSIE 11


WYSIGING VAN VERKLARING NO. 285 VAN 2006

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet no. 7 van 1998), wysig ek hiermee Verklaring no. 285 van 2006, deur die beskrywende gedeelte van die roete vanaf Kenhardt tot by Keimoes, te vervang met meegaande velle 1 tot 18 van Plan no. P766/09.

(Nasionale Pad R27 Seksie 11: Kenhardt – Keimoes)



MINISTER VAN VERVOER

(Acting Minister)




Die Suid Afrikaanse Nasionale Padogentskop Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R27 Seksie
of National Route R27 Section

Vel
Sheet 1 van 18
Plan P766/09



Die Suid Afrikaanse Nasionale Padogentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


R27

Seksie
Section

11

Vel
Sheet 2 van
of 18

Plan
P766/09




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R27 Sektie
of National Route Section


Vel
Sheet 3 of 18
Plan P766/09




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown	stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion von Nasionale Roete R27 of National Route	Vel Sheet 4 of 18 Plan P766/09
--	---------------------------------------	--	---



Die Suid Afrikaanse Nasionale Padagentskap Beperk	Die figuur getoon		steldie padreserwe ,voor van 'n gedeelte represents the rood reserve of a portion van Nasionale Roete R27 Seksie of National Route of National Route	11	Vel Sheet 5 of 18
The South African National Roads Agency Limited	The figure shown				Plan P766/09



Die Suid Afrikaanse Nasionale Padogenskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	R27 Seksie Section	11	Vel Sheet	6 of	18	Plan P766/09
---	---------------------------------------	--	---	--------------------------	----	--------------	---------	----	--------------




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon



steldie padreserwe voor van 'n gedeelte
represents the rood reserve of o portion
van Nasionale Roete R27 Seksie
of National Route Section

Vel Sheet 7 of 18
Plan P766/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
von Nasionale Roete
of National Route


R27

Seksie
Section


11


Vel
Sheet 8 van 18


Plan P766/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 9 von 18
R27 Seksie Section	11	Plan P766/09		



Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown 	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route R27 Seksie Section 11	Vel Sheet 10 van of 18 Plan P766/09
--	--	--	--



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route

R27

Seksie
Section

11

Vel van
Sheet 12 of 18

Plan P766/09

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES										
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°			Y		X	
L1	-14 827.200	3	247	531.940		R1	-14 847.610	3	247	536.890
L2	-14 848.700	3	247	443.550		R2	-14 870.610	3	247	442.010
L3	-14 855.130	3	247	355.260		R3	-14 876.560	3	247	350.110
L4	-14 852.370	3	247	355.930		R4	-14 899.440	3	247	344.600
L5	-14 851.560	3	247	285.410		R5	-14 887.510	3	247	274.060
L6	-14 850.550	3	247	217.400		R6	-14 883.240	3	247	248.540
L7	-14 846.420	3	246	968.550		R7	-14 887.120	3	247	170.960
L8	-14 860.170	3	246	807.710		R8	-14 913.420	3	246	653.390
L9	-14 861.880	3	246	792.680		R9	-14 953.150	3	245	912.110
L10	-14 866.710	3	246	642.830		R10	-14 954.770	3	245	870.380
L11	-14 882.600	3	246	328.290		R11	-14 989.950	3	245	603.310
L12	-14 889.460	3	246	196.360		R12	-15 061.020	3	245	059.230
L13	-14 901.370	3	245	915.110		R13	-15 099.150	3	244	768.680
L14	-14 922.100	3	245	872.370		R14	-15 157.510	3	244	318.750
L15	-14 974.000	3	245	483.620		R15	-15 203.550	3	243	967.190
L16	-14 961.790	3	245	454.710		R16	-15 271.750	3	243	442.810
L17	-15 279.560	3	243	018.760		R17	-15 575.570	3	241	116.980
L18	-15 338.570	3	242	567.930		R18	-15 644.670	3	240	586.850
L19	-15 628.510	3	240	345.840		R19	-15 684.410	3	240	282.650
L20	-15 701.230	3	239	790.970		R20	-16 029.580	3	237	637.540
L21	-15 755.450	3	239	373.120		R21	-16 064.050	3	237	371.960
L22	-15 821.830	3	238	863.360		R22	-16 086.580	3	237	201.480
L23	-15 982.370	3	237	627.900		R23	-16 142.770	3	236	770.970
L24	-16 044.700	3	237	151.350		R24	-16 176.940	3	236	509.580
L25	-16 095.380	3	236	768.070		R25	-16 183.520	3	236	457.070
L26	-16 132.940	3	236	481.020		R26	-16 212.720	3	236	193.870
L27	-16 159.790	3	236	271.260		R27	-16 212.110	3	236	002.300
L28	-16 170.120	3	236	187.660		R28	-15 922.980	3	229	585.500
L29	-16 160.130	3	235	913.510		R29	-15 898.950	3	229	038.910
L30	-16 141.200	3	235	477.290		R30	-15 737.580	3	225	445.690
L31	-16 031.330	3	233	033.330		R31	-15 719.210	3	225	038.510
L32	-16 008.720	3	232	534.830		R32	-15 673.410	3	224	018.390
L33	-15 874.170	3	229	537.170		R33	-15 651.320	3	223	537.050
L34	-15 793.780	3	227	748.210		R34	-15 647.570	3	223	485.600
L35	-15 748.140	3	226	736.050		R35	-15 646.520	3	223	472.500
L36	-15 726.440	3	226	252.050		R36	-15 639.680	3	223	394.730
L37	-15 712.760	3	225	949.190		R37	-15 638.450	3	223	381.800
L38	-15 690.010	3	225	439.690		R38	-15 635.760	3	223	355.800
L39	-15 626.300	3	224	023.820		R39	-15 623.130	3	223	243.380
L40	-15 604.180	3	223	539.800		R40	-15 592.030	3	222	998.590
L41	-15 600.090	3	223	481.770		R41	-15 476.740	3	222	088.820
L42	-15 591.920	3	223	389.370		R42	-15 416.780	3	221	615.310
L43	-15 585.310	3	223	322.010		R43	-15 046.740	3	218	700.620
L44	-15 545.670	3	223	007.060		R44	-14 998.740	3	218	321.340
L45	-15 485.240	3	222	530.790		R45	-14 952.930	3	217	961.820
L46	-15 437.920	3	222	159.040		R46	-14 917.230	3	217	680.120
L47	-15 433.200	3	222	120.590		R47	-14 740.480	3	216	286.900
L48	-15 369.570	3	221	621.200		R48	-14 678.940	3	215	802.940
L49	-15 307.840	3	221	134.440		R49	-14 523.950	3	214	581.020
L50	-15 248.460	3	220	664.910		R50	-14 505.670	3	214	438.420
L51	-15 113.060	3	219	598.470		R51	-14 486.840	3	214	323.130
						Vel 14 Van 18 Sheet of P766/09				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES										
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°			Y		X	
L52	-15 060.580	3	219	185.210		R52	-14 453.470	3	214	174.870
L53	-15 000.670	3	218	712.330		R53	-14 446.700	3	214	148.280
L54	-14 857.750	3	217	585.420		R54	-14 443.070	3	214	135.100
L55	-14 815.260	3	217	252.040		R55	-14 434.070	3	214	105.990
L56	-14 756.670	3	216	790.040		R56	-14 425.330	3	214	076.930
L57	-14 693.350	3	216	291.600		R57	-14 408.810	3	214	023.580
L58	-14 630.170	3	215	792.810		R58	-14 400.580	3	213	999.500
L59	-14 565.980	3	215	287.400		R59	-14 387.420	3	213	962.600
L60	-14 542.810	3	215	104.910		R60	-14 364.360	3	213	901.990
L61	-14 476.570	3	214	582.020		R61	-14 344.870	3	213	854.140
L62	-14 453.500	3	214	398.290		R62	-14 247.830	3	213	637.510
L63	-14 409.880	3	214	192.280		R63	-14 166.590	3	213	456.560
L64	-14 393.110	3	214	131.600		R64	-13 216.780	3	211	345.450
L65	-14 378.960	3	214	081.770		R65	-11 006.690	3	206	434.320
L66	-14 345.120	3	213	984.390		R66	-10 502.080	3	205	312.660
L67	-14 308.080	3	213	888.920		R67	-10 481.200	3	205	266.120
L68	-14 291.540	3	213	850.150		R68	-10 402.010	3	205	090.370
L69	-14 201.530	3	213	649.700		R69	-10 334.630	3	204	940.460
L70	-14 122.550	3	213	474.200		R70	-10 311.950	3	204	890.260
L71	-13 772.900	3	212	696.820		R71	-10 300.500	3	204	865.260
L72	-13 587.050	3	212	283.280		R72	-10 288.930	3	204	840.340
L73	-13 385.130	3	211	834.310		R73	-10 277.380	3	204	815.880
L74	-13 173.500	3	211	364.410		R74	-10 259.190	3	204	778.080
L75	-12 765.840	3	210	458.730		R75	-10 234.930	3	204	729.000
L76	-12 566.670	3	210	015.750		R76	-10 209.950	3	204	680.120
L77	-12 169.220	3	209	133.080		R77	-10 197.400	3	204	655.630
L78	-11 946.530	3	208	637.700		R78	-10 178.100	3	204	619.300
L79	-11 785.120	3	208	279.240		R79	-10 158.470	3	204	583.130
L80	-11 240.020	3	207	067.710		R80	-10 065.540	3	204	416.350
L81	-10 961.920	3	206	449.590		R81	-9 783.610	3	203	913.580
L82	-10 556.360	3	205	548.670		R82	-9 366.280	3	203	168.630
L83	-10 418.040	3	205	241.010		R83	-9 353.490	3	203	146.060
L84	-10 257.860	3	204	884.790		R84	-9 335.650	3	203	114.230
L85	-10 234.230	3	204	835.080		R85	-9 315.240	3	203	077.250
L86	-10 210.160	3	204	785.280		R86	-9 242.920	3	202	948.080
L87	-10 160.440	3	204	686.770		R87	-8 290.320	3	201	247.650
L88	-10 141.130	3	204	650.090		R88	-6 091.560	3	197	322.870
L89	-10 121.390	3	204	613.840		R89	-5 751.930	3	196	716.260
L90	-10 088.150	3	204	553.800		R90	-5 728.720	3	196	675.290
L91	-10 021.390	3	204	434.140		R91	-5 488.730	3	196	246.290
L92	-9 740.260	3	203	932.780		R92	-5 243.940	3	195	809.850
L93	-9 517.910	3	203	535.870		R93	-4 474.600	3	194	436.500
L94	-9 323.700	3	203	189.450		R94	-4 409.890	3	194	320.540
L95	-9 233.950	3	203	029.130		R95	-4 391.170	3	194	285.530
L96	-9 246.030	3	203	007.490		R96	-4 366.930	3	194	239.200
L97	-9 239.050	3	202	995.660		R97	-4 343.960	3	194	192.400
L98	-9 222.880	3	202	970.090		R98	-4 310.710	3	194	121.280
L99	-9 203.930	3	202	974.990		R99	-4 274.380	3	194	037.770
L100	-9 098.450	3	202	786.910		R100	-4 244.770	3	193	964.030
L101	-8 232.730	3	201	241.760		R101	-4 235.270	3	193	939.360
L102	-6 519.710	3	198	183.630		R102	-4 217.110	3	193	889.350
						Vel	15	Van	18	P766/09
						Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L103	-6 051.000	3	197	347.370	R103	-4 206.940	3	193	859.630
L104	-5 746.860	3	196	804.400	R104	-4 181.530	3	193	783.360
L105	-5 703.450	3	196	726.950	R105	-4 172.910	3	193	756.420
L106	-4 385.960	3	194	374.410	R106	-4 146.260	3	193	665.010
L107	-4 298.220	3	194	206.620	R107	-4 129.080	3	193	599.220
L108	-4 259.980	3	194	124.460	R108	-4 104.970	3	193	493.040
L109	-4 239.460	3	194	076.860	R109	-3 908.280	3	192	513.470
L110	-4 200.540	3	193	981.070	R110	-3 713.190	3	191	540.540
L111	-4 177.750	3	193	920.100	R111	-3 608.890	3	191	021.760
L112	-4 156.930	3	193	858.500	R112	-3 452.920	3	190	244.790
L113	-4 131.000	3	193	780.830	R113	-3 390.710	3	189	935.500
L114	-4 104.280	3	193	689.740	R114	-3 266.500	3	189	315.790
L115	-4 087.020	3	193	624.130	R115	-3 192.540	3	188	947.110
L116	-4 059.410	3	193	505.210	R116	-3 168.400	3	188	826.130
L117	-3 997.130	3	193	197.780	R117	-3 157.350	3	188	772.670
L118	-3 332.650	3	189	885.000	R118	-3 145.450	3	188	719.630
L119	-3 219.020	3	189	320.330	R119	-3 132.550	3	188	666.280
L120	-3 144.940	3	188	951.560	R120	-3 103.900	3	188	560.830
L121	-3 123.250	3	188	875.470	R121	-3 096.110	3	188	534.400
L122	-3 121.020	3	188	802.420	R122	-3 076.880	3	188	472.360
L123	-3 117.700	3	188	789.580	R123	-3 016.970	3	188	304.090
L124	-3 100.120	3	188	726.380	R124	-2 985.100	3	188	223.240
L125	-3 089.710	3	188	686.870	R125	-2 991.710	3	188	220.080
L126	-3 078.930	3	188	647.340	R126	-2 934.950	3	188	078.390
L127	-3 052.990	3	188	555.530	R127	-2 885.280	3	187	954.410
L128	-3 023.920	3	188	463.270	R128	-2 767.500	3	187	666.570
L129	-2 985.150	3	188	352.960	R129	-2 672.460	3	187	450.510
L130	-2 940.490	3	188	239.620	R130	-2 528.860	3	187	171.570
L131	-2 957.360	3	188	233.350	R131	-2 348.490	3	186	866.220
L132	-2 878.430	3	188	043.520	R132	-2 308.910	3	186	802.150
L133	-2 876.380	3	188	038.600	R133	-2 130.850	3	186	510.900
L134	-2 854.500	3	187	994.960	R134	-1 819.940	3	185	997.800
L135	-2 840.540	3	187	966.560	R135	-1 800.010	3	185	965.150
L136	-2 682.310	3	187	593.500	R136	-1 561.060	3	185	569.970
L137	-2 632.540	3	187	476.550	R137	-1 313.200	3	185	160.200
L138	-2 465.270	3	187	150.990	R138	-1 065.470	3	184	750.570
L139	-2 354.610	3	186	960.920	R139	- 784.840	3	184	289.380
L140	-2 351.710	3	186	961.400	R140	- 732.110	3	184	202.490
L141	-2 351.310	3	186	961.290	R141	- 713.270	3	184	169.810
L142	-2 273.510	3	186	833.510	R142	- 692.270	3	184	134.120
L143	-2 095.550	3	186	541.940	R143	- 665.020	3	184	088.490
L144	-1 865.280	3	186	164.440	R144	- 642.160	3	184	050.240
L145	-1 783.970	3	186	029.760	R145	- 638.770	3	184	044.030
L146	-1 520.030	3	185	593.500	R146	- 470.240	3	183	766.610
L147	-1 267.150	3	185	175.280	R147	- 378.020	3	183	614.550
L147X	- 745.800	3	184	314.040	R148	- 360.040	3	183	585.440
L147Y	- 722.910	3	184	276.500	R149	- 358.280	3	183	586.530
L147Z	- 672.570	3	184	193.030	R150	1 051.800	3	181	264.340
L148	- 610.730	3	184	090.420	R151	1 063.690	3	181	263.980
L149	- 604.710	3	184	080.650	R152	1 063.910	3	181	263.630
L150	- 420.150	3	183	773.920	R153	1 174.690	3	181	084.000
					Vel 16 Van 18 Sheet of P766/09				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L151	- 338.720	3	183	637.870	R154	1 182.460	3	181	080.230
L152	- 249.120	3	183	497.490	R155	1 207.010	3	181	040.200
L153	-60.090	3	183	186.660	R156	1 212.600	3	181	031.330
L154	44.140	3	183	014.880	R157	1 218.560	3	181	018.220
L155	215.080	3	182	733.590	R158	1 220.260	3	181	012.440
L156	374.930	3	182	470.800	R159	1 227.340	3	180	979.090
L157	770.740	3	181	818.520	R160	1 230.080	3	180	966.240
L158	938.300	3	181	542.210	R161	1 235.790	3	180	937.780
L159	1 084.900	3	181	301.330	R162	1 237.570	3	180	932.280
L160	1 079.570	3	181	295.370	R163	1 237.310	3	180	919.530
L161	1 127.180	3	181	216.940	R164	1 237.320	3	180	916.720
L162	1 142.990	3	181	174.380	R165	1 237.360	3	180	902.420
L163	1 198.700	3	181	081.370	R166	1 230.660	3	180	478.470
L164	1 217.930	3	181	075.000	R167	1 229.940	3	180	439.430
L165	1 218.230	3	181	074.960	R168	1 229.860	3	180	435.030
L166	1 246.460	3	181	001.040	R169	1 229.660	3	180	421.890
L167	1 255.900	3	180	960.040	R170	1 230.710	3	180	382.840
L168	1 261.530	3	180	939.180	R171	1 244.360	3	180	325.070
L169	1 261.890	3	180	917.120	R172	1 287.130	3	180	250.410
L170	1 254.620	3	180	482.620	R173	1 293.950	3	180	244.850
L171	1 253.890	3	180	440.620	R174	1 305.670	3	180	235.300
L172	1 253.810	3	180	435.770	R175	1 309.150	3	180	232.580
L173	1 250.930	3	180	426.020	R176	1 326.520	3	180	209.840
L174	1 259.110	3	180	355.570	R177	1 337.390	3	180	202.020
L175	1 322.500	3	180	238.460	R178	1 362.280	3	180	184.120
L176	1 328.850	3	180	233.910	R179	1 478.120	3	180	141.260
L177	1 331.960	3	180	231.680	R180	1 496.830	3	180	132.990
L178	1 340.960	3	180	225.250	R181	1 534.000	3	180	097.570
L179	1 357.060	3	180	213.720	R182	1 543.510	3	180	082.170
L180	1 389.390	3	180	196.970	R183	1 600.660	3	179	989.610
L181	1 478.960	3	180	168.510	R184	1 613.890	3	179	968.180
L182	1 511.610	3	180	148.370	R185	1 609.560	3	179	943.370
L183	1 550.700	3	180	116.050	R186	1 602.420	3	179	923.930
L184	1 563.940	3	180	097.730	R187	1 563.460	3	179	810.900
L185	1 625.420	3	180	012.680	R188	1 525.960	3	179	727.470
L186	1 646.930	3	179	982.930	R189	1 525.290	3	179	725.670
L187	1 649.470	3	179	955.440	R190	1 522.310	3	179	717.620
L188	1 633.440	3	179	920.790	R191	1 512.510	3	179	705.690
L189	1 626.480	3	179	909.530	R192	1 505.960	3	179	694.140
L190	1 605.280	3	179	862.080	R193	1 500.530	3	179	689.320
L191	1 586.170	3	179	798.490	R194	1 487.960	3	179	669.460
L192	1 533.310	3	179	695.160	R195	1 484.310	3	179	664.090
L193	1 522.840	3	179	674.770	R196	1 457.860	3	179	625.160
L194	1 520.270	3	179	669.780	R197	1 424.550	3	179	565.670
L195	1 502.460	3	179	637.180	R198	1 407.350	3	179	505.310
L196	1 498.120	3	179	612.830	R199	1 400.310	3	179	474.160
L197	1 472.960	3	179	549.320	R200	1 401.140	3	179	465.700
L198	1 434.500	3	179	509.110	R201	1 398.850	3	179	440.490
L199	1 423.200	3	179	455.490	R202	1 398.100	3	179	423.420
L200	1 420.180	3	179	418.700	R203	1 398.140	3	179	408.610
L201	1 423.640	3	179	364.830	R204	1 398.690	3	179	349.700
					Vel 17 Van 18 P766/09 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L202	1 427.630	3	179 329.140		R205	1 398.840	3	179 339.630	
L203	1 423.950	3	179 304.890		R206	1 392.810	3	179 311.800	
L204	1 425.430	3	179 281.720		R207	1 395.790	3	179 289.720	
L205	1 426.720	3	179 270.410		R208	1 425.040	3	179 073.190	
L206	1 449.820	3	179 068.220		R209	1 416.590	3	179 071.092	
L207	1 451.810	3	179 050.800		R210	1 420.740	3	179 047.570	
L208	1 459.474	3	179 002.540		R211	1 434.690	3	178 968.500	
L209	1 470.010	3	178 969.930		R212	1 486.220	3	178 880.580	
L210	1 491.100	3	178 928.220		R213	1 487.340	3	178 891.570	
L211	1 531.210	3	178 884.150		R214	1 826.460	3	178 643.200	
L212	1 584.230	3	178 844.730		R215	1 888.650	3	178 588.200	
L213	1 602.920	3	178 834.570		R216	1 907.990	3	178 556.150	
L214	1 842.900	3	178 666.400		R217	1 913.640	3	178 546.790	
L215	1 902.570	3	178 616.440		R218	1 916.330	3	178 539.530	
L216	1 915.860	3	178 600.410		R219	1 924.300	3	178 518.000	
L217	1 923.200	3	178 587.060		R220	1 924.560	3	178 482.810	
L218	1 935.170	3	178 565.270		R221	1 924.780	3	178 447.550	
L219	1 941.700	3	178 553.390		R222	1 922.140	3	178 417.320	
L220	1 948.290	3	178 523.870		R223	1 909.570	3	178 313.020	
L221	1 949.330	3	178 505.710		R224	1 908.790	3	178 304.600	
L222	1 948.140	3	178 495.040		R225	1 908.370	3	178 300.050	
L223	1 935.680	3	178 336.640		R226	1 893.310	3	178 137.560	
L224	1 935.360	3	178 304.130		R227	1 893.100	3	178 135.260	
L225	1 933.503	3	178 294.311		R228	1 861.120	3	177 788.330	
L226	1 933.090	3	178 289.840		R228X	1 868.540	3	177 762.750	
L227	1 918.190	3	178 128.500		R229	1 868.830	3	177 761.720	
L228	1 917.130	3	178 116.970		R230	1 871.160	3	177 745.810	
L229	1 896.010	3	177 888.470		R231	1 875.723	3	177 714.676	
L230	1 892.560	3	177 769.380		R232	1 875.505	3	177 714.596	
L231	1 894.450	3	177 754.440		R232X	1 878.100	3	177 686.600	
L232	1 898.380	3	177 723.210		R233	1 879.330	3	177 673.330	
L233	1 900.540	3	177 706.100		R234	1 890.900	3	177 535.020	
L234	1 911.730	3	177 618.510		R235	1 867.740	3	177 401.490	
L235	1 911.620	3	177 546.290		R236	1 872.290	3	177 390.150	
L236	1 910.390	3	177 536.170		R237	1 862.060	3	177 343.700	
L237	1 903.310	3	177 477.520		R238	1 857.280	3	177 333.740	
L238	1 897.850	3	177 446.890						
L239	1 888.580	3	177 401.470						
L240	1 882.200	3	177 387.430						
L241	1 872.590	3	177 331.120						