

Government Gazette

Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Vol. 545

Pretoria, 12 November 2010

No. 33702

IMPORTANT NOTICE

The Government Printing Works will not be held responsible for faxed documents not received due to errors on the fax machine or faxes received which are unclear or incomplete. Please be advised that an "OK" slip, received from a fax machine, will not be accepted as proof that documents were received by the GPW for printing. If documents are faxed to the GPW it will be the sender's responsibility to phone and confirm that the documents were received in good order.

Furthermore the Government Printing Works will also not be held responsible for cancellations and amendments which have not been done on original documents received from clients.

CONTENTS**INHOUD**

No.	Page No.	Gazette No.	No.	Bladsy No.	Koerant No.
GOVERNMENT NOTICE			GOEWERMENTSKENNISGEWING		
Transport, Department of			Vervoer, Departement van		
<i>Government Notice</i>			<i>Goewermentskennisgewing</i>		
990 South African National Roads Agency Limited and the National Roads Act (7/1998): The South African National Roads Agency Limited: Declaration amendment of National Road R33 Section 7: Amendment of Declaration No. 174 of 2007	3	33702	990 Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet (7/1998): Die Suid-Afrikaanse Nasionale Padagentskap Beperk: Verklaring wysiging van Nasionale Pad R33 Seksie 7: Wysiging van Verklaring No. 174 van 2007	4	33702

GOVERNMENT NOTICE

DEPARTMENT OF TRANSPORT

No. 990

12 November 2010

THE SOUTH AFRICAN NATIONAL ROADS AGENCY LIMITED

Registration No: 98/09584/06

DECLARATION AMENDMENT OF NATIONAL ROAD R33 SECTION 7

AMENDMENT OF DECLARATION No. 174 OF 2007

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 174 of 2007 by substituting Annexure paragraph (V) the section of the descriptive declaration of the route from Amsterdam up to the N17, with the subjoined sheets 1 to 15 of Plan No. P768/09.

(National Road R33 Section 7: Amsterdam – N17)

 *(Acting Minister)*
MINISTER OF TRANSPORT

GOEWERMENTSKENNISGEWING

DEPARTEMENT VAN VERVOER

No. 990

12 November 2010

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP BEPERK

Registrasie No: 98/09584/06

VERKLARING WYSIGING VAN NASIONALE PAD R33 SEKSIE 7.


WYSIGING VAN VERKLARING NO. 174 VAN 2007.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en die Nasionale Paaie Wet, 1998 (Wet no. 7 van 1998), wysig ek hiermee Verklaring no. 174 van 2007 deur die Bylae paragraaf (V) die gedeelte van die beskrywende verklaring van die roete vanaf Amsterdam tot by die N17, te vervang met meegaande velle 1 tot 15 van Plan no. P768/09.

(Nasionale Pad R33 Seksie 7: Amsterdam – N17)


MINISTER VAN VERVOER

(Acting Minister)



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited


Die figuur getoon
The figure shown



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R33
of National Route


7

Vel
Sheet 1 of 15
Plan P768/09




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R33 Sektie Section
of National Route R33 Sektie Section

Vel Sheet 2 van 15
Plan P768/09




Die Suid Afrikaanse Nasionale Padagentskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R33 of National Route	Seksie Section 7	Vel Sheet 3 van 15 Plan P768/09
---	--	---	---	---------------------------------------	---



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown




steld die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R33
of National Route R33


Seksie
Section


7

Vel
Sheet 4 van 15
of

Plan P768/09




Die Suid Afrikaanse Nasionale Padogenskap Beperk The South African National Roads Agency Limited	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R33 of National Route Seksie Section 7	Vel Sheet 5 van of 15 Plan P768/09
--	--	---	---	--



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


R33

Seksie
Section

7

Vel
Sheet 6 van
of 15

Plan
P768/09




Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R33
of National Route R33
Seksie Section 7

Vel
Sheet 7 van 15
Plan P768/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route


R33

Seksie
Section

7


Vel
Sheet 8 van 15

Plan P768/09



Die Suid Afrikaanse Nasionale Padagentskap Beperk
The South African National Roads Agency Limited

Die figuur getoon
The figure shown



stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete of National Route
R33
Seksie
Section
7

Vel
Sheet 9 van 15
Plan P768/09

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L1	34 005.130	2	945	078.330	R1	33 986.790	2	945	062.610
L2	34 232.260	2	944	817.290	R2	34 174.550	2	944	829.980
L3	34 331.510	2	944	698.600	R3	34 301.680	2	944	677.510
L4	34 464.620	2	944	541.150	R4	34 437.400	2	944	515.100
L5	34 510.820	2	944	483.910	R5	34 505.660	2	944	431.450
L6	34 570.760	2	944	410.700	R6	34 571.950	2	944	349.940
L7	34 632.330	2	944	336.220	R7	34 637.960	2	944	281.560
L8	34 662.000	2	944	310.650	R8	34 713.700	2	944	226.890
L9	34 737.140	2	944	264.680	R9	34 811.480	2	944	204.900
L10	34 818.020	2	944	241.890	R10	34 934.280	2	944	190.670
L11	34 937.570	2	944	227.730	R11	35 021.020	2	944	169.530
L12	35 033.790	2	944	204.590	R12	35 093.660	2	944	130.000
L13	35 125.560	2	944	161.180	R13	35 156.420	2	944	073.050
L14	35 185.970	2	944	095.360	R14	35 203.910	2	944	001.290
L15	35 224.780	2	944	036.040	R15	35 232.960	2	943	916.830
L16	35 269.150	2	943	926.200	R16	35 259.210	2	943	805.250
L17	35 275.360	2	943	898.790	R17	35 267.970	2	943	745.520
L18	35 295.460	2	943	813.180	R18	35 272.580	2	943	657.360
L19	35 307.890	2	943	672.450	R19	35 272.820	2	943	652.740
L20	35 308.290	2	943	667.940	R20	35 296.750	2	943	140.330
L21	35 326.580	2	943	296.400	R21	35 311.220	2	942	827.220
L22	35 334.050	2	943	140.650	R22	35 327.710	2	942	712.270
L23	35 348.870	2	942	829.150	R23	35 341.210	2	942	665.550
L24	35 364.510	2	942	718.430	R24	35 383.360	2	942	564.080
L25	35 416.520	2	942	581.330	R25	35 461.710	2	942	434.590
L26	35 453.920	2	942	518.960	R26	35 623.040	2	942	174.290
L27	35 467.400	2	942	494.710	R27	35 760.280	2	941	952.660
L28	35 651.250	2	942	197.060	R28	35 790.730	2	941	903.590
L29	35 786.480	2	941	979.280	R29	35 835.420	2	941	815.050
L30	35 868.620	2	941	833.910	R30	35 835.450	2	941	815.030
L31	35 901.050	2	941	731.820	R31	35 863.970	2	941	726.870
L32	35 914.990	2	941	637.850	R32	35 877.720	2	941	641.870
L33	35 913.430	2	941	528.250	R33	35 875.200	2	941	519.300
L34	35 894.670	2	941	425.640	R34	35 847.640	2	941	416.510
L35	35 867.600	2	941	347.290	R35	35 833.690	2	941	364.430
L36	35 768.490	2	941	098.090	R36	35 731.880	2	941	106.030
L37	35 750.090	2	941	044.070	R37	35 712.560	2	941	049.040
L38	35 735.930	2	940	984.530	R38	35 698.660	2	940	989.940
L39	35 726.340	2	940	893.230	R39	35 689.340	2	940	898.870
L40	35 731.070	2	940	802.850	R40	35 692.890	2	940	802.190
L41	35 738.130	2	940	740.480	R41	35 705.520	2	940	721.850
L42	35 738.620	2	940	736.160	R42	35 706.250	2	940	717.230
L43	35 762.160	2	940	646.940	R43	35 716.520	2	940	649.910
L44	35 781.660	2	940	573.400	R44	35 742.620	2	940	562.320
L45	35 817.080	2	940	492.190	R45	35 782.990	2	940	476.960
L46	35 830.200	2	940	470.170	R46	35 817.470	2	940	415.650
L47	35 922.710	2	940	315.620	R47	35 892.580	2	940	292.630
L48	36 018.710	2	940	153.500	R48	35 984.020	2	940	139.340
L49	36 056.780	2	940	079.340	R49	36 021.860	2	940	065.390
L50	36 076.160	2	940	018.420	R50	36 039.560	2	940	011.260
L51	36 090.230	2	939	944.870	R51	36 057.180	2	939	887.110
					Vel 10 Van 15 P768/09 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°				X	
L52	36 086.100	2	939	858.790	R52	36 040.080	2	939	795.300
L53	36 060.810	2	939	755.400	R53	36 001.520	2	939	672.280
L54	36 037.530	2	939	662.870	R54	35 979.270	2	939	576.020
L55	36 020.620	2	939	587.710	R55	35 974.000	2	939	448.940
L56	36 010.230	2	939	451.630	R56	35 981.080	2	939	328.650
L57	36 016.910	2	939	355.770	R57	35 977.470	2	939	240.530
L58	36 017.170	2	939	328.880	R58	35 967.630	2	939	181.760
L59	36 014.390	2	939	235.010	R59	35 931.550	2	939	002.410
L60	35 958.040	2	938	936.660	R60	35 923.170	2	938	938.940
L61	35 983.840	2	938	758.650	R61	35 925.890	2	938	842.640
L62	36 043.000	2	938	647.910	R62	35 946.670	2	938	760.690
L63	36 124.960	2	938	576.750	R63	35 969.620	2	938	698.880
L64	36 258.470	2	938	453.260	R64	36 005.640	2	938	639.020
L65	36 344.310	2	938	385.110	R65	36 032.550	2	938	607.280
L66	36 385.140	2	938	344.780	R66	36 066.040	2	938	567.500
L67	36 629.560	2	938	136.090	R67	36 301.810	2	938	365.320
L68	36 925.650	2	937	883.060	R68	36 320.820	2	938	348.930
L69	36 993.160	2	937	808.720	R69	36 576.280	2	938	132.030
L70	37 040.120	2	937	739.810	R70	36 897.550	2	937	858.130
L71	37 063.570	2	937	692.550	R71	36 960.680	2	937	790.180
L72	37 094.050	2	937	619.490	R72	37 009.000	2	937	719.020
L73	37 196.960	2	937	263.720	R73	37 047.640	2	937	640.040
L74	37 255.940	2	937	089.040	R74	37 066.620	2	937	586.090
L75	37 249.980	2	937	078.370	R75	37 156.270	2	937	269.680
L76	37 252.730	2	937	065.410	R76	37 217.070	2	937	054.890
L77	37 270.410	2	936	981.810	R77	37 217.900	2	937	050.970
L78	37 281.660	2	936	776.170	R78	37 233.050	2	936	979.030
L79	37 291.090	2	936	523.700	R79	37 249.680	2	936	675.100
L80	37 297.390	2	936	400.650	R80	37 253.850	2	936	522.730
L81	37 327.430	2	936	225.710	R81	37 257.500	2	936	431.340
L82	37 426.690	2	935	770.830	R82	37 268.200	2	936	327.830
L83	37 536.750	2	935	251.830	R83	37 291.900	2	936	213.780
L84	37 536.910	2	935	251.030	R84	37 372.100	2	935	835.670
L85	37 569.510	2	935	090.610	R85	37 396.130	2	935	723.270
L86	37 575.930	2	934	989.870	R86	37 447.480	2	935	498.390
L87	37 575.980	2	934	989.150	R87	37 506.560	2	935	232.770
L88	37 574.190	2	934	910.990	R88	37 507.650	2	935	227.920
L89	37 559.400	2	934	805.660	R89	37 507.860	2	935	227.660
L90	37 500.840	2	934	610.180	R90	37 507.950	2	935	226.990
L91	37 442.190	2	934	468.020	R91	37 535.920	2	935	022.620
L92	37 321.340	2	934	175.710	R92	37 538.740	2	935	002.000
L93	37 275.020	2	934	064.440	R93	37 536.810	2	934	914.720
L94	37 201.730	2	933	888.140	R94	37 520.110	2	934	795.570
L95	37 169.180	2	933	795.670	R95	37 497.680	2	934	709.290
L96	37 143.490	2	933	679.610	R96	37 466.180	2	934	624.790
L97	37 130.390	2	933	497.350	R97	37 409.060	2	934	486.860
L98	37 137.190	2	933	465.090	R98	37 288.280	2	934	194.240
L99	37 188.030	2	933	073.790	R99	37 166.780	2	933	902.260
L100	37 206.410	2	932	944.720	R100	37 132.750	2	933	804.940
L101	37 212.500	2	932	896.530	R101	37 105.810	2	933	682.940
L102	37 220.350	2	932	847.200	R102	37 095.590	2	933	559.760
					Vel Sheet	11	Van of	15	P768/09

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°				X	
L103	37 247.520	2	932 712.330		R103	37 094.930	2	933 512.920	
L104	37 287.510	2	932 300.950		R104	37 098.850	2	933 484.340	
L105	37 309.030	2	932 135.590		R105	37 138.170	2	933 164.400	
L106	37 312.960	2	932 105.300		R106	37 150.810	2	933 065.730	
L107	37 343.820	2	931 867.180		R107	37 185.910	2	932 791.790	
L108	37 416.100	2	931 670.670		R108	37 253.110	2	932 276.730	
L109	37 447.860	2	931 612.690		R109	37 253.380	2	932 274.640	
L110	37 441.630	2	931 611.030		R110	37 270.620	2	932 140.880	
L111	37 636.290	2	931 288.040		R111	37 272.280	2	932 127.980	
L112	37 585.850	2	931 302.320		R112	37 320.930	2	931 757.250	
L113	37 539.430	2	931 332.180		R113	37 421.760	2	931 574.460	
L114	37 457.920	2	931 249.080		R114	37 510.250	2	931 432.400	
L115	37 374.580	2	931 149.930		R115	37 518.630	2	931 363.230	
L116	37 265.700	2	930 925.130		R116	37 392.840	2	931 231.110	
L117	37 243.340	2	930 828.710		R117	37 311.560	2	931 122.870	
L118	37 233.780	2	930 730.460		R118	37 265.610	2	931 033.150	
L119	37 226.370	2	930 372.250		R119	37 229.150	2	930 934.860	
L120	37 223.960	2	930 294.540		R120	37 206.300	2	930 836.680	
L121	37 220.500	2	930 231.420		R121	37 196.240	2	930 735.850	
L122	37 211.970	2	930 153.110		R122	37 188.830	2	930 374.000	
L123	37 193.480	2	930 054.860		R123	37 186.150	2	930 293.910	
L124	37 171.400	2	929 963.670		R124	37 182.280	2	930 236.230	
L125	37 127.700	2	929 784.330		R125	37 173.350	2	930 158.000	
L126	37 081.950	2	929 596.580		R126	37 156.730	2	930 064.200	
L127	36 994.260	2	929 239.020		R127	37 140.790	2	929 993.220	
L128	36 957.860	2	929 086.020		R128	37 086.880	2	929 782.550	
L129	36 857.660	2	928 693.870		R129	37 076.240	2	929 741.060	
L130	36 775.180	2	928 333.330		R130	36 977.230	2	929 327.470	
L131	36 753.560	2	928 253.280		R131	36 909.880	2	929 050.520	
L132	36 752.690	2	928 250.070		R132	36 773.570	2	928 493.250	
L133	36 743.560	2	928 209.050		R133	36 720.950	2	928 280.690	
L134	36 705.930	2	928 039.910		R134	36 717.010	2	928 264.760	
L135	36 685.940	2	927 884.500		R135	36 672.470	2	928 070.340	
L136	36 665.310	2	927 617.300		R136	36 669.760	2	928 058.500	
L137	36 636.580	2	927 268.740		R137	36 656.820	2	927 922.170	
L138	36 606.020	2	926 882.260		R138	36 631.450	2	927 660.190	
L139	36 591.720	2	926 718.780		R139	36 595.210	2	927 278.560	
L140	36 550.170	2	926 221.470		R140	36 562.140	2	926 770.000	
L141	36 528.950	2	925 912.220		R141	36 516.230	2	926 206.330	
L142	36 517.940	2	925 751.670		R142	36 493.670	2	925 923.020	
L143	36 470.490	2	925 149.550		R143	36 480.340	2	925 755.660	
L144	36 455.330	2	924 958.820		R144	36 453.040	2	925 404.770	
L145	36 433.150	2	924 690.400		R145	36 361.270	2	924 231.140	
L146	36 426.650	2	924 609.570		R146	36 354.290	2	924 191.810	
L147	36 415.360	2	924 453.360		R147	36 330.610	2	924 058.380	
L148	36 403.200	2	924 164.210		R148	36 279.110	2	923 943.460	
L149	36 359.750	2	924 053.240		R149	36 095.720	2	923 617.240	
L150	36 314.690	2	923 931.510		R150	35 941.070	2	923 353.230	
L151	36 115.490	2	923 582.220		R151	35 766.130	2	923 046.090	
L152	36 106.260	2	923 566.030		R152	35 718.870	2	922 963.110	
L153	35 812.290	2	923 047.550		R153	35 704.460	2	922 937.810	
					Vel	12	Van	15	P768/09
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°				X	
L154	35 737.290	2	922 915.270		R154	35 439.030	2	922 352.880	
L155	35 723.210	2	922 890.440		R155	35 207.970	2	921 838.840	
L156	35 471.250	2	922 332.500		R156	35 155.090	2	921 714.780	
L157	35 196.800	2	921 705.630		R157	35 123.830	2	921 615.210	
L158	35 091.990	2	921 334.070		R158	35 054.790	2	921 331.270	
L159	35 039.430	2	921 140.320		R159	35 008.480	2	921 165.980	
L160	34 989.700	2	921 023.330		R160	34 955.000	2	921 038.170	
L161	34 830.970	2	920 725.040		R161	34 765.150	2	920 680.820	
L162	34 522.660	2	920 148.470		R162	34 599.490	2	920 370.130	
L163	34 452.480	2	920 019.330		R163	34 489.800	2	920 163.960	
L164	34 400.900	2	919 900.090		R164	34 420.720	2	920 033.790	
L165	34 396.490	2	919 866.700		R165	34 370.760	2	919 916.090	
L166	34 380.370	2	919 744.490		R166	34 359.550	2	919 873.230	
L167	34 385.490	2	919 651.970		R167	34 356.970	2	919 863.360	
L168	34 453.400	2	919 384.990		R168	34 342.810	2	919 731.910	
L169	34 505.370	2	919 222.000		R169	34 347.850	2	919 648.820	
L170	34 548.870	2	919 126.290		R170	34 429.850	2	919 345.610	
L171	34 628.930	2	919 002.250		R171	34 519.420	2	919 102.420	
L172	34 748.980	2	918 825.270		R172	34 715.750	2	918 809.400	
L173	34 943.450	2	918 539.030		R173	34 914.740	2	918 514.670	
L174	35 123.120	2	918 273.250		R174	35 080.080	2	918 269.110	
L175	35 295.340	2	918 020.920		R175	35 279.520	2	917 979.270	
L176	35 457.670	2	917 781.480		R176	35 652.310	2	917 434.090	
L177	35 683.030	2	917 451.070		R177	35 715.150	2	917 353.550	
L178	35 745.880	2	917 370.530		R178	35 795.030	2	917 283.540	
L179	35 981.020	2	917 224.820		R179	35 898.270	2	917 222.540	
L180	36 012.700	2	917 208.410		R180	35 934.430	2	917 203.230	
L181	36 086.210	2	917 170.330		R181	36 032.760	2	917 150.700	
L182	36 151.240	2	917 119.080		R182	36 106.570	2	917 106.020	
L183	36 262.560	2	916 992.370		R183	36 205.320	2	917 006.340	
L184	36 322.720	2	916 879.640		R184	36 271.410	2	916 906.240	
L185	36 427.580	2	916 567.810		R185	36 316.430	2	916 795.210	
L186	36 508.520	2	916 318.970		R186	36 469.970	2	916 316.440	
L187	36 531.140	2	916 249.440		R187	36 597.270	2	915 919.500	
L188	36 654.000	2	915 867.280		R188	36 614.790	2	915 864.710	
L189	36 759.070	2	915 540.470		R189	36 764.880	2	915 395.360	
L190	36 857.900	2	915 238.690		R190	36 843.930	2	915 174.570	
L191	36 932.390	2	915 061.980		R191	36 871.530	2	915 096.290	
L192	37 023.480	2	914 919.220		R192	36 987.130	2	914 893.770	
L193	37 095.460	2	914 821.770		R193	37 067.120	2	914 807.360	
L194	37 338.950	2	914 613.140		R194	37 427.830	2	914 486.770	
L195	37 474.930	2	914 497.370		R195	37 436.460	2	914 480.270	
L196	37 485.210	2	914 489.750		R196	37 530.090	2	914 409.740	
L197	37 509.790	2	914 471.540		R197	37 780.600	2	914 221.050	
L198	37 646.140	2	914 370.520		R198	38 005.240	2	914 058.470	
L199	38 324.720	2	913 874.010		R199	38 380.140	2	913 783.240	
L200	38 539.670	2	913 714.680		R200	38 433.870	2	913 742.830	
L201	38 556.040	2	913 702.830		R201	38 458.880	2	913 727.150	
L202	38 563.190	2	913 697.660		R202	38 535.300	2	913 675.810	
L203	38 843.530	2	913 558.190		R203	38 561.700	2	913 658.070	
L204	39 106.980	2	913 433.630		R204	38 564.670	2	913 656.560	
					Vel 13 Sheet of Van 15 P768/09				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°				X	
L205	39 432.550	2	913	250.440	R205	38 896.620	2	913	488.630
L206	39 750.260	2	913	081.160	R206	39 260.230	2	913	306.630
L207	39 800.960	2	913	056.550	R207	39 570.170	2	913	142.530
L208	40 096.930	2	913	000.210	R208	39 727.760	2	913	053.440
L209	40 314.870	2	912	971.010	R209	39 786.510	2	913	026.470
L210	40 444.310	2	912	953.660	R210	39 856.770	2	913	003.390
L211	40 598.010	2	912	900.110	R211	40 105.900	2	912	963.510
L212	40 700.550	2	912	842.670	R212	40 396.330	2	912	922.850
L213	40 784.020	2	912	767.920	R213	40 470.650	2	912	908.410
L214	40 856.900	2	912	664.380	R214	40 512.440	2	912	898.110
L215	40 987.180	2	912	471.960	R215	40 557.480	2	912	878.560
L216	41 057.380	2	912	346.690	R216	40 642.230	2	912	833.450
L217	41 098.980	2	912	272.830	R217	40 713.180	2	912	778.980
L218	41 137.810	2	912	182.700	R218	40 825.550	2	912	644.000
L219	41 169.990	2	912	040.610	R219	40 950.510	2	912	457.180
L220	41 165.710	2	911	876.960	R220	41 016.810	2	912	340.250
L221	41 106.110	2	911	463.350	R221	41 056.660	2	912	269.970
L222	41 071.130	2	911	212.470	R222	41 099.280	2	912	177.960
L223	41 043.990	2	911	112.650	R223	41 126.780	2	912	071.430
L224	40 975.730	2	910	979.060	R224	41 136.450	2	911	979.130
L225	40 781.440	2	910	656.780	R225	41 126.840	2	911	878.410
L226	40 676.680	2	910	484.250	R226	41 124.760	2	911	864.100
L227	40 624.410	2	910	378.040	R227	41 052.900	2	911	369.610
L228	40 529.820	2	910	037.760	R228	41 026.030	2	911	201.020
L229	40 529.050	2	910	035.000	R229	41 015.620	2	911	135.730
L230	40 456.680	2	909	748.450	R230	40 972.140	2	911	044.300
L231	40 430.790	2	909	650.010	R231	40 760.650	2	910	694.950
L232	40 336.060	2	909	289.760	R232	40 728.890	2	910	642.480
L233	40 316.270	2	909	170.080	R233	40 646.010	2	910	503.440
L234	40 326.050	2	909	089.200	R234	40 614.850	2	910	451.170
L235	40 362.520	2	908	972.000	R235	40 566.090	2	910	321.830
L236	40 419.020	2	908	885.430	R236	40 447.870	2	909	868.250
L237	40 584.180	2	908	721.140	R237	40 403.120	2	909	691.980
L238	40 602.900	2	908	702.520	R238	40 392.350	2	909	656.752
L239	40 733.870	2	908	571.640	R239	40 346.150	2	909	505.330
L240	40 791.280	2	908	511.440	R240	40 281.920	2	909	187.800
L241	40 837.410	2	908	440.420	R241	40 281.920	2	909	182.800
L242	40 867.740	2	908	357.780	R242	40 285.010	2	909	104.940
L243	40 878.870	2	908	288.170	R243	40 301.610	2	909	031.050
L244	40 873.770	2	908	214.310	R244	40 346.650	2	908	924.490
L245	40 858.880	2	908	158.860	R245	40 408.400	2	908	840.180
L246	40 827.890	2	908	080.780	R246	40 576.010	2	908	672.000
L247	40 756.950	2	907	991.470	R247	40 589.240	2	908	659.310
L247X	40 733.880	2	907	972.240	R248	40 712.660	2	908	540.960
L248	40 704.090	2	907	947.420	R249	40 754.580	2	908	496.990
L249	40 616.290	2	907	859.230	R250	40 783.810	2	908	459.360
L250	40 584.140	2	907	815.480	R251	40 831.300	2	908	349.310
L251	40 560.510	2	907	773.800	R252	40 841.430	2	908	276.620
L252	40 539.760	2	907	722.460	R253	40 837.690	2	908	216.050
L253	40 518.410	2	907	642.640	R254	40 822.690	2	908	146.140
L254	40 519.420	2	907	534.950	R255	40 788.510	2	908	088.700
					Vel	14	Van	15	P768/09
					Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°				X	
L255	40 550.220	2	907	419.280	R255X	40 712.170	2	908	007.080
L256	40 722.630	2	906	934.440	R256	40 672.640	2	907	964.830
L257	40 799.170	2	906	722.860	R257	40 631.750	2	907	935.750
L258	40 821.170	2	906	667.340	R258	40 581.580	2	907	878.210
L259	40 889.690	2	906	531.340	R259	40 536.730	2	907	806.690
L260	40 957.970	2	906	433.410	R260	40 500.370	2	907	717.510
L261	41 247.350	2	906	052.830	R261	40 485.240	2	907	649.640
L262	41 415.320	2	905	831.030	R262	40 484.740	2	907	524.270
L263	41 550.490	2	905	698.470	R263	40 689.240	2	906	920.840
L264	41 818.860	2	905	457.460	R264	40 765.710	2	906	705.270
L265	41 945.090	2	905	344.090	R265	40 813.040	2	906	589.470
L266	42 120.270	2	905	235.420	R266	40 936.150	2	906	405.810
L267	42 288.900	2	905	114.240	R267	41 215.460	2	906	037.540
L268	42 756.270	2	904	704.550	R268	41 387.060	2	905	812.220
L269	43 180.190	2	904	339.230	R269	41 472.790	2	905	722.900
L270	43 385.940	2	904	161.690	R270	41 792.410	2	905	436.760
L271	43 465.810	2	904	096.840	R271	41 929.200	2	905	314.290
L272	43 655.710	2	903	965.970	R272	42 101.490	2	905	204.220
L273	43 953.210	2	903	764.960	R273	42 235.910	2	905	117.670
L274	44 177.730	2	903	611.880	R274	42 735.510	2	904	677.940
L275	44 181.720	2	903	608.680	R275	43 148.780	2	904	318.520
L276	44 268.060	2	903	539.270	R276	43 355.550	2	904	137.890
L277	44 579.100	2	903	206.990	R277	43 445.140	2	904	067.950
L278	44 692.210	2	903	083.520	R278	43 618.810	2	903	947.070
L279	44 907.040	2	902	849.000	R279	43 938.710	2	903	731.450
L280	45 142.240	2	902	593.500	R280	44 129.990	2	903	602.150
L281	45 312.800	2	902	403.990	R281	44 139.170	2	903	595.940
L282	45 509.450	2	902	087.670	R282	44 271.110	2	903	487.970
L283	45 621.320	2	901	897.550	R283	44 551.600	2	903	183.880
L284	45 672.570	2	901	780.170	R284	44 722.760	2	902	998.240
L285	45 736.910	2	901	542.470	R285	44 885.870	2	902	821.330
L286	45 751.020	2	901	484.850	R286	45 107.120	2	902	577.640
L287	45 772.880	2	901	475.440	R287	45 283.770	2	902	380.590
					R288	45 481.360	2	902	064.610
					R289	45 590.700	2	901	877.280
					R290	45 661.380	2	901	686.950
					R291	45 714.220	2	901	475.560
					R292	45 673.790	2	901	449.860
</									