



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 635

23 May
Mei 2018

No. 41646

N.B. The Government Printing Works will
not be held responsible for the quality of
"Hard Copies" or "Electronic Files"
submitted for publication purposes

ISSN 1682-5843



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

No FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

<i>No.</i>		<i>Gazette No.</i>	<i>Page No.</i>
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS			
Transport, Department of/ Vervoer, Departement van			
515	South African National Roads Agency Limited and the National Roads Act (7/1998): Declaration Amendment of National Road N6 Section 2: Amendment of Declaration No. 2136 of 1992	41646	4
515	Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie Wet (7/1998): Verklaring Wysiging van Nasionale Pad N6 Seksie 2: Wysiging van Verklaring No. 2136 van 1992	41646	5

GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT**NO. 515****23 MAY 2018****THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED****Registration No: 1998/009584/30**

DECLARATION AMENDMENT OF NATIONAL ROAD N6 SECTION 2

AMENDMENT OF DECLARATION No. 2136 OF 1992.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 2136 of 1992 by substituting paragraph 6 of the Schedule, being the descriptive declaration of the route from Stutterheim up to Cathcart, with the accompanying sheets 1 to 20 of Plan No. P953/17.

In the town of Stutterheim the N6 Section 2 enters the town from the South and follows the street known as Maclean Street at the time of declaration.

In the town of Cathcart the N6 Section 2 enters the town from the South and follows the street known as Robinson Street at the time of declaration.

(National Road N6 Section 2: Stutterheim - Cathcart)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 515

23 MEI 2018

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N6 SEKSIE 2


WYSIGING VAN VERKLARING No. 2136 VAN 1992.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 2136 van 1992 deur paragraaf 6 van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Stutterheim tot by Cathcart, met bygaande velle 1 tot 20 van Plan No. P953/17.

In die dorp van Stutterheim kom die N6 Seksie 2 die dorp binne vanuit die Suide en volg die straat bekend as Macleanstraat tydens datum van verklaring.

In die dorp van Cathcart kom die N6 Seksie 2 die dorp binne vanuit die Suide en volg die straat bekend as Robinsonstraat tydens datum van verklaring.

(Nasionale Pad N6 Seksie 2: Stutterheim - Cathcart)
MINISTER VAN VERVOER






steldie padreserwe voor van 'n gedeelte
represents the rood reserve of a portion
van Nasionale Roete N6 Seksie
of National Route Section

Die figuur getoon


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Vel Sheet 2 of 20


Plan P953/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	Vel Sheet 3 of 20 Plan P953/17
---	---------------------------------------	---	--------------------------------------



Die Suid Afrikaanse Nasionale Padagentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	Vel Sheet 4 of 20 Plan P953/17
---	---------------------------------------	---	--------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet	5 of	20
The South African National Roads Agency SOC Ltd	The figure shown			2	Plan	P953/17



Vel
Sheet 6 of 20


Plan
P953/17

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route
Seksie
Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6 Seksie
of National Route Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

Vel
Sheet 7 of 20

Plan
P953/17




Vel 8 van
Sheet 8 of 20
Plan P953/17

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N6
of National Route N6
Seksie 2
Section




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	Vel Sheet	9 of	20
The South African National Roads Agency SOC Ltd	The figure shown			Plan	P953/17	



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N6 of National Route	Vel Sheet 10 of 20 Plan P953/17
---	---------------------------------------	---	---

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L1	-40 299.98	3	604	717.05	R1	-40 335.21	3	604	723.63
L2	-40 305.01	3	604	699.95	R2	-40 337.01	3	604	721.95
L3	-40 304.70	3	604	676.77	R3	-40 344.38	3	604	687.80
L4	-40 315.20	3	604	637.58	R4	-40 345.13	3	604	684.32
L5	-40 326.16	3	604	598.47	R5	-40 351.05	3	604	651.15
L6	-40 337.12	3	604	559.36	R6	-40 352.24	3	604	644.49
L7	-40 343.94	3	604	534.93	R7	-40 357.88	3	604	621.78
L8	-40 345.84	3	604	532.73	R8	-40 359.88	3	604	613.79
L9	-40 354.28	3	604	521.47	R9	-40 369.98	3	604	573.41
L10	-40 359.16	3	604	522.00	R10	-40 376.29	3	604	548.21
L11	-40 366.13	3	604	495.96	R11	-40 377.20	3	604	544.51
L12	-40 357.36	3	604	486.88	R12	-40 380.14	3	604	525.77
L13	-40 359.33	3	604	482.04	R13	-40 386.76	3	604	516.41
L14	-40 376.99	3	604	402.15	R14	-40 391.91	3	604	490.41
L15	-40 396.00	3	604	322.42	R15	-40 393.83	3	604	483.99
L16	-40 408.71	3	604	243.30	R16	-40 419.39	3	604	407.40
L17	-40 424.85	3	603	988.45	R17	-40 430.44	3	604	327.27
L18	-40 433.92	3	603	935.66	R18	-40 447.73	3	604	207.33
L19	-40 446.44	3	603	883.11	R19	-40 452.43	3	604	112.99
L20	-40 488.73	3	603	732.60	R20	-40 454.15	3	604	019.12
L21	-40 505.41	3	603	713.88	R21	-40 461.60	3	603	965.47
L22	-40 545.00	3	603	685.56	R22	-40 473.73	3	603	912.99
L23	-40 602.95	3	603	565.18	R23	-40 493.60	3	603	862.96
L24	-40 630.99	3	603	489.49	R24	-40 520.08	3	603	816.18
L25	-40 663.66	3	603	386.41	R25	-40 562.31	3	603	722.45
L26	-40 707.27	3	603	273.39	R26	-40 600.73	3	603	667.63
L27	-40 737.54	3	603	173.55	R27	-40 627.11	3	603	621.47
L28	-40 738.66	3	603	169.96	R28	-40 649.92	3	603	572.63
L29	-40 766.40	3	603	078.37	R29	-40 675.24	3	603	509.31
L30	-40 784.78	3	602	986.23	R30	-40 677.47	3	603	480.77
L31	-40 807.96	3	602	909.22	R31	-40 692.40	3	603	430.43
L32	-40 833.34	3	602	804.65	R32	-40 708.70	3	603	395.31
L33	-40 845.59	3	602	659.88	R33	-40 779.58	3	603	160.83
L34	-40 855.74	3	602	650.51	R34	-40 907.33	3	602	721.54
L35	-40 871.21	3	602	604.05	R35	-40 940.40	3	602	515.62
L36	-40 872.52	3	602	600.47	R36	-41 007.98	3	602	375.95
L37	-40 886.26	3	602	506.53	R37	-41 022.41	3	602	337.71
L38	-40 892.73	3	602	478.80	R38	-41 042.16	3	602	295.91
L39	-40 931.52	3	602	380.34	R39	-41 094.63	3	602	204.05
L40	-40 948.50	3	602	275.24	R40	-41 124.91	3	602	152.30
L41	-40 982.81	3	602	132.22	R41	-41 149.29	3	602	071.35
L42	-41 009.63	3	602	038.25	R42	-41 095.70	3	601	906.56
L43	-41 034.06	3	601	974.54	R43	-41 184.75	3	601	619.17
L44	-41 066.57	3	601	882.06	R44	-41 217.49	3	601	508.42
L45	-41 106.39	3	601	701.74	R45	-41 217.76	3	601	467.96
L46	-41 132.48	3	601	594.18	R46	-41 238.77	3	601	428.89
L47	-41 191.65	3	601	452.62	R47	-41 266.77	3	601	396.20
L48	-41 185.17	3	601	446.83	R48	-41 273.99	3	601	380.64
L49	-41 186.80	3	601	440.33	R49	-41 306.78	3	601	336.10
L50	-41 194.90	3	601	436.56	R50	-41 383.18	3	601	268.81
L51	-41 195.96	3	601	394.68	R51	-41 555.65	3	601	172.56
					Vel Sheet 11 Van of 20 P953/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	-41 180.88	3	601 389.48		R52	-41 604.55	3	601 146.23	
L53	-41 189.36	3	601 362.99		R53	-41 648.95	3	601 113.34	
L54	-41 212.05	3	601 354.14		R54	-41 698.05	3	601 065.20	
L55	-41 247.82	3	601 318.17		R55	-41 728.59	3	601 022.67	
L56	-41 294.27	3	601 274.12		R56	-41 752.58	3	600 972.96	
L57	-41 343.06	3	601 238.79		R57	-41 790.58	3	600 854.90	
L58	-41 416.19	3	601 200.95		R58	-41 806.29	3	600 799.03	
L59	-41 490.71	3	601 164.28		R59	-41 811.96	3	600 767.35	
L60	-41 495.74	3	601 160.31		R60	-41 797.25	3	600 760.52	
L61	-41 580.47	3	601 093.32		R61	-41 800.31	3	600 701.11	
L62	-41 623.54	3	601 055.96		R62	-41 793.96	3	600 664.23	
L63	-41 662.62	3	601 014.03		R63	-41 790.19	3	600 640.58	
L64	-41 697.70	3	600 968.72		R64	-41 762.83	3	600 547.02	
L65	-41 727.53	3	600 920.52		R65	-41 735.66	3	600 494.00	
L66	-41 754.80	3	600 843.24		R66	-41 722.47	3	600 472.32	
L67	-41 766.46	3	600 724.61		R67	-41 717.65	3	600 464.40	
L68	-41 760.08	3	600 693.48		R68	-41 711.15	3	600 454.99	
L69	-41 743.55	3	600 639.66		R69	-41 668.55	3	600 399.04	
L70	-41 721.03	3	600 585.70		R70	-41 528.05	3	600 257.23	
L71	-41 668.71	3	600 480.27		R71	-41 484.16	3	600 203.20	
L72	-41 659.46	3	600 462.67		R72	-41 487.32	3	600 187.68	
L73	-41 652.44	3	600 449.30		R73	-41 436.96	3	600 075.84	
L74	-41 613.72	3	600 393.51		R74	-41 467.78	3	599 932.01	
L75	-41 544.73	3	600 329.09		R75	-41 516.61	3	599 839.25	
L76	-41 502.50	3	600 297.57		R76	-41 509.46	3	599 804.14	
L77	-41 474.83	3	600 267.36		R77	-41 529.79	3	599 758.52	
L78	-41 443.98	3	600 192.86		R78	-41 539.09	3	599 723.65	
L79	-41 427.64	3	600 143.27		R79	-41 536.71	3	599 674.73	
L80	-41 421.01	3	600 131.93		R80	-41 537.36	3	599 603.96	
L81	-41 410.91	3	600 128.10		R81	-41 525.50	3	599 547.27	
L82	-41 405.43	3	600 115.44		R82	-41 504.50	3	599 489.82	
L83	-41 410.92	3	600 100.72		R83	-41 462.95	3	599 406.38	
L84	-41 407.48	3	600 020.32		R84	-41 431.90	3	599 362.86	
L85	-41 438.55	3	599 917.05		R85	-41 378.43	3	599 319.33	
L86	-41 451.76	3	599 850.67		R86	-41 334.30	3	599 269.48	
L87	-41 472.54	3	599 787.37		R87	-41 307.85	3	599 220.38	
L88	-41 492.22	3	599 709.22		R88	-41 282.85	3	599 163.66	
L89	-41 491.14	3	599 606.02		R89	-41 260.75	3	599 090.69	
L90	-41 479.26	3	599 552.88		R90	-41 247.88	3	599 048.22	
L91	-41 453.21	3	599 475.96		R91	-41 226.76	3	598 978.51	
L92	-41 421.53	3	599 451.38		R92	-41 203.18	3	598 894.88	
L93	-41 366.28	3	599 394.44		R93	-41 198.69	3	598 879.63	
L94	-41 325.17	3	599 325.39		R94	-41 192.52	3	598 855.93	
L95	-41 275.17	3	599 246.42		R95	-41 060.32	3	598 397.21	
L96	-41 241.76	3	599 159.80		R96	-40 969.67	3	598 082.01	
L97	-41 210.05	3	599 042.72		R97	-40 914.61	3	597 889.64	
L98	-41 199.01	3	599 001.95		R98	-40 878.88	3	597 764.70	
L99	-41 172.45	3	598 903.89		R99	-40 815.83	3	597 544.42	
L100	-41 163.42	3	598 898.31		R100	-40 766.85	3	597 371.54	
L101	-41 161.72	3	598 893.37		R101	-40 754.37	3	597 291.98	
L102	-41 168.06	3	598 886.10		R102	-40 749.86	3	597 211.28	
					Vel Sheet 12 Van of 20 P953/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	-41 091.79	3 598 626.55		R103	-40 754.97	3 597 131.36
L104	-41 051.26	3 598 481.26		R104	-40 768.82	3 597 052.56
L105	-41 050.01	3 598 481.81		R105	-40 790.79	3 596 978.50
L106	-41 042.29	3 598 485.21		R106	-40 829.37	3 596 861.13
L107	-41 038.31	3 598 480.17		R107	-40 880.58	3 596 688.22
L108	-41 046.31	3 598 465.64		R108	-40 882.22	3 596 683.14
L109	-40 940.64	3 598 106.35		R109	-40 892.45	3 596 657.75
L110	-40 846.17	3 597 771.89		R110	-40 905.92	3 596 620.33
L111	-40 759.77	3 597 515.98		R111	-40 926.93	3 596 507.12
L112	-40 733.59	3 597 370.80		R112	-40 925.09	3 596 371.15
L113	-40 715.84	3 597 262.33		R113	-40 880.95	3 596 261.12
L114	-40 716.05	3 597 123.94		R114	-40 798.43	3 596 109.20
L115	-40 725.70	3 597 055.42		R115	-40 755.56	3 596 018.54
L116	-40 752.61	3 596 938.48		R116	-40 627.62	3 595 748.11
L117	-40 839.91	3 596 673.38		R117	-40 553.92	3 595 592.16
L118	-40 848.21	3 596 657.34		R118	-40 481.43	3 595 439.29
L119	-40 861.38	3 596 650.73		R119	-40 456.68	3 595 391.88
L120	-40 895.78	3 596 504.42		R120	-40 416.95	3 595 337.67
L121	-40 894.38	3 596 423.93		R121	-40 369.93	3 595 290.80
L122	-40 870.46	3 596 334.20		R122	-40 346.47	3 595 272.14
L123	-40 812.85	3 596 210.80		R123	-40 166.55	3 595 166.04
L124	-40 769.86	3 596 127.90		R124	-39 977.80	3 595 059.73
L125	-40 553.60	3 595 672.86		R125	-39 902.75	3 595 027.23
L126	-40 425.55	3 595 406.96		R126	-39 824.89	3 595 016.15
L127	-40 393.07	3 595 363.77		R127	-39 725.85	3 595 036.41
L128	-40 337.79	3 595 307.33		R128	-39 558.86	3 595 092.27
L129	-40 297.57	3 595 312.73		R129	-39 497.45	3 595 106.04
L130	-40 292.31	3 595 294.70		R130	-39 421.53	3 595 110.48
L131	-40 306.74	3 595 286.12		R131	-39 328.64	3 595 092.39
L132	-40 112.95	3 595 175.39		R132	-39 171.35	3 595 011.70
L133	-39 958.61	3 595 087.68		R133	-39 106.06	3 594 977.38
L134	-39 814.03	3 595 052.72		R134	-39 022.21	3 594 910.30
L135	-39 750.93	3 595 088.92		R135	-38 989.21	3 594 880.39
L136	-39 714.80	3 595 082.30		R136	-38 882.96	3 594 772.36
L137	-39 665.04	3 595 090.62		R137	-38 841.36	3 594 731.25
L138	-39 589.85	3 595 121.31		R138	-38 799.78	3 594 699.72
L139	-39 507.93	3 595 142.35		R139	-38 763.78	3 594 684.56
L140	-39 427.51	3 595 145.99		R140	-38 741.94	3 594 678.06
L141	-39 320.90	3 595 131.09		R141	-38 719.72	3 594 671.44
L142	-39 270.53	3 595 112.83		R142	-38 652.35	3 594 651.38
L143	-39 076.72	3 595 018.81		R143	-38 599.96	3 594 643.09
L144	-39 007.34	3 594 976.75		R144	-38 528.28	3 594 633.27
L145	-38 951.46	3 594 919.53		R145	-38 471.58	3 594 647.50
L146	-38 861.36	3 594 835.89		R146	-38 261.18	3 594 716.09
L147	-38 848.59	3 594 810.48		R147	-38 181.16	3 594 747.07
L148	-38 800.19	3 594 799.19		R148	-38 114.43	3 594 757.99
L149	-38 741.95	3 594 765.38		R149	-37 967.46	3 594 774.93
L150	-38 719.40	3 594 752.29		R150	-37 827.57	3 594 790.31
L151	-38 691.03	3 594 735.82		R151	-37 671.06	3 594 830.99
L152	-38 600.27	3 594 704.76		R152	-37 615.08	3 594 847.76
L153	-38 572.25	3 594 683.42		R153	-37 504.47	3 594 878.89
				Vel Sheet	13 Van of	20 P953/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	-38 522.36	3	594 685.26		R154	-37 385.99	3	594 879.75	
L155	-38 425.83	3	594 693.02		R155	-37 359.96	3	594 875.21	
L156	-38 349.19	3	594 719.94		R156	-37 310.21	3	594 866.53	
L157	-38 236.82	3	594 769.04		R157	-37 210.00	3	594 833.66	
L158	-38 172.60	3	594 789.99		R158	-37 138.62	3	594 794.32	
L159	-38 145.76	3	594 794.13		R159	-36 918.32	3	594 639.93	
L160	-38 077.71	3	594 805.14		R160	-36 826.18	3	594 571.63	
L161	-37 951.54	3	594 815.97		R161	-36 684.95	3	594 465.28	
L162	-37 844.83	3	594 828.28		R162	-36 567.65	3	594 332.66	
L163	-37 767.60	3	594 846.65		R163	-36 471.51	3	594 209.90	
L164	-37 681.26	3	594 872.38		R164	-36 453.54	3	594 186.39	
L165	-37 598.06	3	594 896.40		R165	-36 440.72	3	594 166.70	
L166	-37 510.14	3	594 913.77		R166	-36 354.59	3	594 085.32	
L167	-37 426.38	3	594 921.49		R167	-36 212.71	3	593 917.63	
L168	-37 365.30	3	594 911.87		R168	-36 100.06	3	593 787.85	
L169	-37 308.38	3	594 900.29		R169	-36 065.18	3	593 747.67	
L170	-37 192.35	3	594 864.34		R170	-35 962.91	3	593 628.37	
L171	-37 121.67	3	594 825.71		R171	-35 917.65	3	593 598.18	
L172	-36 991.43	3	594 732.86		R172	-35 822.07	3	593 520.67	
L173	-36 845.65	3	594 625.48		R173	-35 741.43	3	593 472.44	
L174	-36 701.34	3	594 518.39		R174	-35 618.08	3	593 420.17	
L175	-36 631.88	3	594 457.41		R175	-35 606.31	3	593 405.48	
L176	-36 578.06	3	594 396.08		R176	-35 593.93	3	593 411.33	
L177	-36 571.46	3	594 390.23		R177	-35 528.89	3	593 391.27	
L178	-36 566.88	3	594 386.05		R178	-35 436.65	3	593 372.00	
L179	-36 559.06	3	594 378.44		R179	-35 355.55	3	593 362.40	
L180	-36 480.79	3	594 284.12		R180	-35 352.09	3	593 356.51	
L181	-36 447.85	3	594 244.43		R181	-35 243.18	3	593 357.17	
L182	-36 425.93	3	594 227.83		R182	-35 242.61	3	593 334.50	
L183	-36 401.45	3	594 211.32		R183	-35 225.96	3	593 334.67	
L184	-36 386.76	3	594 194.35		R184	-35 208.79	3	593 334.84	
L185	-36 374.42	3	594 162.33		R185	-35 194.76	3	593 361.19	
L186	-36 250.75	3	594 026.31		R186	-35 061.64	3	593 377.54	
L187	-36 130.18	3	593 893.30		R187	-35 034.10	3	593 388.21	
L188	-36 077.61	3	593 831.78		R188	-34 923.63	3	593 431.01	
L189	-36 030.03	3	593 766.58		R189	-34 906.38	3	593 437.81	
L190	-36 024.72	3	593 760.36		R190	-34 820.22	3	593 474.79	
L191	-35 969.04	3	593 695.11		R191	-34 684.61	3	593 535.18	
L192	-35 914.73	3	593 635.10		R192	-34 593.93	3	593 561.53	
L193	-35 850.20	3	593 586.37		R193	-34 587.79	3	593 543.50	
L194	-35 791.60	3	593 553.51		R194	-34 520.19	3	593 567.19	
L195	-35 715.55	3	593 497.72		R195	-34 439.55	3	593 569.39	
L196	-35 642.83	3	593 462.76		R196	-34 373.06	3	593 563.67	
L197	-35 573.64	3	593 439.31		R197	-34 294.78	3	593 548.04	
L198	-35 487.56	3	593 417.88		R198	-34 255.03	3	593 534.84	
L199	-35 408.03	3	593 403.44		R199	-34 204.37	3	593 512.51	
L200	-35 325.97	3	593 391.57		R200	-34 155.44	3	593 485.08	
L201	-35 299.88	3	593 406.46		R201	-34 098.20	3	593 445.38	
L202	-35 286.48	3	593 407.30		R202	-34 056.54	3	593 408.54	
L203	-35 285.13	3	593 394.58		R203	-34 018.45	3	593 367.91	
L204	-35 235.29	3	593 398.33		R204	-33 975.66	3	593 313.28	
Vel Sheet 14					Van of 20		P953/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE						
	Y		X	WG 27°		Y		X			
L205	-35	205.47	3	593	401.13	R205	-33	946.79	3	593	265.37
L206	-35	195.56	3	593	402.06	R206	-33	759.94	3	592	890.28
L207	-35	073.97	3	593	415.22	R207	-33	731.34	3	592	845.82
L208	-35	051.71	3	593	421.51	R208	-33	700.80	3	592	799.43
L209	-34	983.63	3	593	440.77	R209	-33	666.39	3	592	755.52
L210	-34	926.43	3	593	462.96	R210	-33	629.63	3	592	713.56
L211	-34	855.43	3	593	500.68	R211	-33	580.63	3	592	664.04
L212	-34	813.52	3	593	517.29	R212	-33	519.21	3	592	612.46
L213	-34	794.17	3	593	524.96	R213	-33	515.98	3	592	610.36
L214	-34	763.33	3	593	545.43	R214	-33	448.37	3	592	559.88
L215	-34	742.20	3	593	559.46	R215	-33	233.40	3	592	432.73
L216	-34	664.26	3	593	589.46	R216	-33	078.24	3	592	343.09
L217	-34	623.79	3	593	598.08	R217	-32	988.24	3	592	298.44
L218	-34	546.53	3	593	610.66	R218	-32	850.38	3	592	229.54
L219	-34	465.74	3	593	614.86	R219	-32	662.11	3	592	126.00
L220	-34	392.65	3	593	605.14	R220	-32	579.02	3	592	080.36
L221	-34	356.74	3	593	597.54	R221	-32	504.58	3	592	039.47
L222	-34	246.59	3	593	574.23	R222	-32	345.87	3	591	952.55
L223	-34	107.03	3	593	501.50	R223	-32	190.62	3	591	867.81
L224	-33	996.55	3	593	407.11	R224	-32	040.88	3	591	786.01
L225	-33	916.68	3	593	299.21	R225	-31	882.93	3	591	700.23
L226	-33	744.88	3	592	944.89	R226	-31	879.59	3	591	698.30
L227	-33	742.74	3	592	941.65	R227	-31	816.58	3	591	661.38
L228	-33	667.33	3	592	812.71	R228	-31	679.33	3	591	581.73
L229	-33	519.39	3	592	653.91	R229	-31	559.11	3	591	525.14
L230	-33	496.65	3	592	655.08	R230	-31	391.80	3	591	402.80
L231	-33	491.94	3	592	650.43	R231	-31	308.83	3	591	320.13
L232	-33	486.97	3	592	629.63	R232	-31	274.85	3	591	276.22
L233	-33	325.13	3	592	533.72	R233	-31	213.61	3	591	184.06
L234	-33	169.75	3	592	442.09	R234	-31	178.94	3	591	121.27
L235	-33	072.23	3	592	396.97	R235	-31	153.29	3	591	056.91
L236	-33	001.27	3	592	357.82	R236	-31	039.83	3	590	717.92
L237	-32	932.95	3	592	313.88	R237	-30	982.35	3	590	547.55
L238	-32	732.16	3	592	204.58	R238	-30	869.36	3	590	211.07
L239	-32	612.09	3	592	217.26	R239	-30	813.80	3	590	044.48
L240	-32	556.87	3	592	108.21	R240	-30	823.73	3	590	031.69
L241	-32	555.41	3	592	107.43	R241	-30	802.63	3	589	983.73
L242	-32	464.82	3	592	058.22	R242	-30	791.82	3	589	976.96
L243	-32	297.98	3	591	967.22	R243	-30	782.48	3	589	950.81
L244	-32	142.14	3	591	882.38	R244	-30	764.24	3	589	902.47
L245	-31	985.28	3	591	796.70	R245	-30	747.80	3	589	859.68
L246	-31	828.77	3	591	711.34	R246	-30	719.45	3	589	811.85
L247	-31	669.99	3	591	623.00	R247	-30	683.24	3	589	752.40
L248	-31	516.02	3	591	541.14	R248	-30	670.58	3	589	737.61
L249	-31	408.45	3	591	461.38	R249	-30	644.45	3	589	705.17
L250	-31	348.97	3	591	405.36	R250	-30	589.86	3	589	645.24
L251	-31	346.11	3	591	402.74	R251	-30	528.18	3	589	593.31
L252	-31	287.25	3	591	345.39	R252	-30	516.32	3	589	585.62
L253	-31	244.99	3	591	293.80	R253	-30	457.53	3	589	548.28
L254	-31	194.31	3	591	214.99	R254	-30	381.74	3	589	507.38
L255	-31	135.45	3	591	100.32	R255	-30	375.88	3	589	505.18
					Vel Sheet	15	Van of	20	P953/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L256	-31 077.39	3	590 926.48		R256	-30 363.16	3	589 498.51	
L257	-31 032.90	3	590 829.58		R257	-30 309.80	3	589 474.58	
L258	-30 986.97	3	590 660.75		R258	-30 299.68	3	589 477.19	
L259	-30 874.01	3	590 325.42		R259	-29 424.34	3	589 185.37	
L260	-30 816.18	3	590 153.35		R260	-29 343.83	3	589 163.04	
L261	-30 806.56	3	590 148.86		R261	-29 271.21	3	589 146.81	
L262	-30 804.18	3	590 142.62		R262	-29 188.47	3	589 134.09	
L263	-30 809.46	3	590 133.53		R263	-29 105.28	3	589 126.97	
L264	-30 748.93	3	589 956.24		R264	-29 021.97	3	589 124.89	
L265	-30 738.19	3	589 933.31		R265	-28 924.65	3	589 127.73	
L266	-30 694.55	3	589 840.14		R266	-28 827.14	3	589 130.97	
L267	-30 652.55	3	589 771.23		R267	-28 693.74	3	589 165.48	
L268	-30 602.21	3	589 707.68		R268	-28 640.21	3	589 179.93	
L269	-30 544.28	3	589 651.12		R269	-28 594.60	3	589 194.51	
L270	-30 480.58	3	589 601.61		R270	-28 574.01	3	589 199.92	
L271	-30 411.55	3	589 559.35		R271	-28 434.54	3	589 250.13	
L272	-30 338.64	3	589 524.47		R272	-28 415.22	3	589 257.70	
L273	-30 286.16	3	589 505.56		R273	-28 295.91	3	589 304.49	
L274	-30 269.53	3	589 499.97		R274	-28 170.07	3	589 353.96	
L275	-30 161.11	3	589 464.59		R275	-28 132.14	3	589 369.93	
L276	-29 893.39	3	589 375.13		R276	-27 998.88	3	589 408.15	
L277	-29 614.32	3	589 281.96		R277	-27 913.25	3	589 416.21	
L278	-29 401.74	3	589 212.24		R278	-27 840.84	3	589 415.25	
L279	-29 293.87	3	589 185.01		R279	-27 783.26	3	589 408.60	
L280	-29 207.39	3	589 169.04		R280	-27 730.62	3	589 398.56	
L281	-29 203.52	3	589 168.55		R281	-27 676.99	3	589 384.21	
L282	-29 115.14	3	589 160.02		R282	-27 638.12	3	589 369.52	
L283	-29 045.82	3	589 156.70		R283	-27 586.32	3	589 349.23	
L284	-28 976.11	3	589 157.22		R284	-27 536.89	3	589 323.72	
L285	-28 890.15	3	589 163.24		R285	-27 489.90	3	589 293.98	
L286	-28 765.86	3	589 181.71		R286	-27 456.14	3	589 270.22	
L287	-28 549.45	3	589 248.80		R287	-27 390.83	3	589 217.08	
L288	-28 440.17	3	589 293.34		R288	-27 315.71	3	589 154.76	
L289	-28 364.51	3	589 321.69		R289	-27 216.70	3	589 075.53	
L290	-28 306.39	3	589 350.75		R290	-27 220.77	3	589 070.53	
L291	-28 194.27	3	589 389.88		R291	-27 204.93	3	589 064.99	
L292	-28 187.06	3	589 406.35		R292	-27 194.88	3	589 048.48	
L293	-28 157.97	3	589 418.10		R293	-27 111.81	3	588 978.36	
L294	-28 135.38	3	589 408.26		R294	-27 044.57	3	588 933.18	
L295	-28 095.85	3	589 423.26		R295	-27 039.26	3	588 928.99	
L296	-28 016.83	3	589 439.79		R296	-26 995.61	3	588 889.30	
L297	-27 936.60	3	589 449.26		R297	-26 985.60	3	588 880.20	
L298	-27 855.88	3	589 449.61		R298	-26 980.69	3	588 863.44	
L299	-27 775.63	3	589 441.69		R299	-26 932.09	3	588 840.66	
L300	-27 696.31	3	589 424.78		R300	-26 910.49	3	588 819.62	
L301	-27 619.60	3	589 399.94		R301	-26 803.69	3	588 730.35	
L302	-27 545.53	3	589 367.20		R302	-26 791.56	3	588 717.96	
L303	-27 475.33	3	589 326.37		R303	-26 777.28	3	588 707.41	
L304	-27 409.53	3	589 279.41		R304	-26 773.06	3	588 704.08	
L305	-27 347.68	3	589 225.17		R305	-26 768.24	3	588 700.28	
L306	-27 278.76	3	589 249.04		R306	-26 737.48	3	588 676.04	
					Vel Sheet 16 Van of 20 P953/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L307	-27 257.48	3	589	247.56	R307	-26 727.92	3	588	668.50
L308	-27 213.09	3	589	149.95	R308	-26 719.60	3	588	654.70
L309	-27 227.71	3	589	145.01	R309	-26 620.26	3	588	592.97
L310	-27 225.36	3	589	121.32	R310	-26 572.33	3	588	568.59
L311	-27 216.64	3	589	113.92	R311	-26 521.44	3	588	550.51
L312	-27 184.62	3	589	090.14	R312	-26 443.56	3	588	528.67
L313	-27 180.61	3	589	086.75	R313	-26 388.27	3	588	499.71
L314	-27 100.56	3	589	026.96	R314	-26 270.08	3	588	475.56
L315	-27 060.42	3	588	991.09	R315	-25 803.30	3	588	331.99
L316	-26 937.62	3	588	886.81	R316	-25 653.49	3	588	285.92
L317	-26 905.21	3	588	859.30	R317	-25 485.91	3	588	234.27
L318	-26 863.65	3	588	824.38	R318	-25 310.10	3	588	180.51
L319	-26 784.61	3	588	759.33	R319	-25 138.01	3	588	127.21
L320	-26 751.49	3	588	732.05	R320	-25 061.93	3	588	099.21
L321	-26 743.68	3	588	725.69	R321	-24 940.76	3	588	066.79
L322	-26 716.27	3	588	703.34	R322	-24 827.50	3	588	032.21
L323	-26 707.32	3	588	696.05	R323	-24 771.66	3	588	015.17
L324	-26 659.44	3	588	659.04	R324	-24 752.23	3	588	008.82
L325	-26 656.41	3	588	656.69	R325	-24 675.86	3	587	985.53
L326	-26 633.31	3	588	638.47	R326	-24 507.96	3	587	934.82
L327	-26 566.09	3	588	606.41	R327	-24 377.79	3	587	900.05
L328	-26 506.54	3	588	583.74	R328	-24 232.58	3	587	869.65
L329	-26 414.76	3	588	555.85	R329	-24 086.34	3	587	844.87
L330	-26 374.69	3	588	549.42	R330	-23 996.98	3	587	834.63
L331	-26 355.58	3	588	544.52	R331	-23 872.62	3	587	820.17
L332	-26 281.11	3	588	514.58	R332	-23 832.47	3	587	812.24
L333	-25 825.81	3	588	374.63	R333	-23 801.63	3	587	806.83
L334	-25 772.28	3	588	359.04	R334	-23 680.77	3	587	798.80
L335	-25 651.00	3	588	320.97	R335	-23 576.25	3	587	787.03
L336	-25 477.06	3	588	267.57	R336	-23 399.52	3	587	766.78
L337	-25 134.58	3	588	162.11	R337	-23 344.90	3	587	755.96
L338	-24 946.31	3	588	105.05	R338	-23 273.42	3	587	722.12
L339	-24 839.15	3	588	071.49	R339	-23 248.32	3	587	712.84
L340	-24 793.19	3	588	057.10	R340	-23 202.69	3	587	684.34
L341	-24 686.51	3	588	024.24	R341	-23 156.77	3	587	648.19
L342	-24 515.00	3	587	971.55	R342	-23 027.76	3	587	483.38
L343	-24 444.43	3	587	954.10	R343	-22 976.23	3	587	416.78
L344	-24 300.57	3	587	918.95	R344	-22 932.91	3	587	360.80
L345	-24 155.13	3	587	891.16	R345	-22 888.14	3	587	314.18
L346	-24 008.78	3	587	870.39	R346	-22 823.30	3	587	257.15
L347	-23 808.39	3	587	847.93	R347	-22 598.76	3	587	100.49
L348	-23 701.87	3	587	835.26	R348	-22 454.87	3	586	997.60
L349	-23 627.75	3	587	830.58	R349	-22 332.93	3	586	910.65
L350	-23 434.67	3	587	806.82	R350	-22 186.57	3	586	807.54
L351	-23 381.49	3	587	799.19	R351	-22 020.54	3	586	690.59
L352	-23 263.13	3	587	773.72	R352	-21 898.82	3	586	615.27
L353	-23 244.68	3	587	765.77	R353	-21 743.49	3	586	526.84
L354	-23 159.18	3	587	698.07	R354	-21 608.44	3	586	461.07
L355	-23 105.86	3	587	649.04	R355	-21 442.20	3	586	388.10
L356	-23 070.22	3	587	608.82	R356	-21 430.48	3	586	368.30
L357	-23 038.02	3	587	565.52	R357	-21 375.07	3	586	351.73

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L358	-22 932.87	3	587	424.04	R358	-21 326.59	3	586	350.61
L359	-22 907.65	3	587	395.14	R359	-21 172.66	3	586	303.63
L360	-22 880.80	3	587	364.36	R360	-21 003.71	3	586	260.45
L361	-22 862.99	3	587	347.72	R361	-20 825.66	3	586	215.54
L362	-22 820.25	3	587	307.80	R362	-20 717.66	3	586	188.23
L363	-22 758.69	3	587	255.03	R363	-20 578.19	3	586	135.68
L364	-22 627.65	3	587	158.78	R364	-20 509.66	3	586	096.66
L365	-22 417.05	3	587	010.48	R365	-20 445.12	3	586	047.88
L366	-22 397.13	3	587	023.12	R366	-20 384.35	3	585	994.85
L367	-22 390.89	3	587	019.56	R367	-20 354.44	3	585	961.96
L368	-22 392.46	3	586	994.42	R368	-20 329.98	3	585	935.07
L369	-22 311.39	3	586	941.17	R369	-20 281.23	3	585	870.47
L370	-22 217.32	3	586	869.92	R370	-20 239.88	3	585	800.74
L371	-22 095.62	3	586	784.91	R371	-20 204.98	3	585	727.30
L372	-21 948.10	3	586	689.36	R372	-20 179.83	3	585	650.12
L373	-21 845.85	3	586	624.28	R373	-20 112.20	3	585	403.16
L374	-21 716.04	3	586	549.93	R374	-20 089.86	3	585	314.71
L375	-21 445.37	3	586	429.87	R375	-20 008.96	3	585	018.50
L376	-21 392.93	3	586	417.05	R376	-19 961.93	3	584	845.89
L377	-21 371.41	3	586	408.18	R377	-19 934.05	3	584	755.50
L378	-21 322.55	3	586	385.41	R378	-19 902.73	3	584	633.83
L379	-21 143.14	3	586	326.61	R379	-19 859.40	3	584	478.61
L380	-20 996.28	3	586	292.84	R380	-19 851.78	3	584	444.00
L381	-20 728.92	3	586	228.67	R381	-19 815.77	3	584	311.60
L382	-20 576.43	3	586	174.52	R382	-19 808.70	3	584	301.66
L383	-20 505.57	3	586	135.96	R383	-19 801.53	3	584	273.56
L384	-20 438.69	3	586	090.96	R384	-19 805.64	3	584	266.06
L385	-20 376.71	3	586	038.89	R385	-19 764.10	3	584	145.34
L386	-20 324.29	3	585	985.55	R386	-19 750.44	3	584	111.05
L387	-20 319.66	3	585	980.84	R387	-19 712.09	3	584	039.56
L388	-20 309.35	3	585	988.65	R388	-19 668.13	3	583	971.68
L389	-20 285.01	3	585	978.25	R389	-19 615.00	3	583	911.33
L390	-20 231.01	3	585	917.99	R390	-19 554.06	3	583	855.73
L391	-20 220.13	3	585	893.38	R391	-19 510.62	3	583	821.55
L392	-20 219.94	3	585	875.63	R392	-19 453.59	3	583	783.11
L393	-20 196.79	3	585	871.55	R393	-19 158.86	3	583	627.45
L394	-20 210.83	3	585	824.20	R394	-19 000.60	3	583	544.46
L395	-20 184.30	3	585	776.68	R395	-18 849.40	3	583	464.87
L396	-20 157.72	3	585	700.16	R396	-18 779.82	3	583	424.90
L397	-20 129.58	3	585	594.89	R397	-18 715.62	3	583	376.60
L398	-20 054.74	3	585	318.59	R398	-18 653.51	3	583	324.85
L399	-19 905.84	3	584	767.17	R399	-18 596.81	3	583	267.05
L400	-19 838.04	3	584	515.68	R400	-18 545.63	3	583	204.05
L401	-19 790.78	3	584	333.54	R401	-18 465.15	3	583	093.31
L402	-19 781.79	3	584	306.76	R402	-18 468.66	3	583	086.62
L403	-19 765.35	3	584	246.20	R403	-18 465.02	3	583	080.87
L404	-19 757.70	3	584	243.31	R404	-18 456.41	3	583	081.33
L405	-19 755.28	3	584	237.13	R405	-18 240.87	3	582	786.10
L406	-19 761.02	3	584	231.42	R406	-17 976.85	3	582	422.07
L407	-19 727.59	3	584	155.88	R407	-17 926.86	3	582	359.07
L408	-19 693.85	3	584	082.36	R408	-17 880.21	3	582	294.69
Vel Sheet 18					Van of 20		P953/17		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE						
	Y		X	WG 27°		Y		X			
L409	-19	603.16	3	583	948.31	R409	-17	883.58	3	582	287.18
L410	-19	576.64	3	583	921.46	R410	-17	879.47	3	582	281.89
L411	-19	548.02	3	583	892.93	R411	-17	870.49	3	582	282.17
L412	-19	483.56	3	583	844.70	R412	-17	555.44	3	581	848.13
L413	-19	403.94	3	583	795.00	R413	-17	545.88	3	581	835.83
L414	-18	915.10	3	583	538.13	R414	-17	471.96	3	581	734.56
L415	-18	842.96	3	583	501.39	R415	-17	365.59	3	581	587.89
L416	-18	772.64	3	583	461.34	R416	-17	347.67	3	581	563.14
L417	-18	705.69	3	583	416.11	R417	-17	338.95	3	581	551.10
L418	-18	644.46	3	583	363.38	R418	-17	282.65	3	581	475.72
L419	-18	584.64	3	583	308.77	R419	-17	279.98	3	581	423.59
L420	-18	530.00	3	583	248.98	R420	-17	214.59	3	581	327.08
L421	-18	436.44	3	583	115.25	R421	-17	163.01	3	581	309.11
L422	-18	431.61	3	583	113.41	R422	-16	915.88	3	580	969.42
L423	-18	427.57	3	583	108.03	R423	-16	874.09	3	580	912.10
L424	-18	427.06	3	583	102.36	R424	-16	811.19	3	580	825.72
L425	-18	425.76	3	583	098.02	R425	-16	703.60	3	580	677.43
L426	-18	231.46	3	582	830.98	R426	-16	590.71	3	580	521.35
L427	-18	222.93	3	582	832.14	R427	-16	512.67	3	580	414.56
L428	-18	219.15	3	582	826.72	R428	-16	493.08	3	580	387.77
L429	-18	222.83	3	582	819.13	R429	-16	483.80	3	580	374.89
L430	-17	866.63	3	582	329.61	R430	-16	447.74	3	580	326.77
L431	-17	858.74	3	582	332.23	R431	-16	391.79	3	580	252.24
L432	-17	854.50	3	582	327.15	R432	-16	373.74	3	580	230.29
L433	-17	860.52	3	582	321.21	R433	-16	364.02	3	580	218.48
L434	-17	542.24	3	581	883.78	R434	-16	320.49	3	580	171.83
L435	-17	527.80	3	581	863.95	R435	-16	282.30	3	580	130.89
L436	-17	519.90	3	581	865.47	R436	-16	248.63	3	580	089.44
L437	-17	516.38	3	581	859.81	R437	-16	131.89	3	579	945.75
L438	-17	519.61	3	581	852.69	R438	-16	000.00	3	579	809.16
L439	-17	433.14	3	581	738.25	R439	-15	891.12	3	579	683.54
L440	-17	338.90	3	581	609.43	R440	-15	882.95	3	579	674.12
L441	-17	234.53	3	581	466.24	R441	-15	865.13	3	579	653.74
L442	-17	225.34	3	581	467.11	R442	-15	765.70	3	579	540.09
L443	-17	213.11	3	581	450.57	R443	-15	619.07	3	579	371.83
L444	-17	222.10	3	581	449.05	R444	-15	531.32	3	579	262.86
L445	-17	098.59	3	581	275.70	R445	-15	454.26	3	579	146.20
L446	-16	993.19	3	581	129.49	R446	-15	384.36	3	579	013.99
L447	-16	889.74	3	580	987.23	R447	-15	331.42	3	578	884.18
L448	-16	779.99	3	580	844.26	R448	-15	300.42	3	578	783.44
L449	-16	674.06	3	580	698.50	R449	-15	230.14	3	578	523.02
L450	-16	572.98	3	580	551.54	R450	-15	236.74	3	578	516.57
L451	-16	550.37	3	580	520.72	R451	-15	235.08	3	578	509.71
L452	-16	466.16	3	580	405.28	R452	-15	226.47	3	578	509.00
L453	-16	464.08	3	580	403.09	R453	-15	048.51	3	577	838.87
L454	-16	456.57	3	580	392.86	R454	-15	070.64	3	577	818.24
L455	-16	396.34	3	580	319.31	R455	-15	044.93	3	577	723.15
L456	-16	365.56	3	580	284.31	R456	-15	010.98	3	577	698.80
L457	-16	340.79	3	580	256.14	R457	-14	966.67	3	577	531.06
L458	-16	301.63	3	580	211.61	R458	-14	942.90	3	577	437.03
L459	-16	283.60	3	580	188.28	R459	-14	926.83	3	577	384.94
					Vel 19 Van 20 of P953/17 Sheet of						

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES															
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE										
	Y		X	WG 27°		Y		X							
L460	-16	246.42	3	580	140.18	R460	-14	926.15	3	577	382.70				
L461	-16	099.58	3	579	977.53	R461	-14	894.48	3	577	263.61				
L462	-16	003.95	3	579	862.06	R462	-14	902.37	3	577	256.59				
L463	-15	920.33	3	579	772.53	R463	-14	900.70	3	577	250.19				
L464	-15	894.90	3	579	745.30	R464	-14	890.31	3	577	247.91				
L465	-15	828.46	3	579	665.06	R465	-14	845.27	3	577	094.98				
L466	-15	759.99	3	579	582.38	R466	-14	783.73	3	576	954.09				
L467	-15	752.24	3	579	584.55	R467	-14	715.49	3	576	828.82				
L468	-15	747.49	3	579	579.65	R468	-14	635.44	3	576	710.59				
L469	-15	749.75	3	579	570.51	R469	-14	545.35	3	576	600.21				
L470	-15	545.23	3	579	335.26	R470	-14	444.17	3	576	499.70				
L471	-15	462.89	3	579	222.62	R471	-14	169.61	3	576	269.54				
L472	-15	391.34	3	579	102.35	R472	-13	894.52	3	576	038.91				
L473	-15	331.20	3	578	976.40	R473	-13	588.47	3	575	783.52				
L474	-15	283.11	3	578	844.99	R474	-13	566.54	3	575	764.53				
L475	-15	199.80	3	578	531.77	R475	-13	514.29	3	575	712.07				
L476	-15	190.67	3	578	529.11	R476	-13	506.43	3	575	702.92				
L477	-15	188.87	3	578	522.39	R477	-13	497.37	3	575	692.38				
L478	-15	195.61	3	578	516.57	R478	-13	474.14	3	575	665.35				
L479	-15	017.76	3	577	847.37	R479	-13	460.66	3	575	646.37				
L480	-14	995.54	3	577	839.33	R480	-13	404.74	3	575	554.29				
L481	-14	988.34	3	577	828.12	R481	-13	360.08	3	575	447.17				
L482	-15	005.60	3	577	801.75	R482	-13	351.95	3	575	413.65				
L483	-14	937.61	3	577	544.69	R483	-13	335.95	3	575	350.97				
L484	-14	928.49	3	577	542.52	R484	-13	328.61	3	575	307.48				
L485	-14	926.90	3	577	535.74	R485	-13	319.32	3	575	202.24				
L486	-14	933.60	3	577	530.01	LINKERKANT/LEFT HAND SIDE									
L487	-14	909.85	3	577	437.09										
L488	-14	890.56	3	577	395.01	L511	-13	334.95	3	575	473.25				
L489	-14	887.44	3	577	388.10	L512	-13	311.98	3	575	386.10				
L490	-14	864.95	3	577	270.40	L513	-13	307.84	3	575	357.11				
L491	-14	843.22	3	577	262.96	L514	-13	291.65	3	575	287.17				
L492	-14	841.61	3	577	250.10	L515	-13	287.41	3	575	228.73				
L493	-14	854.84	3	577	233.78	L516	-13	285.27	3	575	199.27				
L494	-14	839.71	3	577	180.54										
L495	-14	790.82	3	577	045.76										
L496	-14	729.47	3	576	917.31										
L497	-14	655.73	3	576	794.94										
L498	-14	570.80	3	576	680.11										
L499	-14	475.47	3	576	573.99										
L500	-14	250.83	3	576	378.39										
L501	-14	242.81	3	576	381.64										
L502	-14	237.69	3	576	377.38										
L503	-14	239.43	3	576	368.74										
L504	-14	096.27	3	576	249.16										
L505	-13	803.40	3	576	003.75										
L506	-13	562.18	3	575	801.82										
L507	-13	461.74	3	575	703.49										
L508	-13	438.40	3	575	666.84										
L509	-13	395.26	3	575	599.11										
L510	-13	373.21	3	575	561.24										
					<table><tr><td>Vel Sheet</td><td>20</td><td>Van of</td><td>20</td><td>P953/17</td></tr></table>						Vel Sheet	20	Van of	20	P953/17
Vel Sheet	20	Van of	20	P953/17											

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065