

Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA REPUBLIEK VAN SUID AFRIKA

Vol. 695

2

May Mei

2023

No. 48490

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

No future queries will be handled in connection with the above.

Contents

| No. | | Gazette No. | Page No. |
|------------|--|----------------|-------------|
| | GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS | | |
| National T | reasury / Nasionale Tesourie South African Reserve Bank Act, 1989 (Act No. 90 of 1989): Substitution of Schedule 2 to the Act | 48490 | 0 |

GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

NATIONAL TREASURY

NO. 3357 2 May 2023

SUBSTITUTION OF SCHEDULE 2 TO SOUTH AFRICAN RESERVE BANK ACT, 1989 (ACT NO. 90 OF 1989)

I, E Godongwana, the Minister of Finance, in terms of section 16(2) of the South African Reserve Bank Act, 1989 (Act No. 90 of 1989), hereby substitute Schedule 2 to that Act (as amended by Government Notice No. 911 of 6 May 1994, Government Notice No. 500 of 29 March 1997, Government Notice No. 1499 of 15 December 1999, Government Notice No. 855 of 30 July 2004, and General Notice No. 195 of 29 March 2019, corrected by General Notice No. 452 of 6 August 2021 and substituted by Government Notice No. 3248 of 31 March 2023) for the following Schedule:

"SCHEDULE 2

(a) Precious Metal and Commemorative Coins

| DENOMINATION 1 & | | DIAMETER ² | STANDARD | STANDARD | REMEDY ALLOWABLE 5 | | | |
|--------------------|-------------------|-----------------------|-------------------|------------|-----------------------|------------|--|--|
| DESCRIPTION | | (mm) | MASS ³ | FINENESS 4 | | | | |
| Mass Dand 9 Courts | | | (g) | | STANDARD | STANDARD | | |
| Mass | Rand & Cents | | | | MASS ³ (g) | FINENESS 4 | | |
| 22 ct. Gol | d Coins | | | | | | | |
| 50 oz. | Krugerrand | 100.00 | 1696.60 | | +5.40 | | | |
| 5 oz. | Krugerrand | 50.00 | 169.66 | | +0.270 | | | |
| 2 oz. | Krugerrand | 40.00 | 67.86 | | +0.135 | +0.4 | | |
| 1 oz. | Krugerrand | 32.69 | 33.930 | Au 916.67 | +0.070 | | | |
| 1/2 oz. | Krugerrand | 27.00 | 16.965 | Cu 83.33 | +0.035 | | | |
| 1/4 oz. | Krugerrand | 22.00 | 8.482 | Cu 83.33 | +0.020 | | | |
| 1/10 oz. | Krugerrand | 16.50 | 3.393 | | +0.010 | | | |
| 1/20 oz. | Krugerrand | 12.00 | 1.697 | | +0.003 | | | |
| 1/50 oz. | Krugerrand | 8.00 | 0.679 | | +0.002 | | | |
| 24 ct. Gol | 24 ct. Gold Coins | | | | | | | |
| 1 kg | R 50 | 90.00 | 1000.00 | Au 999.9 | +10.00 | +0.1 | | |
| 5 oz. | R 50 | 50.00 | 155.535 | Au 999.9 | +1.30 | +0.1 | | |
| | R 500 | | | | | | | |
| | R 200 | | | | | | | |
| 1 oz. | R 100 Natura | 32.69 | 31.107 | Au 999.9 | +0.07 | +0.1 | | |
| | R 50 | | | | | | | |
| | R 25 Protea | | | | | | | |
| 1/2 oz. | R 100 | 27.00 | 15.553 | Au 999.9 | +0.035 | +0.1 | | |
| | R 50 Natura | 27.00 | 10.000 | 7.0 000.0 | . 0.000 | . 5. 1 | | |
| 1/4 oz. | R 50 | 22.00 | 7.777 | Au 999.9 | +0.02 | +0.1 | | |
| 1/4 02. | R 20 Natura | 22.00 | | | 3.02 | . 5.1 | | |

| | R 2 | | | | | | |
|--------------------|--|--------|---------|-------------------------------------|--------|------|--|
| 1/10 oz. | R 20 R 10 Natura R 5 Protea R 1 | 16.50 | 3.110 | Au 999.9 | +0.01 | +0.1 | |
| 1/20 oz. | R 5 Natura | 12.00 | 1.555 | Au 999.9 | +0.005 | +0.1 | |
| Platinum | Platinum Coins | | | | | | |
| 1 oz. | R 10 Krugerrand | 32.69 | 31.107 | Pt 999.9 | +0.07 | +0.1 | |
| 1 oz. | R 20 | 32.69 | 31.107 | Pt 999.5 | +0.05 | +0.1 | |
| Sterling-S | Silver Coins | | | | | | |
| 2 oz. | 50 c | 50.00 | 67.252 | Ag 925 Cu 75 | +0.50 | +5 | |
| 1 oz. | R 50 R 15 R 10 R 5 R 2 20 c | 38.725 | 33.626 | Ag 925 Cu 75 | +0.2 | +5 | |
| | R5 | 38.725 | 33.000 | Ag 925 Cu 75 Plating Au 999.9 | +0.2 | +5 | |
| 1/2 oz. | 10 c | 32.69 | 16.813 | Ag 925 Cu 75 | +0.1 | +5 | |
| | R 1 Protea | 32.69 | 15.000 | Ag 925 Cu 75 | +0.1 | +5 | |
| 1/4 oz. | 5 c | 27.00 | 8.406 | Ag 925 Cu 75 | +0.1 | +5 | |
| | 2 ½ c Tickey | 16.30 | 1.414 | Ag 925 Cu 75 | +0.1 | +5 | |
| Fine-Silve | er Coins | | | | | | |
| 1 kg | R 5 | 100.00 | 1000.00 | Ag 999 | +12.00 | +0.5 | |
| 5 oz. | R 5 | 64.00 | 155.535 | Ag 999 | +1.50 | +0.5 | |
| 2 oz. | R 2 Krugerrand | 50.00 | 62.214 | Ag 999 | +0.28 | +0.5 | |
| 1 oz. | R 25 Natura R 5 R 1 Krugerrand | 38.725 | 31.107 | Ag 999 | +0.07 | +0.5 | |
| Copper Alloy Coins | | | | | | | |
| | R 50 | 38.725 | 24.450 | Al Cu Ni | ± 0.73 | | |
| | | | | | | | |

¹ The denominations are featured on the coins in an abbreviated format, (e.g. 'R1'), written out in full (e.g. 'One Rand') or a combination of a number and rand (e.g. '1 Rand').

- 2 The Diameter is the average diameter of the coin as issued.
- 3 The Standard Mass is the minimum mass of the coin or Least Current Mass for precious metal coins and the average mass for copper alloy coins.
- 4 The Standard Fineness is the precious metal fineness in parts per thousand.
- 5 The Remedy Allowable is the deviation allowable from the Standard Mass or Standard Fineness.

(b) Circulation coins*1 issued since 1965

| DENOMINATION 2 | ISSUING | METAL | DIAMETER 3 | STANDARD | REMEDY |
|----------------|-------------|----------------------|------------|-------------------|-------------|
| Rand & Cents | YEARS | COMPOSITION | (mm) | MASS ⁴ | ALLOWABLE 5 |
| Nand & Cents | ILANG | COMPOSITION | (111111) | (g) | (g) |
| R 5 | 2004 - | Bi-metal alloy | 26.00 | 9.5 | ± 0.285 |
| IV 3 | 1994 -2003 | Nickel-plated copper | 26.00 | 7.0 | ± 0.210 |
| R 2 | 2023 - | Nickel-plated steel | 23.00 | 6.5 | ± 0.200 |
| IV Z | 1989 - 2022 | Nickel-plated copper | 23.00 | 5.5 | ± 0.165 |
| | 2023 - | Nickel-plated steel | 20.00 | 5.0 | ± 0.150 |
| R 1 | 1990 - 2022 | Nickel-plated copper | 20.00 | 4.0 | ± 0.120 |
| | 1977 - 1990 | Nickel | 31.00 | 12.0 | ± 0.360 |
| | 2023 - | Bronze-plated steel | 22.00 | 4.5 | ± 0.140 |
| 50 c | 1990 - 2022 | Bronze-plated steel | 22.00 | 5.0 | ± 0.150 |
| | 1965 - 1990 | Nickel | 27.84 | 9.5 | ± 0.258 |
| | 2023 - | Bronze-plated steel | 19.00 | 3.0 | ± 0.090 |
| 20 c | 1990 - 2022 | Bronze-plated steel | 19.00 | 3.5 | ± 0.105 |
| | 1965 - 1990 | Nickel | 24.21 | 6.0 | ± 0.180 |
| | 2013 - | Copper-plated steel | 16.00 | 2.0 | ± 0.060 |
| 10 c | 1990 - 2012 | Bronze-plated steel | 16.00 | 2.0 | ± 0.060 |
| | 1965 - 1989 | Nickel | 20.70 | 4.0 | ± 0.120 |
| 5 c | 1990 - 2011 | Copper-plated steel | 21.00 | 4.5 | ± 0.135 |
| 3.0 | 1965 - 1989 | Nickel | 17.35 | 2.5 | ± 0.075 |
| 2 c | 1990 - 2001 | Copper-plated steel | 18.00 | 3.0 | ± 0.090 |
| 26 | 1965 - 1990 | Bronze | 22.45 | 4.0 | ± 0.120 |
| 1 c | 1990 - 2001 | Copper-plated steel | 15.00 | 1.5 | ± 0.045 |
| | 1965 - 1989 | Bronze | 19.05 | 3.0 | ± 0.090 |
| 1/2 c | 1970 - 1983 | Bronze | 16.21 | 2.0 | ± 0.060 |

- 1 Circulation coins are also referred to as currency or alloy coins.
- 2 The denominations are featured on the coins in an abbreviated format, (e.g. 'R1'), written out in full (e.g. 'One Rand') or a combination of a number and rand (e.g. '1 Rand').
- 3 The Diameter is the average diameter of the coin as issued.
- 4 The Standard Mass is the average mass of the coin as issued.
- 5 The Remedy Allowable is the deviation allowable from the Standard Mass.".

ENOCH GODONGWANA, MP MINISTER OF FINANCE

No. 48490 **7**

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001 Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za Publications: Tel: (012) 748 6053, 748 6061, 748 6065